

SP-400[™] Corrosion Inhibitor, 10 Wt Oz No. 03282 | Item# 1003481 | Case# 1003480

Product Description

Applications

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Motors, shafts, equipment exposed to elements, outdoor storage of raw materials & finished stock.

Unit Package Description 16 Ounce Aerosol CRC **Generic Description 1** Corrosion Inhibitor (Extreme Duty) 10 Wt Oz **UPC** Code 078254032825 Unit Dimensions 7.75H x 2.63W x 2.63D in Units Per Case 12 **Case Dimensions** 8.1H x 8.3W x 11.1D in Cases Per Pallet 133 Case Weight 11 lbs 30078254032826 I 2 of 5 Code Dark Amber Viscous Liquid Appearance <0°F Flash point (F) Flash point (C) <-18°C Flammability Class - CPSC **Extremely Flammable** Spec Gravity Concentrate 0.787 Film Type Waxy, Dry, Transparent 1,000 Sq Ft per Gal Coverage Plastic Safe Not Determined Propellant Hydrocarbon Military Specification Meets requirements of Mil-C-16173 Grade 4 (Corrosion Number test only) NSF Category Code H2

> Last revised: 11/9/2017 Page 1 of 2



Customer Care: 800-556-5074 Technical Assistance: 800-521-3168 www.crcindustries.com



of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001.2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production. $CRC^{\circledast},$ K&W^{\circledast}, Sta-Lube^{\circledast}, Marykate^{\circledast} and products denoted with $^{\circledast}$ and $^{\intercal}$ are trademarks



Corrosion Inhibitor Inhibidor de corrosion

Long Term Protection Seals Out Moisture Completely For All Metals During Shipment or Extended Storage

Prolección a Largo Plazo Sella la Humedad Completamente Para Todos los Metales durante el Transporte ^{e el Almacenamiento Prolongado}

DANGER: EXTREMELY FLAMMABLE R FATAL IF SWALLOWED N AND EYE IRRITATION. M CHILDREN

PELIGRO: EXTREMAMENTE

Net Wt./Peso



Number

def)

Prod def)

NSF Number 145049 **Federal Specification** Not Determined Aerosol Flammability Level Ш DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity VOC % (Consumer Product 79.2 VOC g/L (Consumer 623.3 Product def) VOC lbs/gal (Consumer 5.2 **VOC Category** Not Regulated Removal (How To) May be removed with mineral spirits, Stoddard solvents,

or Alaphatic Petroleum solvents.

Corrosion Inhibitor

Inhibidor de corrosion

Long Term Protection Seals Out Moisture Completely For All Metals During Shipment or Extended Storage

Protección a Largo Plazo Sella la Humedad Completamente Para Todos los Metales durante el Transporte ^{e el Almacenamiento Prolongado}


DANGER: EXTREMELY FLAMMABLE. WANGLE OR FATAL IF SWALLOWED. CASSES SKIN AND EYE IRRITATION. OM CHILDREN PELIGRO: EXTREMAMENTE

INGESTION ES



Net Wt./Peso 10 oz. (

Customer Care: 800-556-5074 Technical Assistance: 800-521-3168 www.crcindustries.com



CRC[®], K&W[®], Sta-Lube[®], Marykate[®] and products denoted with [®] and [™] are trademarks of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair

and adheres to the strictest guidelines for quality in all facets of research, development and production.

Last revised: 11/9/2017

Page 2 of 2



SP-400[™] Corrosion Inhibitor, 10 Wt Oz No. 03282 | Item# 1003481 | Case# 1003480

Product Description

Applications

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Motors, shafts, equipment exposed to elements, outdoor storage of raw materials & finished stock.

Unit Package Description 16 Ounce Aerosol CRC **Generic Description 1** Corrosion Inhibitor (Extreme Duty) 10 Wt Oz **UPC** Code 078254032825 Unit Dimensions 7.75H x 2.63W x 2.63D in Units Per Case 12 **Case Dimensions** 8.1H x 8.3W x 11.1D in Cases Per Pallet 133 Case Weight 11 lbs 30078254032826 I 2 of 5 Code Dark Amber Viscous Liquid Appearance <0°F Flash point (F) Flash point (C) <-18°C Flammability Class - CPSC **Extremely Flammable** Spec Gravity Concentrate 0.787 Film Type Waxy, Dry, Transparent 1,000 Sq Ft per Gal Coverage Plastic Safe Not Determined Propellant Hydrocarbon Military Specification Meets requirements of Mil-C-16173 Grade 4 (Corrosion Number test only) NSF Category Code H2

> Last revised: 11/9/2017 Page 1 of 2



Customer Care: 800-556-5074 Technical Assistance: 800-521-3168 www.crcindustries.com



of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001.2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production. $CRC^{\circledast},$ K&W^{\circledast}, Sta-Lube^{\circledast}, Marykate^{\circledast} and products denoted with $^{\circledast}$ and $^{\intercal}$ are trademarks



Corrosion Inhibitor Inhibidor de corrosion

Long Term Protection Seals Out Moisture Completely For All Metals During Shipment or Extended Storage

Prolección a Largo Plazo Sella la Humedad Completamente Para Todos los Metales durante el Transporte ^{e el Almacenamiento Prolongado}

DANGER: EXTREMELY FLAMMABLE R FATAL IF SWALLOWED N AND EYE IRRITATION. M CHILDREN

PELIGRO: EXTREMAMENTE

Net Wt./Peso



Number

def)

Prod def)

NSF Number 145049 **Federal Specification** Not Determined Aerosol Flammability Level Ш DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity VOC % (Consumer Product 79.2 VOC g/L (Consumer 623.3 Product def) VOC lbs/gal (Consumer 5.2 **VOC Category** Not Regulated Removal (How To) May be removed with mineral spirits, Stoddard solvents,

or Alaphatic Petroleum solvents.

Corrosion Inhibitor

Inhibidor de corrosion

Long Term Protection Seals Out Moisture Completely For All Metals During Shipment or Extended Storage

Protección a Largo Plazo Sella la Humedad Completamente Para Todos los Metales durante el Transporte ^{e el Almacenamiento Prolongado}


DANGER: EXTREMELY FLAMMABLE. WANGLE OR FATAL IF SWALLOWED. CASSES SKIN AND EYE IRRITATION. OM CHILDREN PELIGRO: EXTREMAMENTE

INGESTION ES



Net Wt./Peso 10 oz. (

Customer Care: 800-556-5074 Technical Assistance: 800-521-3168 www.crcindustries.com



CRC[®], K&W[®], Sta-Lube[®], Marykate[®] and products denoted with [®] and [™] are trademarks of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair

and adheres to the strictest guidelines for quality in all facets of research, development and production.

Last revised: 11/9/2017

Page 2 of 2