

# TradeMaster Tamper- Resistant Receptacle

3232TRBK

Tamper-Resistant Duplex Grounding  
Receptacle. 15 amp, 125 volt. Black.



## features & benefits

- Meets 2008 National Electrical Code Tamper-Resistant requirements.
- Protects children: patented shutter system helps prevent improper insertion of foreign objects.
- High-impact resistant thermoplastic construction.
- Extra-long strap.
- Quickloop wire looping aid.
- Long-term blade retention.
- Longer tri-drive screws for easier 12 AWG looping.
- Extra-large circuit break-off tabs.
- Side-access push wire release.
- Ultrasonic welding of face to back body.
- Side wire accepts #12 – #14 AWG solid wire.
- Push wire accepts #14 AWG solid only.
- Superior protection than traditional outlet caps or protection plates.
- Low profile face.
- Traditional contoured face (3232 models).
- Self-grounding models provide automatic ground clip.

## specifications

**General Info**

Color: Black

Type: Tamper-Resistant

**Listing Agencies/Third Party Information**

CSA Listing Info: C22.2 No.42

CSA Standard: Yes

cULus: Yes

Federal Spec: No

UL Listing No: UL498

UL Standard: Yes

UN SPS C: 39121406

**Dimensions**

Depth U S: 1"

Height U S: 3.31"

Width U S: 1.32"

**Technical Information**

Amps: 15 Amp

Volts A C: 125

**Buy American Act Compliance**

Country of Origin: CHINA

Buy American Act Status: No

# TradeMaster Tamper- Resistant Receptacle

3232TRBK

Tamper-Resistant Duplex Grounding  
Receptacle. 15 amp, 125 volt. Black.



## features & benefits

- Meets 2008 National Electrical Code Tamper-Resistant requirements.
- Protects children: patented shutter system helps prevent improper insertion of foreign objects.
- High-impact resistant thermoplastic construction.
- Extra-long strap.
- Quickloop wire looping aid.
- Long-term blade retention.
- Longer tri-drive screws for easier 12 AWG looping.
- Extra-large circuit break-off tabs.
- Side-access push wire release.
- Ultrasonic welding of face to back body.
- Side wire accepts #12 – #14 AWG solid wire.
- Push wire accepts #14 AWG solid only.
- Superior protection than traditional outlet caps or protection plates.
- Low profile face.
- Traditional contoured face (3232 models).
- Self-grounding models provide automatic ground clip.

## specifications

**General Info**

Color: Black

Type: Tamper-Resistant

**Listing Agencies/Third Party Information**

CSA Listing Info: C22.2 No.42

CSA Standard: Yes

cULus: Yes

Federal Spec: No

UL Listing No: UL498

UL Standard: Yes

UN SPS C: 39121406

**Dimensions**

Depth U S: 1"

Height U S: 3.31"

Width U S: 1.32"

**Technical Information**

Amps: 15 Amp

Volts A C: 125

**Buy American Act Compliance**

Country of Origin: CHINA

Buy American Act Status: No