

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



71A6452001D 750W MH Bal Advance By Signify

Catalog Number	71A6452001D
Manufacturer	Advance By Signify
Description	Reliable Performance Vacuum-Pressure Impregnation Is Used to Re-Enforce The Electrical Insulation Of The Ballast, Preclude Moisture, Inhibit Noise, and Dissipate Heat;Pre-Insulated Voltage Leads Reduce The Risk Of Shock and Shrink Installation Time The Basic Ballast Is The Open Core and Coil Which Is Most Often Used As A Component Within A Lighting Luminaire. The Core and Coil Also Forms The Nucleus Of Philips Advance'S Five Other Ballast Configurations. Vacuum-Pressure Impregnated With A Silica-Filled Pol
Weight per unit	20.2 (lbs/each)
Product Category	
tures	
ANSI Code	M149
Ballast Factor	
dimmable	No
Lamp Type	METAL HALIDE
Number of Lamps	
Power Factor	0.90
Power Rating	750
start type	Pulse
Voltage Rating	120/208/240/277/480
Wattage	750
nensions and Weight	
Height	16.73
Length	0.24
Width	1.69



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Descrip	tions
_	

Description	750W MH BAL ADV 71A6452001D MH BAL 750W M149 5-	
extra long description		
Long Description	Reliable performance Vacuum-pressure impregnation is used to re-enforce the electrical insulation of the ballast, preclude moisture, inhibit noise, and dissipate heat;Pre-insulated voltage leads reduce the risk of shock and shrink installation time The basic ballast is the open core and coil which is most often used as a component within a lighting luminaire. The core and coil also forms the nucleus of Philips Advance's five other ballast configurations. Vacuum-pressure impregnated with a silica-filled pol	
Product Type		
Manufacturer Information		
Brand	Signify Electronics	
GTIN	00781087057490	
Manufacturers Part Number	71A6452001D	
UPC	781087057490	
Taxonomies, Classifications, and Cate	gories	
Category Description	HID BALLASTS	
Туре	Magnetic HID	
Packaging		
Carton		
Weight		
Weight Per each	20.16	
Uses, Certifications, and Standards		
Application	Lighting Luminaire Component	
Frequency Rating		
standard	ULR;CSA certificate;RoHS Compliant	