

# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



# **BR345 BR 3P 45A 10KAIC BKR**

Eaton Corp

Catalog Number	BR345
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BR 1-Inch Plug-On Circuit Breaker, 45 A, 10 Kaic, Three-Pole, 240V, BR, Common Breaker Trip, #14-4 Awg Cu/AI, Q28, BR, Type BR Loadcenters
Weight per unit	0.9400 (lbs/each)
Product Category	3 Pole Standard Trip Plug-In
eatures	
dimensions	3.0000 IN X 3.0000 IN X 2.7500 IN
interrupt rating	10 kAIC
Poles	Three-pole
Trip Type	Common breaker trip

240 V - 240 V

## **Descriptions**

Voltage Rating

Description	BR 3P 45A 10KAIC BKR
extra long description	ETN BR345 BR 3P 45A 10KAIC BKR
Features	Eaton's residential BR Circuit Breakers are used in load centers, panelboards, or similar devices. They are made for a wide range of applications and include: BR 1" circuit breakers and accessories for BR-style load centers; arc fault circuit interrupters (AFCI); and ground fault circuit interrupters (GFCI).
Long Description	Eaton BR thermal magnetic circuit breaker, Type BR 1-Inch plug-on circuit breaker, 45 A, 10 kAIC, Three-pole, 240V, BR, Common breaker trip, #14-4 AWG Cu/AI, Q28, BR, Type BR Loadcenters
Product Type	BR 3P 45A 10KAIC BKR
Special Features	Used with Type BR Loadcenters

#### **Manufacturer Information**

Brand	Eaton
GTIN	00786676000116
Manufacturers Part Number	BR345
UPC	786676000116

### Taxonomies, Classifications, and Categories

Category Description	LOADCENTERS & COVERS
Туре	Thermal magnetic circuit breakers



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

1
0.94
Generation - Renewable Energy - Alternative EnergyGeneration - Conventional Energy - Conventional EnergyDatacenters - IT
Space: CI and Hyper ConvergedMarine Vessels and Equipment -
Marine Vessels and Equipment - OtherOther UL 489, Federal Specifications Classification W-C375