BATORAY WHOLESALE DISTRIBUTORS • 648 ELM STREET, LUDLOW, KY 41016 Phone: (859) 431-7587 or toll free (800) 450-6776 • Fax: (859) 431-0600 Visit our website: www.batoray.com • email: sales@batoray.com





OCTOBER 2017





- No Minimum Order
- Custom Battery Assembly
- Master Distributor -- Large Inventory
- No additional charge for broken case orders
- Same Day Shipping
- Standard Terms = Net 30

- Freight Paid on orders over \$250.00
- Low Everyday Pricing
- Volume Discount Pricing available
- Expert product knowledge and experience
- Owned and operated by the Egbers Family since 1987

Wholesale Only --We're committed to making sure your customers remain your customers!

| Ta | able of Contents: | |
|--------------------------|--|---------|
| Manufacturer | Products | Page(s) |
| Batoray Custom Batteries | Custom Battery Assembly | 3-5 |
| Batoray Connectors | Connector Options | 6-7 |
| PowerSonic | Batteries | 8-11 |
| Xeno | Batteries | 12 |
| Empire | Batteries and Flashlights | 12 |
| EnerSys | Batteries | 13 |
| Rayovac | Batteries | 14-17 |
| Energizer | Batteries and Flashlights | 18-21 |
| Duracell | Batteries and Flashlights | 22 |
| Panasonic | Batteries and Flashlights | 23 |
| Evergreen | Batteries and Flashlights | 24 |
| Pelican | Flashlights | 25-27 |
| Mag-Lite | Flashlights and Equipment Cases | 28-29 |
| Outback | Flashlights | 30-31 |
| Streamlight | Flashlights | 32-40 |
| Accusharp | Knife Sharpeners | 41 |
| Nite-Ize | Innovative Accessories and Cell Phone Holsters | 42-44 |
| Harris | Insect Repellent | 45 |
| Global Glove | Gloves | 46-48 |
| EPIC | Shoe / Boot Covers | 48 |
| Bullhead | Safety Glasses and Hearing Protection | 49-53 |
| Terms and Conditions | | 55 |

Batoray Recycles! Please send your spent Sealed Lead, Nickel Cadmium or Nickel Metal Hydride Batteries to Batoray for recycling.



No Minimum Order & Same Day Shipping

| BATORAY Custo | om Bat | tery | Asse | mbly | | | | | | If you don't see what you are looking for, it's |
|---|-----------------|------------------------|-------|----------------------|----------------------------------|---------------|----------------|--------------------------------|-------------------------|--|
| STOCK NO. | Battery Size | Voltage of Assembly | МАН | Battery Chemistry | # Batteries in Assembly | Configuration | Wire Length | Wire Harness / Connector | Retail Price Each | you are tooking too, it's because we published only our most popular assemblies. XL-060F WH-09 |
| Single Cell Assemblies: | | | | | | | | | | |
| XL-050F WH-09 | 1/2 AA | 3.6 | 1200 | Lithium | 1 | single cell | 5" | WH-09 | \$18.00 | |
| CR14250SE WH-16 | 1/2AA | 3 | 1200 | Lithium | 1 | single cell | 5" | WH-16 | \$24.00 | |
| XL-055F WH-74 | 2/3AA | 3.6 | 1200 | Lithium | 1 | single cell | 2" | WH-09 | \$23.00 | |
| BR2/3A WH-49 | 2/3A | 3 | 1200 | Lithium | 1 | single cell | 5" | WH-49 | \$26.00 | |
| LST17330 WH-17 | 2/3A | 3.6 | 1200 | Lithium | 1 | single cell | 5" | WH-17 | \$30.00 | |
| CR17450SE WH-09 | 4/5A | 3 | 2500 | Lithium | 1 | single cell | 5" | WH-09 | \$30.00 | |
| PS-4/5A WH-12 | 4/5A | 1.2 | 1200 | NiCd | 1 | single cell | 8" | WH-12 | \$13.90 | \sim |
| XL-060F WH-09 | AA | 3.6 | 2400 | Lithium | 1 | single cell | 5" | WH-09 | \$17.00 | Las T |
| PS-AA/1 WH-84R | AA | 1.2 | 800 | NiCd | 1 | single cell | 8" | WH-84R | \$13.50 | PE-4162/001481 Bandray 2-6 and 3 (281 Ref. Frank 2 Bandray Bandray 2-6 and Bandray 2-6 and Bandray 2-6 and |
| BR-A WH-15 | A | 3 | 1800 | Lithium | 1 | single cell | 3" | WH-15 | \$32.00 | |
| BR-C WH-09 | С | 3 | 5000 | Lithium | 1 | single cell | 6" | WH-09 | \$46.00 | |
| XL-145F WH-15 | С | 3.6 | 8500 | Lithium | 1 | single cell | 6" | WH-15 | \$30.00 | |
| PS-C/1 WH-12 | С | 1.2 | 2500 | NiCd | 1 | single cell | 6" | WH-12 | \$24.00 | |
| XL-205F WH-61 | D | 3.6 | 4000 | Lithium | 1 | single cell | 6" | WH-61 | \$50.00 | PS-4/5A/2 WH-60 |
| 2 cell side X side: | | | | | | | | | | |
| XL-060F/2 WH-134 | AA | 3.6 | 2400 | Lithium | 2 | side x side | 3" | WH-46 | \$39.50 | PHT # PRAAT WHEE |
| XL-100F/2 WH-117 | A | 3.6 | | Lithium | 2 | side x side | 5" | WH-117 | \$50.00 | 34 with BB3 BAMA Michiel Cadmun Battery Posan Response Battery, Sec. Dizins Sa. |
| PS-AA/2 WH-05 | AA | 2.4 | 800 | NiCd | 2 | side x side | 5" | WH-05 | \$16.00 | 012118 BA |
| PS-4/5A/2 WH-60 | 4/5A | 2.4 | 1100 | NiCd | 2 | side x side | 7" | WH-60 | \$30.00 | the second se |
| CR17450SE/2 WH-09 | 4/5A | 6 | 2500 | Lithium | 2 | side x side | 7" | WH-09 | \$45.00 | |
| BR-A/2 WH-09 | A | 6 | 3600 | Lithium | 2 | side x side | 6" | WH-09 | \$56.00 | |
| BR-CCF2TE/H | С | 6 | 10000 | Lithium | 2 | side x side | 5" | WH-09 | \$70.00 | PS-AA/3 WH-05 |
| 2 cell stick: | | | | | | | | | | |
| PS-AA/2 S WH-05 | AA | 2.4 | 800 | NiCd | 2 | stick | 5" | WH-05 | \$18.00 | |
| PS-SC/2 S WLS-25 | Sub C | 2.4 | 1500 | NiCd | 2 | stick | 10" | WLS-25 | \$28.00 | and the second s |
| PS-C/2 S WH-20 | С | 2.4 | 2500 | NiCd | 2 | stick | 7" | WH-20 | \$33.00 | |
| 3 cell side X side: | | | | | | | | | | |
| PS-AA/3 WH-05 | AA | 3.6 | 800 | NiCd | 3 | side x side | 6" | WH-05 | \$19.00 | |
| PS-D/3 WH-20 | D | 3.6 | 4000 | NiCd | 3 | side x side | 7" | WH-20 | \$50.00 | PS-AA/2 S WH-05 |
| 3 cell Stick: | |) | | | | | | | | 1 3-AAZ 3 WI1-03 |
| PS-AA/3 S WH-12R | AA | 3.6 | 800 | NiCd | 3 | stick | 8" | WH-12R | \$20.00 | |
| 3 cell 1 X 2 Stick: PS-AA/3-1X2 S WH-05 | | 3.6 | 800 | NiCd | 3 | 1x2 stick | 5" | WH-05 | \$22.00 | 10 |
| 3 cell 1 X 2: | |) | | | | | | | | PS-AA/3-1X2 WH-84 |
| PS-AA/3-1X2 WH-84 | AA | 3.6 | 800 | NiCd | 3 | 1x2 | 5" | WH-84 | \$20.00 | |
| | | | | | | | | | | |

No Minimum Order & Same Day Shipping




Phone: 859-431-7587 Fax: 859-431-0600


4


PS-C/5-3X2 S WH-20

No Minimum Order & Same Day Shipping









PS-D/10-2X5 WH-20



PS-F/10-2X5 O WH-20



PS-D/12-4X3 S WH-87



No Minimum Order & Same Day Shipping

| Connector | | | | | | | | | | |
|---|-----------|--|--|--|--|--|--|--|--|--|
| Op | tions | | | | | | | | | |
| | | | | | | | | | | |
| Part # and Dimensions | Connector | | | | | | | | | |
| WH-04 WH-04R (Reverse Polarity) L.32xW.23xH.13 | | | | | | | | | | |
| WH-05 WH-05R (Reverse Polarity) L.58xW.22xH.19 | | | | | | | | | | |
| WH-06 (Female Pins) L.78xW.30xH.13 | The | | | | | | | | | |
| WH-09 WH-09R (Reverse Polarity) L.56xW.21xH.21 | | | | | | | | | | |
| WH-10 WH-10R _(Reverse Polarity) L.63xW.34xH.27 | Se Ma | | | | | | | | | |
| WH-12 WH-12R (Reverse Polarity) (2 Pin) L.52xW.20xH.13 | | | | | | | | | | |
| WH-14 WH-14R _(Reverse Polarity) L.63xW.33xH.25 | | | | | | | | | | |

| Part # and Dimensions | Connector |
|---|-----------|
| WH-15 WH-15R _(Reverse Polarity) L.60xW.20xH.10 | |
| WH-16 (3 Pin) L.58xW.34xH.16 | the |
| WH-17 (2 Pin) L.49xW.24xH.16 | Red |
| WH-20 WH-20R (Reverse Polarity) L.85xW.43xH.24 | |
| WH-24 WH-24R (Reverse Polarity) (24 mates with WH-51) L.72xW.32xH.28 | |
| WH-26 L.50xW.32xH.21 | |
| WH-29 L.31xW.41xH.18 | |
| WH-32 L.72xW.33xH.30 | |

| Part # and Dimensions WH-42 (Female Pins) L1.03xW.54xH.25 | Connector |
|---|--|
| WH-43 L.78xW.29xH.45 | No. |
| WH-44 WH-44R (Reverse Polarity) L.58xW.22xH.19 | and and |
| WH-49 L.55xW.21xH.09 | |
| WH-51 WH-51R (Reverse Polarity) L.47xW.22xH.16 | Contraction of the second seco |
| WH-52 L.71xW.51xH.14 | |
| WH-57 L.24xW.18xH.14 | Like Contraction |
| WH-60 WH-60R (Reverse Polarity) (2 Pin) L.52xW.20xH.13 | P |

No Minimum Order & Same Day Shipping

| Part # and Dimensions | Connector |
|---|--|
| WH-62 L.31xW.22xH.19 | |
| WH-65 WH-65R (Reverse Polarity) L.26xW.27xH.13 | |
| WH-67 (Female Pins) WH-67R (Female Pins and Reverse Polarity) L.81xW.34xH.19 | |
| WH-73 L.20xW.23xH.16 | the state |
| WH-74 L.55xW.20xH.12 | |
| WH-75 WH-75R (Reverse Polarity) L.63xW.50xH.26 | Contraction of the second seco |
| WH-76 WH-76R (Reverse Polarity) L.16xW.13xH.08 | |
| WH-80 L.97xW.62xH.26 | |

| Part # and Dimensions | Connector |
|--|------------|
| WH-81 L.26xW.24xH.16 | |
| WH-82 (Male Pins) L1.03xW.54xH.25 (Same Connector as WH-42) | the second |
| WH-84 WH-84R (Reverse Polarity) L.30xW.22xH.16 | |
| WH-85 L.98xW.33xH.15 | |
| WH-89 L1.43xW.76xH.34 | |
| WH-92 L.49xW.32xH.20 | |
| WH-95R (Male Pins- same Polartiy as WH-67R) L.81xW.34xH.19 (Same Connector as WH-67) | |
| WH-100 L.31xW.22xH.14 | |

| Part # and Dimensions | Connector |
|--|--------------------|
| WH-101 (2 Pin) L.52xW.30xH.12 | |
| WH-103 L.32xW.32xH.16 | |
| WH-111 L.56xW.30xH.12 | |
| WH-117 L.56xW.41xH.20 | Marine Contraction |
| WH-120 L1.08xW.43xH.19 | K |
| WH-122 WH-122R (Reverse Polarity) L.27xW.17xH.15 | |
| WH-135 L.71xW.43xH.20 | |
| WH-138 L.53xW.20xH.12 | |

POWER PSSONIC Qty. per Case Width / Inches Height / Inches Voltage Length Inches Weight Each (Ibs) AMP. Hours Min. Order Retail ğ Price STOCK NO. Terminal Each PS-445 F2 4 4.5 1.93 2.09 3.70 1 Each 1.5 \$21.86 20 PS-490 4 9 4.02 1.73 3.70 1 Each 10 2.4 F2 \$33.36 \$35.66 PS-4100 4 10 4.02 1.97 3.72 1 Each 30 F1 3.1 PS-605 6 0.5 2.24 0.55 1.97 1 Each 100 0.2 WI \$33.36 PS-610 6 1.1 2.00 1.65 2.00 1 Each 50 0.6 F1 \$19.56 PS-612 6 1.4 3.82 0.94 2.00 1 Each 20 0.6 F1 \$20.70 PS-621 6 2 1.69 1.46 2.99 1 Each 20 0.75 F1 \$25.20 F1 PS-628 6 2.9 2.60 1.30 3.86 1 Each 20 1.25 \$23.00 PS-630 6 3.5 5.28 1.34 2.35 1 Each 20 1.5 F1 \$24.16 PS-632 6 3.5 2.60 1.30 4.65 1 Each 20 1.5 F1 \$33.96 PS-640 2.76 1.89 4.02 1 Each F1 \$10.50 6 4.5 20 2 PS-650 6 5 2.63 2.63 3.78 1 Each 25 2 F1 or SP \$33.36 PS-665 6 6.5 3.86 2.20 4.05 1 Each 10 3 FP \$34.50 PS-670 6 7 5.95 1.34 3.70 1 Each 10 3 F1 \$19.00 PS-682 6 9 3.86 2.20 4.65 1 Each 10 3.3 F1 \$32.78 5.95 3.70 10 5 PS-6100 6 12 2.00 1 Each F1 or F2 \$28.00 1 Each FP PS-6120 6 13 4.26 2.75 5.54 10 5.2 \$37.96 PS-6200 6 20 6.18 3.27 4.92 1 Each 4 8.2 NB1 \$89.70 6.25 3.35 6.50 2 F2 or NB1 PS-6360 6 36 1 Each 13.8 \$96.60 PS-6580 7.28 4.41 8.07 2 21 F2 \$230.00 6 58 1 Each PS-62000 210 12 71 6 65 8 65 1 Each Т8 \$448.50 6 1 64 5.28 1.42 PS-832 32 2 4 9 1 Each 1.9 F1 \$43.70 8 10 **PS-1208WL** 12 0.8 3.78 0.98 2.42 1 Each 20 0.8 WL \$37.96 PS-1212 3.82 1.65 2.00 1.3 \$28.76 12 1.4 1 Each 20 F1 PS-1220 12 2.5 7.01 1.34 2.36 1 Each 20 2 F1 \$34.50 PS-1221S 12 2 5.91 0.80 3.52 1 Each 20 1.7 F1/0 \$46.00 PS-1223 12 2.3 7.17 0.94 2.42 1 Each 20 1.8 PC \$46.00 PS-1227 3.11 2.20 3.90 2.4 F1 12 2.9 1 Each 10 \$37.96 PS-1228 12 28 5 24 1.30 4 09 1 Each 10 26 F1 \$41.40 PS-1229 12 2.9 7.01 1.34 2.36 1 Each 10 2.2 F1 \$50.60 PS-1230 12 34 5.23 2.64 2 36 1 Fach 10 2.6 F1 \$40.26 PS-1238 12 3.8 7.28 1.85 2.91 1 Each 10 3.5 F1 \$46.00 PS-1250 12 5 3.54 2.76 3.98 1 Each 10 4 F1 or F2 \$25.00 PS-1270 12 7 5.95 2.56 3.70 1 Each 5 4.8 F1 or F2 \$29.40 3.70 5 F1 or F2 PS-1280 12 8 5.95 2.56 1 Each 5.8 \$35.00 PS-1282L 12 9 7.75 2.25 4.75 6.7 F1 1 Each 1 \$80.50 4.00 4.50 4.75 PS-1282S 12 9 1 Each 1 6.7 F1 \$80.50 PS-1290 12 9 5.95 2.56 3.70 5 F2 or NB1 1 Each 6.1 \$37.80 PS-12100H 12 10.5 5.94 2.56 4.40 1 Each 7.23 F2 \$59.80 PS-12100 12 12 4.00 3.70 6 F1 or F2 5.95 1 Each 9.2 \$75.90 PS-12120 5 94 3 86 3 70 F2 or NB1 \$55.00 12 12 1 Each 4 9 12 4 FΡ PS-12120L 12 8.45 2.75 5.75 1 Each 9.9 \$96.90 PS-12140 5.94 3.86 1 Each \$74.76 12 14 3 70 4 9 F2 PS-12180 12 7.13 2.99 6.57 2 \$77.00 18 1 Each 13 ⁻2, NB2, T12 PS-12200 12 7.13 3.00 1 Each NB1 101.78 20 6.5 2 13.2

PS Series & PSG Series – General Purpose Design

This series features Absorbent Glass Mat (AGM) technology for superior performance. They are valve regulated, spill proof and allow for safe operation in any position. UL recognized under file number MH 20845.



No Minimum Order & Same Day Shipping



PS Series continued...

| 15 50105 00 | | | | | | | | | | |
|--------------|---------|---------------|--------------------|-------------------|--------------------|-----------------------|------------------|-------------------------|--------------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
| PS-12260 | 12 | 26 | 6.89 | 6.54 | 4.92 | 1 Each | 1 | 18.7 | F2, NB2, T12 | \$138.00 |
| PS-12280 | 12 | 28 | 6.54 | 4.92 | 6.89 | 1 Each | 1 | 19.4 | NB1 | \$159.86 |
| PS-12350 | 12 | 35 | 7.68 | 5.19 | 6.38 | 1 Each | 1 | 26.5 | NB3 or T6 | \$142.00 |
| PS-6360-1X2 | 12 | 36 | 6.25 | 6.75 | 6.50 | 1 Each | 1 | 27.6 | F2 | \$240.00 |
| PS-6360-1X2L | 12 | 36 | 12.50 | 3.50 | 6.50 | 1 Each | 1 | 27.6 | F2 | \$240.00 |
| PS-12400 | 12 | 40 | 7.75 | 6.50 | 6.69 | 1 Each | 1 | 31 | NB4 | \$207.00 |
| PS-12550 | 12 | 55 | 9.50 | 5.45 | 8.10 | 1 Each | 1 | 41.1 | U or T6 | \$264.50 |
| PS-12750 | 12 | 75 | 10.25 | 6.60 | 8.20 | 1 Each | 1 | 52.3 | U or T6 | \$333.50 |
| PS-121000 | 12 | 100 | 12.00 | 6.60 | 8.20 | 1 Each | 1 | 65.7 | U or T6 | \$402.50 |
| PS-121100 | 12 | 110 | 13.00 | 6.73 | 8.35 | 1 Each | 1 | 69.5 | T11 | Call Us |
| PS-121400 | 12 | 140 | 13.50 | 6.73 | 11.15 | 1 Each | 1 | 99 | T11 | Call Us |

| PSH-Serie | es | | | | | | | | | |
|--------------|---------|---------------|-----------------------|-------------------|--------------------|-----------------------|---------------------|-------------------------|----------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
| PSH-655 FR | 6 | 6.5 | 2.76 | 1.85 | 3.94 | 1 Each | 10 | 2 | F1 | \$17.26 |
| PSH-1255 FR | 12 | 6 | 3.54 | 2.76 | 3.98 | 1 Each | 10 | 4.19 | F2 | \$39.10 |
| PSH-1280 FR | 12 | 8.5 | 5.95 | 2.56 | 3.70 | 1 Each | 5 | 6 | F2 | \$51.76 |
| PSH-12100 FR | 12 | 10.5 | 5.94 | 2.56 | 4.37 | 1 Each | 1 | 7.05 | F2 | \$69.00 |
| PSH-12180 FR | 12 | 21 | 7.14 | 3.03 | 6.59 | 1 Each | 1 | 13.3 | NB2 | \$109.26 |

PSH Series Batteries – High Rate Discharge Design

WERPSSON

POWER DESONIC

This series has the same features as the PS series but are specifically designed for high rate discharge applications. Valve regulated. Rugged, fire retardant case and cover.



PG Series

| STOCK NO. | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
|--------------|---------|---------------|-----------------------|-------------------|--------------------|-----------------------|------------------|-------------------------|----------|-------------------------|
| PG-6V210 FR | 6 | 210 | 12.70 | 7.00 | 8.98 | 1 Each | 1 | 69 | T11 | \$567.06 |
| PG-12V28 FR | 12 | 28 | 6.56 | 6.96 | 4.92 | 1 Each | 1 | 18.5 | T12 | \$160.12 |
| PG-12V35 FR | 12 | 35 | 7.80 | 5.20 | 6.22 | 1 Each | 1 | 27 | T6 | \$190.04 |
| PG-12V42 FR | 12 | 42 | 7.76 | 6.50 | 6.69 | 1 Each | 1 | 32.5 | T6 | \$258.18 |
| PG-12V55 FR | 12 | 56 | 8.98 | 5.39 | 8.27 | 1 Each | 1 | 39.5 | T6 | \$327.18 |
| PG-12V75 FR | 12 | 75 | 13.70 | 6.57 | 7.00 | 1 Each | 1 | 55.1 | T6 | \$442.30 |
| PG-12V75T FR | 12 | 75 | 10.24 | 6.61 | 8.27 | 1 Each | 1 | 55.1 | Т6 | \$452.64 |
| PG-12V100 FR | 12 | 92 | 12.05 | 6.61 | 8.27 | 1 Each | 1 | 60.3 | T6 | \$508.20 |
| PG-12V103 FR | 12 | 103 | 12.99 | 6.81 | 8.35 | 1 Each | 1 | 69 | T11 | \$540.50 |
| PG-12V120 FR | 12 | 124 | 16.14 | 6.97 | 8.86 | 1 Each | 1 | 81.5 | T11 | Call Us |
| PG-12V140 FR | 12 | 144 | 13.50 | 6.73 | 10.79 | 1 Each | 1 | 98.4 | T11 | Call Us |
| PG-12V150 FR | 12 | 153 | 19.09 | 6.69 | 9.53 | 1 Each | 1 | 103.5 | T11 | Call Us |
| PG-12V200 FR | 12 | 210 | 20.55 | 9.45 | 8.58 | 1 Each | 1 | 142 | T11 | Call Us |

PG Series Batteries – Long Life Design This series features Absorbent Glass Mat

(AGM) technology but has thicker plates and lead calcium alloy grids that yield a life expectancy of 10 years in standby mode. Valve regulated. Rugged, fire retardant case and cover.



POWERPS

PHR-Series

PHR Series Batteries – High Rate Discharge, Long Life Design

This series features Absorbent Glass Mat (AGM) technology. It has thicker plates and lead calcium alloy grids designed for High Rate Discharge UPS system applications. It yields a life expectancy of 10 years in standby mode. Valve regulated, rugged, fire retardant case and cover.

| | 00 | | | | | | | | | | |
|------------------|---------|---------------|----------------------------|--------------------|-------------------|--------------------|-----------------------|------------------|-------------------------|----------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | Watts / cell@15 min. | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
| PHR-12100 | 12 | 30 | 103 | 6.50 | 4.92 | 6.97 | 1 Each | 1 | 21.38 | T12 | Call Us |
| PHR-12150 | 12 | 36 | 129 | 7.70 | 5.12 | 6.22 | 1 Each | 1 | 26.6 | T6 | Call Us |
| PHR-12200 | 12 | 60 | 192 | 9.02 | 5.43 | 8.15 | 1 Each | 1 | 40.12 | Т6 | Call Us |
| PHR-12300 | 12 | 80 | 279 | 10.20 | 6.61 | 8.19 | 1 Each | 1 | 58.4 | T6 | Call Us |
| PHR-12350 | 12 | 98 | 340 | 11.97 | 6.61 | 8.19 | 1 Each | 1 | 68.7 | Т6 | Call Us |
| PHR-12400 | 12 | 110 | 430 | 12.81 | 6.69 | 8.39 | 1 Each | 1 | 69.2 | T8 | Call Us |
| PHR-12500 | 12 | 154 | 508 | 13.58 | 6.77 | 10.83 | 1 Each | 1 | 97 | T8 | Call Us |
| | | | | | | | | | | | |



| Terminal Adaptors | | | | | | |
|-------------------|----------------------------|-------------------------|--|--|--|--|
| STOCK NO. | Description | Retail Price Each | | | | |
| 035021 | Changes F1 terminals to F2 | \$0.50 | | | | |
| 035018 | Changes F2 terminals to F1 | \$0.50 | | | | |
| 035025 | Changes NB terminals to F2 | \$0.50 | | | | |

Fax:

859-431-0600

035021 F1 to F2




035018





Terminal Adaptors

Phone: 800-450-6776



No Minimum Order & Same Day Shipping

Power-Sonic SLA Battery Chargers

The chargers listed below are "switching" type devices which operate without the use of transformers. They control and regulate current and voltage and automatically switch from the higher fast charge voltage to the lower float voltage when batteries are very close to being fully charged. At the float voltage, it is safe to leave the battery connected to the charger indefinetly, making charging pretty much fool-proof.

| | | Retail Price |
|----------------|---|-----------------|
| STOCK NO. | Description | Each |
| PSC-6500A-C | 6 Volt batery charger for 2-5 AH batteries | \$44.86 |
| PSC-61000A-C | 6 Volt battery charger for 5-10 AH batteries | \$49.72 |
| PSC-64000A-C | 6 Volt battery charger for 10-40 AH batteries | \$136.82 |
| PSC-12300A-C | 12 Volt battery charger for 1-5 AH batteries | \$43.20 |
| PSC-12500A-C | 12 Volt battery charger for 2-5 AH batteries | \$45.16 |
| PSC-12800A-C | 12 Volt battery charger for 4-8 AH batteries | \$47.88 |
| PSC-122000A-C | 12 Volt battery charger for 8-20 AH batteries | \$123.14 |
| PSC-124000A-C | 12 Volt battery charger for 20-40 AH batteries | \$144.60 |
| PSC-1210000A-C | 12 Volt battery charger for 40-100 AH batteries | \$392.28 |
| PSC-2410000A-C | 24 Volt battery charger for 5-10 AH batteries | \$132.52 |

Battery Sitter

The Battery Sitter charges, desulfates, tests and maintains all conventional, AGM, and Gell type batteries from 2.5Ah to 32Ah capacity (PS, PSH and Power-Sport). All major starter battery manufacturers recommend maintaining starter batteries FULLY CHARGED during periods of non-use. The battery sitter is automatic and totally safe for months long connection during off season. DO NOT USE ON BATTERIES WITH AMP RATINGS HIGHER THAN 32 AMPS.

| STOCK NO. | Description | Retail Price Each |
|-----------|----------------|-------------------------|
| | | |
| PS-MCA12C | Battery Sitter | \$74.00 |









Katelyn Egbers enjoying the day riding ATV's in Roxana, Kentucky (July 2016) while visiting her Mom's family.

Power Sport Series Batteries

This series features Absorbent Glass Mat (AGM) technology, are factory sealed, and maintenance free. Designed for ATV's, motorcycles, utility vehicles, snow mobiles, scooters and other sporting vehicles. Only our most common are listed here.

| Power Sport | | | 2 | | | nmon are | | | | |
|---------------|---------|---------------|-------------|--------------------|-------------------|--------------------|-------------------------|----------|----------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | CCA@ 0 F | Length / Inches | Width / Inches | Height / Inches | Weight Each (Ibs) | Terminal | Polarity | Retail Price Each |
| PTX4LBS-FS | 12 | 3 | 40 | 4.50 | 2.81 | 3.38 | 3.3 | 5 | - / + | \$35.64 |
| PTX5LBS-FS | 12 | 4 | 65 | 4.50 | 2.81 | 4.19 | 4.4 | 5 | - / + | \$40.26 |
| PTX7LBS-FS | 12 | 6 | 80 | 4.50 | 2.81 | 5.19 | 5.5 | 5 | - / + | \$55.50 |
| PTX7ABS-FS | 12 | 6 | 85 | 6.00 | 3.44 | 3.75 | 5.9 | 5 | +/- | \$55.50 |
| PTX9BS-FS | 12 | 8 | 90 | 6.00 | 3.44 | 4.19 | 7.2 | 5 | +/- | \$64.08 |
| PTX12BS-FS | 12 | 10 | 120 | 6.00 | 3.44 | 5.13 | 7.5 | 11 | +/- | \$76.18 |
| PTX14BS-FS | 12 | 12 | 150 | 6.00 | 3.44 | 5.75 | 10.6 | 4 | +/- | \$82.00 |
| PTX14AHBS-FS | 12 | 12 | 160 | 5.31 | 3.56 | 6.38 | 11.4 | 4 | +/- | \$92.76 |
| PTX14AHLBS-FS | 12 | 12 | 12 | 5.31 | 3.56 | 6.38 | 11.4 | 4 | - / + | \$92.76 |
| PTX20LBS-FS | 12 | 18 | 200 | 6.88 | 3.44 | 6.13 | 14.1 | 4 | - / + | \$120.82 |
| PiX30LBS-FS | 12 | 12 | 28 | 6.56 | 5.00 | 6.88 | 20.3 | 5 | - / + | \$160.88 |





Xeno & FDK (Sanyo) Lithium Single Cell Batteries

| STOCK NO. | Description | Battery Size | volts | МАН | Battery Dimensions (inches) | Minimum Order Quantity | Retail Price Per Battery |
|------------------|---|--------------|-------|-------|-----------------------------------|------------------------------|-----------------------------------|
| XL-060F | XENO Lithium Battery - Button Top | AA | 3.6 | 2400 | .55 x 1.94 | 1 Battery | \$5.80 |
| XL-060FAX | XENO Lithium Battery - Axial Leads | AA | 3.6 | 2400 | .55 x 1.94 | 1 Battery | \$8.00 |
| XL-050F | XENO Lithium Battery - Button Top | 1/2 AA | 3.6 | 1200 | .55 x .98 | 1 Battery | \$5.20 |
| XL-050FAX | XENO Lithium Battery - Axial Leads | 1/2 AA | 3.6 | 1200 | .55 x .98 | 1 Battery | \$7.70 |
| XL-055F | XENO Lithium Battery - Button Top | 2/3 AA | 3.6 | 1650 | .55 x 1.27 | 1 Battery | \$9.00 |
| XL-100F | XENO Lithium battery - Button Top. | A | 3.6 | 3400 | .65 x 1.27 | 1 Battery | \$10.50 |
| XL-145F | XENO Lithium Battery - Button Top | С | 3.6 | 8500 | 1.01 x 1.89 | 1 Battery | \$26.00 |
| XL-205F | XENO Lithium Battery - Button Top | D | 3.6 | 19000 | 1.31 x 2.30 | 1 Battery | \$31.00 |
| XL-210F | XENO Lithium Battery - Wafer with Pins | 1/10 D | 3.6 | 1000 | .27 x 1.30 | 1 Battery | \$16.00 |
| CR12600SE | FDK Sanyo Lithium Battery - Button Top | | 3 | 1500 | .45 x 2.35 | 1 Battery | \$11.80 |
| CR17335SE | FDK Sanyo Lithium Battery - Flat Top | 2/3 A | 3 | 1800 | .66 x 1.31 | 1 Battery | \$14.00 |
| ER17335 | Titus Lithium Battery - Flat Top | 2/3A | 3.6 | 2100 | .66 x 1.31 | 1 Battery | \$9.00 |
| CR17450SE | FDK Sanyo Lithium Battery - Flat Top | A | 3 | 2500 | .66 1.76 | 1 Battery | \$15.00 |
| CR14250SE | FDK Sanyo Laser Lithium Battery - Flat Top | 1/2 AA | 3 | 850 | .56 x .97 | 1 Battery | \$11.50 |
| KR-1100AEL | Sanyo 1.2 volt NiCad battery. Discontinued by FDK Sanyo. Direct cross is Batoray PS-4/5A found on page 24. | 4/5 A | 1.2 | 1100 | .66 x 1.65 | 1 Battery | N/A |
| LTC-3PN | KEEPER 3.5 volt Lithium Battery | | 3.5 | 350 | .67x.59x.26 | 1 Battery | \$35.88 |
| FLB-18650-3.0 | Ultrafire 18650 Lithium ion Rechargeable Battery | | 3.7 | 3000 | .72x2.73 | | \$13.36 |
| FBC-WF-139 | Charger for the 18650 batteries. Charges 1 or 2 batteries. | | | | | | \$41.86 |







18650 Charger



<image><complex-block><complex-block><complex-block>



formerly known as HAWKER

| Power/Full Solutions" |
|-----------------------|
| |

| Cyclon Batt Monoblock, | eries Shrink Wrap Packs and Single Cells | | | | | | | | | |
|---------------------------|--|---------|---------------|--------------------|-------------------|--------------------|------------------|----------------|------------------------------|-------------------------|
| STOCK NO. | Description | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | STD. Terminal | Weight Each | Minimum Order Quantity | Retail Price Each |
| 0819-0010 | Cyclon Monoblock Battery | 4 | 2.5 | 3.00 | 1.75 | 2.75 | F2 | 0.80 | 1 Battery | \$29.50 |
| 0809-0010 | Cyclon Monoblock Battery | 4 | 5 | 3.75 | 2.00 | 3.00 | F2 | 1.62 | 1 Battery | \$38.00 |
| 0859-0010 | Cyclon Monoblock Battery | 4 | 8 | 3.75 | 2.00 | 4.00 | F2 | 2.11 | 1 Battery | \$42.00 |
| 0819-0012 | Cyclon Monoblock Battery | 6 | 2.5 | 4.15 | 1.63 | 2.70 | F2 | 1.15 | 1 Battery | \$33.00 |
| 0809-0012 | Cyclon Monoblock Battery | 6 | 5 | 5.28 | 2.00 | 3.00 | F2 | 2.16 | 1 Battery | \$45.00 |
| 0859-0012 | Cyclon Monoblock Battery | 6 | 8 | 5.28 | 2.00 | 4.00 | F2 | 3.15 | 1 Battery | \$54.00 |
| 0810-0004 | Cyclon D Cell Battery - single cell | 2 | 2.5 | | 1.35 | 2.50 | F1 | 0.40 | 1 Battery | \$14.00 |
| 0860-0004 | Cyclon DT Cell Battery - single cell | 2 | 4.5 | | 1.35 | 3.75 | F1 | 0.50 | 1 Battery | \$30.00 |
| 0800-0004 | Cyclon X Cell Battery - single cell | 2 | 5 | | 1.75 | 2.95 | F2 | 0.84 | 1 Battery | \$20.00 |
| 0850-0004 | Cyclon E Cell Battery - single cell | 2 | 8 | | 1.75 | 3.94 | F2 | 1.25 | 1 Battery | \$31.20 |
| 0820-0004 | Cyclon BC Cell Battery - single cell | 2 | 25 | | 2.50 | 6.25 | NB | 3.68 | 1 Battery | \$82.50 |
| 0810-2425 | Cyclon (2) D cells in STICK config. with blunt cut wire leads | 4 | 2.5 | | 1.35 | 5.00 | WL | 0.84 | 1 Battery | \$54.00 |
| 0810-0103 | Cyclon (3) D cells side x side with blunt cut wire leads | 6 | 2.5 | 4 | 1.50 | 2.50 | WL | 1.25 | 1 Battery | \$56.00 |
| 0810-0102 | Cyclon (3) D cells side x side with tabs | 6 | 2.5 | 4 | 1.50 | 2.50 | F1 | 1.25 | 1 Battery | \$53.00 |
| 0810-0103 WH-20 | Cyclon (3) D cells side x side with wire leads and WH-20 connector | 6 | 2.5 | 4 | 1.50 | 2.50 | WH-20 | 1.25 | 1 Battery | \$56.50 |
| 0810-0104 | Cyclon (4) D cells side x side with tabs | 8 | 2.5 | 5.35 | 1.50 | 2.50 | F1 | 1.60 | 1 Battery | \$73.00 |
| 0800-0102 | Cyclon (3) X cells side x side with tabs | 6 | 5 | 5.25 | 1.75 | 3.00 | F2 | 3.75 | 1 Battery | \$75.00 |
| 0800-0103 | Cyclon (3) X cells side x side with blunt cut wire leads | 6 | 5 | 5.25 | 1.75 | 3.00 | WL | 2.52 | 1 Battery | \$78.00 |
| 0800-0137 | Cyclon (2) X Cell Battery Pack (side x side config.) with tabs | 4 | 5 | 3.5 | 1.75 | 3.00 | F2 | 1.68 | 1 Battery | \$59.00 |
| 0800-2425 | Cyclon (2) X cells in STICK config. with blunt cut wire leads | 4 | 5 | | 1.75 | 6.00 | WL | 1.68 | 1 Battery | \$61.00 |







0810-2006



13

CALL TOLL FREE Phone: 800-450-6776

No Minimum Order & Same Day Shipping



50% of battery sales are impulse sales. Increase your battery sales by putting a display like this one on your counter! Order Rayovac products and we will ship you a **free** F628IND counter display. Call for details.



| Industr | Industrial Multi-Pack Batteries (shrink wrapped) | | | | | | | | | | | |
|--------------|--|-----------------------|-----------------------|-------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|--|--|
| STOCK NO. | Description | Minimum Order Qty. | Batteries per Pack | Packs per case | Batteries per case | Weight per Battery | Retail Price per Battery | | | | | |
| | ALKALINE BATTERIES: | | | | | | | | | | | |
| AL-C | Alkaline C Size Batteries | 1 Battery | 6 | 12 | 72 | 0.16 | Call | | | | | |
| AL-D | Alkaline D Size Batteries | 1 Battery | 6 | 12 | 72 | 0.32 | Call | | | | | |
| AL-AA | Alkaline AA Size Batteries | 1 Battery | 8 | 12 | 96 | 0.05 | Call | | | | | |
| AL-AAA | Alkaline AAA Size Batteries | 1 Battery | 8 | 12 | 96 | 0.03 | Call | | | | | |
| AL-9V | Alkaline 9-volt Batteries | 1 Battery | 6 | 12 | 72 | 0.11 | Call | | | | | |

Industrial Multi-Pack Batteries (Contractor Pack) -Reclosable Clam Pack

| стоск | | Minimum Order Qty. | Batteries per Pack | Packs per case | Batteries per case | Weight er Pack | Retail Price Per |
|----------|---------------------------|--------------------------|-----------------------|-------------------|-----------------------|-------------------|------------------------|
| NO. | Description | Μ | Шā | d | Шd | - d | Battery |
| | ALKALINE BATTERIES | | | | | | |
| ALC-12 | Alkaline C batteries | 12 batteries | 12 | 8 | 96 | 1.97 | Call |
| ALD-12 | Alkaline D batteries | 12 batteries | 12 | 8 | 96 | 3.98 | Call |
| ALAA-24 | Alkaline AA batteries | 24 batteries | 24 | 12 | 288 | 1.31 | Call |
| ALAAA-18 | Alkaline AAA batteries | 18 batteries | 18 | 12 | 216 | 0.50 | Call |
| AL9V-8 | Alkaline 9-volt batteries | 8 batteries | 8 | 12 | 96 | 1.31 | Call |
| AL9V-8 | Alkaline 9-volt batteries | 8 batteries | 8 | 12 | 96 | 1.31 | Call |







RAVE Z.S.

FUSION Batteries by Rayovac

High Performing Advanced **Alkaline** Batteries. The Fusion series is specially formulated for power-hungry high drain devices.

| STOCK NO. | Description | Minimum Order Qty. | Packs per Case | Weight per Pack | Retail Price per Pack |
|-------------|--|-----------------------|-------------------|--------------------|-----------------------------|
| 815-30PPFUS | AA Rayovac Fusion High Performance Alkaline Batteries. 30 batteries per reclosable contractor pack | 30 Batteries | 12 | 1.40 | \$23.50 |
| 824-30PPFUS | AAA Rayovac Fusion High Performance Alkaline Batteries. 30 batteries per reclosable contractor pack | 30 Batteries | 12 | 0.95 | \$23.50 |



| Lantern | Lantern and Special Application Batteries | | | | | | | | | |
|------------|---|-----------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|--|--|
| STOCK NO. | Description | Minimum Order Qty. | Batteries per Case | Weight per Battery | Retail Price per Battery | | | | | |
| 6V-HD | 6-volt battery with Spring Terminals Industrial Label, Heavy Duty | 1 Each | 12 | 1.42 | \$4.52 | | | | | |
| 6V-HDM | 6-volt battery with Spring Terminals Industrial Label, Heavy Duty Maximum | 1 Each | 12 | 1.55 | \$5.38 | | | | | |
| 918 | 6-volt battery with Screw Terminals, General Purpose | 1 Each | 6 | 2.83 | \$13.50 | | | | | |
| 926 | 12-volt battery with Screw Terminals, General Purpose | 1 Each | 6 | 2.83 | \$16.72 | | | | | |
| 945R | 6-volt Screw Terminals, Heavy Duty | 1 Each | 4 | 1.38 | \$6.96 | | | | | |
| KE810-2ZMA | 1.5 volt N cell batteries - 2 per card | 1 Card | 24 | 0.10 | \$3.30 | | | | | |



Rechargable Nickel Metal Hydride (Ni-MH) Batteries and Chargers

You can trust these Platinum batteries to keep you running when you need it; low self discharge technology; hold their charge 3x longer than standard rechargeable batteries; pre-charged and ready to use right out of the package; can be used in any device and in any charger; ideal for high drain devices.

| STOCK NO. | Description | Minimum Order Qty. | Case Quantity | Weight per Item | Retail Price per Card |
|--------------|---|-----------------------|------------------|--------------------|-----------------------------|
| PL713-2 GENB | Rechargeable NiMh D Batteries - Carded - 2 Per Card (3000 MAH) | 1 Card | 6 | 0.38 | \$15.00 |
| PL714-2 GENB | Rechargeable NiMh C Batteries - Carded - 2 Per Card (3000 MAH) | 1 Card | 6 | 0.33 | \$15.00 |
| PL715-4 GENB | Rechargeable NiMh AA Batteries - Carded - 4 Per Card (2400 MAH) | 1 Card | 6 | 0.15 | \$16.70 |
| PL724-4 GENB | Rechargeable NiMh AAA Batteries - Carded - 4 Per Card (900 MAH) | 1 Card | 6 | 0.08 | \$16.70 |
| PL1604-1 GEN | Rechargeable NiMh 9V Battery - Carded - 1 Per Card (200 MAH) | 1 Card | 6 | 0.11 | \$13.50 |
| PS203 GEN | Universal Battery Charger - charges (4) AA or (4) AAA or (4) C or (4) D or 1 (9V) batteries. Charges NiCad or NiMH. LED charging indicators. | 1 | 3 | 4.27 | \$39.60 |
| PS334-4B GEN | Battery Charger. Smart Charger. Charges (4) AA or (4) AAA batteries in 4 hours. NiMH or NiCD. Safety auto shut off. LCD countdown timer. Overcharge protection. Includes (4) AA NiMH batteries. | 1 | 3 | 2.33 | \$24.50 |
| PS134-4B GEN | Battery Charger. Value Charger. Charges (4) AA or (4) AAA batteries in 8 hours. Safety auto shut off. Includes (2) AA and (2) AAA NiMH batteries. | 1 | 3 | 2.33 | \$18.98 |







PS134-4B GEN

WHE2D-1 A

VB1DLED-BA ANTHE LED

EFL6V10LED-B



Flashlights & Lanterns

| • | 1 | | | | | |
|--------------|---|-----------------------|------------------|-----------|------------------|-------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Battery Used | Bulb Used | Case Quantity | Retail Price Each |
| WHE2D-1 A | 2 cell D Economy Flashlight. Value Bright Series. Assorted Colors. Carded | 12 Each | D | K2 | 12 | \$3.00 |
| VB1DLED-BA | 1 cell D Economy LED Flashlight. 9 Lumens. Includes 1 D battery. Carded. | 1 Each | D | LED | 6 | \$5.70 |
| EVB2AALED-B | 2 cell AA Economy LED Flashlight. Includes 2 AA batteries. Carded. | 1 Each | AA | LED | 6 | \$3.00 |
| VBUV-B | 3 cell AAA LED UV/Black Light . Aluminum body. Rubber handle. 9 UV LEDs. Carded. | 1 Each | AAA | LED | 4 | \$14.96 |
| EFL6V10LED-B | 6-Volt LED Floating Lantern with 10 LED's. 85 Lumens. 125m beam distance. 45 hour run time. Includes 6 volt alkaline battery. | 1 Each | 6 volt spring | LED | 6 | \$11.74 |
| I2AAAPEN-B | 2 Cell AAA LED penlight. Aluminum body. Push button tail switch. Pocket clip. 18 Lumens. Carded. | 1 Each | AAA | LED | 6 | \$11.70 |
| IN2-KC | 2 Cell D Size Industrial Flashlight with Krypton bulb and ring hanger. 17 Lumens. Carded | 1 Each | D | K2 | 6 | \$7.90 |
| IN2-KMLC | 2 Cell D Size Industrial Flashlight with Krypton Bulb, magnet and ring hanger. 17 Lumens. Carded. | 1 Each | D | K2 | 6 | \$11.00 |
| IN2-MSC | 2 Cell D Size Industrial Safety Flashlight with safety head and ring hanger. 8 Lumens. UL and MSHA approved. Carded. | 1 Each | D | PR2 | 6 | \$9.40 |
| I2DLED-BC | 2 Cell D Size Industrial Flashlight with 3 LEDs and ring hanger. 150 hours run time. Includes batteries. 20 Lumens. Carded. | 1 Each | D | LED | 6 | \$13.50 |
| IS4AA | Pro Grip. Intrinsically Safe 4 Cell AA Flashlight. 120 Lumens Cree LED. Class 1, Div 1 and MSHA approved. Tactical On/ Off Hi/Low switch. Batteries not included. Carded. | 1 Each | AA | LED | 4 | \$53.00 |
| IS3C | Pro Grip. Intrinsically Safe 3 Cell C Flashlight. 150 Lumens Cree LED. Class 1, Div 1 and MSHA approved. Tactical On/ Off Hi/Low switch. Batteries not included. Carded. | 1 Each | С | LED | 4 | \$61.20 |
| W8B | 8 inch Polyethylene Traffic Wand (Red) . Fits the following flashlights: IN2, IN2-K, IN2-ML, IN2-KML. Boxed. | 1 Each | N/A | None | 12 | \$3.00 |



A successful dove hunt on Steve Egbers farm, Glencoe Kentucky, September 2015. Left to Right: Joe Egbers, Clay Egbers, Steve Egbers, Tim Finke, Chris Thamann, Joey Egbers.

16



I2AAAPEN-B -



VBUV-B



I2DLED-BC





W8B

PAN JAG

| Flashlights & Lanterns - continued | | | | | | | |
|------------------------------------|---|-----------------------|-----------------|--------------|------------------|-------------------------|--|
| STOCK NO. | Description | Minimum Order Qty. | Battery Used | Bulb Used | Case Quantity | Retail Price Each | |
| RNT3AAA-B | Roughneck 3 cell AAA Flashlight. High performance LED (200 Lumens). 3 lighting modes (high, low & strobe). Machined aluminum body. Spot to flood focus. Includes belt holster and (3) AAA alkaline batteries. Carded | 1 Each | AAA | None | 4 | \$39.50 | |
| SE3AAHDLT-BX | 3 cell AA Sportsman Extreme (LED) Headlight . Bright white LED (105 Lumens). 4 light modes: Hi, Medium, Low, Strobe. Pivoting head, 2 rear red light modes: Steady on or Strobe with separate switch. Run Time: 16 hours HIGH, 55 hours LOW using 3 AA alkaline batteries. Carded | 1 Each | AA | None | 4 | \$42.32 | |



RNT3AAA-B

| Indestru | ctible Series Flashlights & Lanterns | | | | | |
|--------------|--|-----------------------|-----------------|--------------|------------------|-------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Battery Used | Bulb Used | Case Quantity | Retail Price Each |
| DIY3AAA-B | 3 cell AAA Indestructible Series LED Flashlight. 250 Lumens Machined aluminum body. Rubber head and tail cap. Protected tailcap switch with HI and Low modes. 30 foot drop tested. Operates for up to 5 hours on HI. 40 hours on LOW. Includes (3) AAA batteries. Carded | 1 Each | AAA | LED | 4 | \$26.60 |
| DIYBEAM-B | 6 volt Indestructible Series LED lantern. Operates for 20 hours on High, 78 hours on Low on 4 alkaline C batteries (included). 15 foot drop tested. 150 Lumens. Carded. | 1 Each | С | LED | 4 | \$32.60 |
| DIY6AASP-BC | 6 cell AA Indestructible Series LED spotlight. 3 light modes (high, medium & low). 670 Lumens on High. 360 meter beam distance. Overmold rubber head. Shatterproof lens and reflector. 15 foot drop tested. ANSI IPX7 waterproof submersible. Operates for up to 10 hours on 6 alkaline AA batteries. Carded. | 1 Each | AA | LED | 2 | \$59.30 |
| DIYHL3AAA-BC | 3 cell AAA LED Headlight. Virtually indestructible. 50 Lumens. 2 light modes (high and energy saver). 30 foot drop tested. Aluminum body. Over mold rubber pivoting head. 17 hour run time. Includes 3 AAA batteries and cloth head strap. Carded | 1 Each | AAA | LED | 4 | \$14.30 |
| DIYHPHL3-BC | 3 cell AAA LED Headlight. Virtually indestructible. 300 Lumens. 2 light modes (high and energy saver). 30 foot drop tested. Aluminum body. Over mold rubber pivoting head. 3 hour run time. Includes 3 AAA batteries and cloth head strap. Carded | 1 Each | AAA | LED | 4 | \$24.00 |




DIYHPHL3-BC



Joe Egbers canoeing at Mammoth Cave National Park, Cave City Kentucky. 2016. The water in this creek flows from Mammoth Cave and helps form the Green River.

No Minimum Order & Same Day Shipping



No Minimum Order & Same Day Shipping





| | | Minimum Order Qty. | Master Case Quantity | Bulb Used | Retail Price |
|-----------|--|-----------------------|----------------------------|-----------|-----------------|
| STOCK NO. | Description | | | | Each |
| 1151L | 2 cell AA LED Industrial flashlight. Body made of Polypropylene. Requires (2) AA cell batteries. 30 Lumens. Run time: 43 hours. Not Carded. | 1 Each | 12 | LED | \$6.20 |
| 1251L | 2 cell D LED Industrial flashlight. Body made of Polypropylene. Requires (2) D cell batteries. 35 Lumens. Run time: 113 hours. Not Carded. | 1 Each | 12 | LED | \$8.40 |
| ENCAP22E | LED Cap Light. Compact and lightweight. Has sturdy metal clip with rotating base that attaches light snuggly to the top side brim of cap. 3 light modes: White (High & Low) and Red for night vision. Water Resistant. Includes 2 alkaline AAA batteries. 85 Lumens. Run time: 4 hours. Carded. | 1 Each | 6 | LED | \$17.46 |
| EVEL25IN | Economy 2 cell D Industrial flashlight. Body made of lightweight polymer. Requires (2) D cell batteries. 25 Lumens. Run time: 120 hours. Not Carded. | 1 Each | 12 | LED | \$5.00 |
| HCAL41E | Hardcase work light. 6 bright white LEDs provide 350 lumens of light in a flood pattern. 23 foot drop tested. Retractable rotating hook on top. Powerfull magnetic back. Run time: 10 hours High, 40 hours Low. Includes (4) AA alkaline batteries. Carded. | 1 Each | 4 | LED | \$31.50 |
| HDA32E | LED Headlight with 2 LEDs. Swivel tilt adjustment points light were needed. Operates for up to 50 hours (Low), 7 hours (High) on 3 alkaline AAA batteries (included). 80 Lumens (High). Carded. | 1 Each | 4 | LED | \$23.00 |
| HDBIN32E | LED Headlight with 3 LEDs. Has 3 light modes: white spot, white flood, or white spot and flood combined. Swivel tilt adjustment points light where needed. Dimable switch. Operates for 8 hours High, 50 hours Low on 3 AAA batteries (included). Non Slip silicone backing on strap. 150 Lumens (High). Carded. | 1 Each | 4 | LED | \$29.32 |
| HDDIN32E | LED Headlight with 6 LEDs. Has 3 light modes: white spot, white flood or red for night vision. Swivel tilt adjustment points light where needed. Operates for 6 hours High, 50 hours Low on 3 AAA batteries (included). Non Slip silicone backing on strap. 250 Lumens (High). Carded. | 1 Each | 4 | LED | \$41.48 |
| MS2AALED | 2 cell AA Industrial LED flashlight. Body made of Polypropylene.Meets UL, MSHA Standards.12 hour run time. Batteries not included. 40 Lumens. Carded. | 1 Each | 6 | LED | \$21.40 |
| MS2DLED | 2 cell D Industrial LED flashlight. Body made of Polypropylene. Meets UL, MSHA Standards. 135 hour run time. Batteries not included. 60 Lumens. Carded. | 1 Each | 6 | LED | \$33.96 |
| RCL1NM2WR | Energizer Weather Ready Power Failure Rechargeable LED flashlight. Turns on Automatically during a power outage. 3 lighting modes: High, Low, Night Light. Run time: 3 hours on High. Bright white Nichia LED with focused lens for a uniform spot. 8 Lumens. 5" total length. Carded. | 1 Each | 4 | LED | \$19.46 |













Energizer.

| Button Cell and Lithium Coin Cell Batteries - Carded - 1 Battery Per Card | | | | | | |
|---|---|---|-----------------------|------------------|-----------------------------------|--|
| STOCK NO. | Description | Cross Reference | Minimum Order Qty. | Case Quantity | Retail Price per Battery | |
| A76BP | 1.5-volt alkaline Button Cell Battery on Card | PX76A, LR44 | 1 Battery | 6 | \$1.64 | |
| EPX76BP | 1.5-volt alkaline Button Cell Battery on Card | MS76H, RS76, G13 | 1 Battery | 6 | \$4.40 | |
| 357BP | 1.5-volt Silver Button Cell Battery on Card | 303, 357, A, J, SR44W, KA | 1 Battery | 6 | \$1.96 | |
| 362BP | 1.5-volt Silver Button Cell Battery on Card | 361, SR721W, 362, SR721SW, S, X | 1 Battery | 6 | \$1.50 | |
| 364BP | 1.5-volt Silver Button Cell Battery on Card | 364, SR621SW, T | 1 Battery | 6 | \$1.60 | |
| 371BP | 1.5-volt Silver Button Cell Battery on Card | 371, SR92OSW | 1 Battery | 6 | \$1.60 | |
| 377BP | 1.5-volt Silver Button Cell Battery on Card | 377, SR626SW | 1 Battery | 6 | \$1.50 | |
| 379BP | 1.5-volt Silver Button Cell Battery on Card | 379, SR521SW | 1 Battery | 6 | \$1.74 | |
| 386BP | 1.5-volt Silver Button Cell Battery on Card | 301, 386, SR43SW, SR43W, D, H | 1 Battery | 6 | \$1.80 | |
| 389BP | 1.5-volt Silver Button Cell Battery on Card | 389, SR1130W, M, 390, SR2230SW | 1 Battery | 6 | \$1.50 | |
| 392BP | 1.5-volt Silver Button Cell Battery on Card | 392, SR41W, K, 384, SR41SW | 1 Battery | 6 | \$1.80 | |
| 395BP | 1.5-volt Silver Button Cell Battery on Card | 395, SR927W, 399, SR927SW,W | 1 Battery | 6 | \$1.80 | |
| 397BP | 1.5-volt Silver Button Cell Battery on Card | | 1 Battery | 6 | \$1.80 | |
| ECR1025BP | 3.0-volt Lithium Coin Cell Battery Carded | CR1025, ECR1025, DB, DL1025B | 1 Battery | 6 | \$2.70 | |
| ECR1216BP | 3.0-volt Lithium Coin Cell Battery Carded | CR1216 | 1 Battery | 6 | \$3.40 | |
| ECR1616BP | 3.0-volt Lithium Coin Cell Battery Carded | 1616, CR1616, ECR1616, DL1616B | 1 Battery | 6 | \$3.10 | |
| ECR1620BP | 3.0-volt Lithium Coin Cell Battery Carded | DL16202, CR1620 | 1 Battery | 6 | \$2.50 | |
| ECR2016BP | 3.0-volt Lithium Coin Cell Battery Carded | CR2016, BR2016, FA, BB, ECR2016, DL2016B | 1 Battery | 6 | \$2.50 | |
| ECR2025BP | 3.0-volt Lithium Coin Cell Battery Carded | 2025, CR2025, ECR2025, DL2025B | 1 Battery | 6 | \$2.50 | |
| ECR2032BP | 3.0-volt Lithium Coin Cell Battery Carded | CR2032, BR2032, FA, ECR2032, DL2032B | 1 Battery | 6 | \$2.50 | |
| ECR2430BP | 3.0-volt Lithium Coin Cell Battery Carded | DL2430, CR2430 | 1 Battery | 6 | \$3.04 | |
| ECR2450BP | 3.0-volt Lithium Coin Cell Battery Carded | DL2450, CR2450 | 1 Battery | 6 | \$3.95 | |





Coin Cell







20

If your Energizer Bunny is too loud, checkout our hearing protection products on Page 49.

Phone: 859-431-7587 Fax: 859-431-0600 CALL TOLL FREE Phone: 800-450-6776



| Button (| Cell and Lithium Coin Cell - 5 Batteries per | r perforated Str | 'np | | |
|-----------|---|--|-----------------------|------------------|-----------------------------------|
| STOCK NO. | Description | CROSS REFERENCE | Minimum Order Qty. | Case Quantity | Retail Price per Battery |
| 317 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 317, SR516SW, 616, 566, CA | 1 Battery | 100 | \$2.50 |
| 319 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | SP319, V319, SR527SW | 1 Battery | 100 | \$1.90 |
| 321 | 1.5-volt Silver Watch/Calculator Battery on Strip Pack Card | 321, SR616SW, 38, 540, DA | 1 Battery | 100 | \$1.90 |
| 329 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | V329 | 1 Battery | 100 | \$2.50 |
| 337 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$3.80 |
| 344-350TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 344, 12, 529 | | 100 | \$3.00 |
| 357-303TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 303/357, SR44SW/ SR44W, 9/7, 521/541 | 1 Battery | 100 | \$1.60 |
| 366 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | D366, SR1116SW | 1 Battery | 100 | \$1.90 |
| 371-370TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 371, SR920SW, 30, 537 | 1 Battery | 100 | \$1.30 |
| 373 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | SR916SW | 1 Battery | 100 | \$2.00 |
| 386-301TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 301/386, 386, SR43SW/SR43W | 1 Battery | 100 | \$1.40 |
| 391 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 391, SR1120W, 23, 553, L | 1 Battery | 100 | \$1.40 |
| 392-384TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 392, SR41W, 2, 547, K | 1 Battery | 100 | \$1.40 |
| 393 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 309/393, SR754W, 16/15 | 1 Battery | 100 | \$1.90 |
| 394 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.90 |
| 390-389TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.40 |
| 394-380TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 394, SR936SW, 27, 524 | 1 Battery | 100 | \$1.90 |
| 399 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.80 |
| ECR1220 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | DL1220 | 1 Battery | 100 | \$1.98 |
| ECR1632 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.98 |
| ECR2012 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | CR2012 | 1 Battery | 100 | \$3.90 |
| ECR2016 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.98 |
| ECR2025 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | E-CR2025, CR2025, DL2025B | 1 Battery | 100 | \$1.98 |
| ECR2032 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | E-CR2032, CR2032, DL2032B | 1 Battery | 100 | \$1.54 |
| ECR2320 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | E-CR2320 | 1 Battery | 100 | \$1.54 |





Coin Cell



DURACELL

| Durac | Duracell Procell Alkaline Batteries - Boxed | | | | | | | | |
|--------------|---|-----------------------|-------------------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|
| STOCK NO. | Description | Minimum Order Qty. | Batteries Per Inner Carton | Batteries Per Case | Weight per Battery | Retail Price per Battery | | | |
| PC1300 | Procell Alkaline D Size Cell Battery | 1 Battery | 12 | 72 | 0.32 | Call | | | |
| PC1400 | Procell Alkaline C Size Cell Battery | 1 Battery | 12 | 72 | 0.16 | Call | | | |
| PC1500 | Procell Alkaline AA Size Cell Battery | 1 Battery | 24 | 144 | 0.05 | Call | | | |
| PC2400 | Procell Alkaline AAA Size Cell Battery | 1 Battery | 24 | 144 | 0.03 | Call | | | |
| PC1604 | Procell Alkaline 9 Volt Battery | 1 Battery | 12 | 72 | 0.11 | Call | | | |











MN918

Photo, Electronic, Medical & Special Application Batteries 1 Т

| STOCK NO. | Description | Minimum Order Qty. | Quantity per Case | Weight Per Battery | Retail Price per Battery |
|-----------------|--|-----------------------|----------------------|-----------------------|-----------------------------------|
| DL 1/3NB | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.02 | \$7.04 |
| DL123A | 3.0 volt Lithium Battery - Bulk (shrink wrapped) | 1 Battery | | 0.04 | \$7.00 |
| DL2016BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.58 |
| DL2025BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.78 |
| DL2032BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.78 |
| DL2430BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.94 |
| DL2450BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$4.74 |
| MN21B | 12.0 volt Alkaline Battery (1 per card) | 1 Battery | 6 | 0.02 | \$2.64 |
| MN21B2PK | 12.0 volt Alkaline Battery (2 per card) | 1 Card | 6 | 0.02 | \$4.90 |
| MN27B | 12.0 volt Alkaline Battery | 1 Battery | 6 | 0.01 | \$2.64 |
| PX28AB | 6.0 volt Alkaline Battery | 1 Battery | 6 | 0.01 | \$6.54 |
| PX28LB | 6.0 volt Lithium Battery | 1 Battery | 6 | 0.02 | \$13.26 |
| MS76B | 1.5 volt Silver Oxide Battery | 1 Battery | 6 | 0.01 | \$5.20 |
| PX76A/ 675AB | 1.5 volt Alkaline Battery | 1 Battery | 6 | 0.01 | \$1.90 |
| PX625AB | 1.5 volt Alkaline Battery | 1 Battery | 6 | 0.03 | \$5.06 |
| D303/357B | 1.5 volt Silver Oxide Battery | 1 Battery | 6 | 0.01 | \$2.40 |
| PC133A | 4.5 volt Alkaline Battery | 1 Battery | | 0.08 | \$15.00 |
| MN175B | 7.5 volt Alkalkine Battery | 1 Battery | 6 | 0.03 | \$11.00 |
| MN9100B2 | N Size Alkaline Battery (2 per card) | 1 Card | | 0.03 | \$4.46 |
| MX2500B2 | ULTRA "AAAA" Alkaline Batteries - 2 per card | 1 Card | 6 | 0.04 | \$4.92 |

Alkaline Lantern Batteries

| STOCK NO. | Description | Minimum Order Qty. | Batteries Per Case | Weight Per Battery | Retail Price Per Battery |
|-----------|---|-----------------------|-----------------------|-----------------------|--------------------------------|
| PC903 | 7.5 volt, 40Ah Battery - Screw Terminal | 1 Battery | 4 | 5.25 | \$55.80 |
| MN908 | 6 volt, 13Ah Battery - Spring Terminal | 1 Battery | 6 | 1.72 | \$13.80 |
| PC915 | 6 volt, 13Ah Battery - Screw Terminal | 1 Battery | 6 | 1.72 | \$14.10 |
| MN918 | 6 volt, 27Ah Battery - Screw Terminal | 1 Battery | 4 | 2.93 | \$3700 |

nasonic

| Panasonic | Lithium Batteries | | | | | |
|--------------|--|--------------------------|-----------------------------|-----------------------|--------------------------|-----------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Inner Carton Quantity | Batteries per Case | Weight per Battery | Retail Price per Item |
| CR123APA/B | 3 volt Lithium Battery - (10 per shrink) | 1 Battery | 10 | 1200 | 0.04 | \$3.80 |
| CR-123APA/1B | 3 volt Lithium Battery - (1 per card) | 1 Battery | | 12 | 0.05 | \$4.00 |
| CR-123APA/2B | 3 volt Lithium Battery - (2 per card) | 1 Battery | | 12 | 0.08 | \$7.60 |
| CR-P2PA/1B | 6 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$7.00 |
| 2CR-5MPA/1B | 6 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$7.00 |
| CR-2PA/1B | 3 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$4.00 |
| CR-2PA/2B | 3 volt Lithium Battery (2 per card) | 1 Battery | | 12 | 0.08 | \$7.60 |
| CR-V3A/1B | 3 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$14.50 |
| CR3032 | 3 volt Lithium Coin Cell Battery | 1 Battery | | 12 | 0.01 | \$5.50 |
| BR2/3A | 3 volt Lithium Battery | 1 Battery | | 20 | 0.03 | \$11.00 |
| BR435 | 3 volt Lithium Pin Type Battery | 1 Battery | | 1 | 0.01 | \$10.50 |
| BR-A | 3 volt Lithium Battery | 1 Battery | | 20 | 0.02 | \$21.00 |
| BR-C | 3 volt Lithium C Cell battery Battery | 1 Battery | | 10 | 0.02 | \$27.50 |
| LR6XWA/B | Alkaline AA (Industrial label) Bulk (no shrink) | 500 Batteries | | 500 | 0.05 | Call |
| LR03XWA/B | Alkaline AAA (Industrial label) Bulk (no shrink) | 500 Batteries | | 500 | 0.03 | Call |





2CR-5MPA/1B CR123A



51

ithiu

BR-2/2A 3V

BR2/3A

anasonic ithiun BR-C 31 ALL DO NOT B BHITA E BR-C



BR-A







0.23 \$3.00 0.32 \$3.60 0.62 \$3.60

Retail Price per

Card

\$1.50

\$3.50

\$1.50

\$3.60

Eneloop Rechargeable Batteries

Alkaline Batteries (Carded)

ALKALINE:

STOCK NO.

AM-4PA/2B

AM-4PA/4B

AM-3PA/2B

AM-3PA/4B

AM-2PA/2B

AM-1PA/2B

6AM-6PA/1B

Eneloop Ni-MH "Low Self Discharge" batteries utilize Panasonic's advanced rechargeable battery technology allowing them to be recharged up to 2,100 times and maintain 70% of their charge for up to 10 years when not in use. Batteries are Pre-Charged and ready to use right out of the package.

Description

Alkaline AAA Batteries - Carded (2 per card)

Alkaline AAA Batteries - Carded (4 per card)

Alkaline AA Batteries - Carded (2 per card)

Alkaline AA Batteries - Carded (4 per card)

Alkaline C Batteries - Carded (2 per card)

Alkaline D Batteries - Carded (2 per card)

Alkaline 9 Volt Battery - Carded (1 per card)

| STOCK NO. | Description | Minimum Order Qty. | Case Quantity | Retail Price per Card |
|--------------|--|-----------------------|------------------|-----------------------------|
| BK-3MCCA4BA | Rechargeable Ni-MH AA Batteries (2,000 MAH). 4 batteries per card. | 1 Card | 48 | \$21.40 |
| BK-4MCCA4BA | Rechargeable Ni-MH AAA Batteries (800 MAH). 4 batteries per card. | 1 Card | 48 | \$15.40 |
| K-KJ17MCA4BA | Eneloop charger. Charges up to 4 AA or AAA Eneloop batteries. Includes 4 Eneloop AA batteries. Carded. | 1 Each | 16 | \$31.50 |





23

www.Batoray.com

Minimum Order Qty.

12 Cards

Cards per Inner Carton

12

12

12

12

12

12

12

Cards per Case

48

48

48

48

48

48

48

Weight per Card

0.04


0.08

0.13

0.13

/ERGREEN

| STOCK NO. | Description | Battery Chemistry | Battery Size | Volts | МАН | Retail Price per Battery |
|-----------|---|----------------------|-----------------|-------|------|-----------------------------|
| H2500-AA | Button top - Rechargeable | Nickel Metal Hydride | AA | 1.2 | 2500 | \$5.50 |
| H600-AAA | Button top - Rechargeable | Nickel Metal Hydride | AAA | 1.2 | 600 | \$4.00 |
| N800-AA | Button top - Rechargeable | Nickel Cadmium | AA | 1.2 | 800 | \$3.00 |
| PS-4/5A | Flat Top - Rechargeable | Nickel Cadmium | 4/5A | 1.2 | 1200 | \$6.50 |
| N2500-C | Button top - Rechargeable | Nickel Cadmium | С | 1.2 | 2500 | \$8.60 |
| N4000-D | Button top - Rechargeable | Nickel Cadmium | D | 1.2 | 4000 | \$12.60 |
| L1028 | Cylindrical - crosses to 23A | Alkaline | | 12 | | \$1.50 |
| CR1/3N | Cylindrical | Lithium | 1/3N | 3 | | \$5.36 |
| CR2 | Cylindrical | Lithium | | 3 | | \$3.50 |
| CR1225 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR1620 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR1632 | Coin Cell | Lithium | | 3 | | \$1.90 |
| CR2016 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR2025 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR2032 | Coin Cell | Lithium | 1 | 3 | | \$1.30 |
| CR2325 | Coin Cell | Lithium | | 3 | | \$1.90 |
| CR2330 | Coin Cell | Lithium | | 3 | | \$1.90 |
| CR2335 | Coin Cell | Lithium | | 3 | | \$3.00 |
| CR2354 | Coin Cell | Lithium | | 3 | | \$3.00 |
| CR2450 | Coin Cell | Lithium | | 3 | | \$3.00 |
| CR2450N | RENATA Coin Cell | Lithium | | 3 | | \$6.00 |
| CR2477 | Coin Cell | Lithium | | 3 | | \$5.00 |
| CR3032 | Coin Cell - Generic | Lithium | | 3 | | \$5.50 |
| 357 EG | Button Cell - Crosses to: 357 | Silver Oxide | 357 | 1.5 | | \$1.20 |
| 392 | Button Cell | Silver Oxide | | 1.5 | | \$0.80 |
| L544 | Crosses to: PX28LB | Lithium | | 6 | | \$7.50 |
| L1154 | Button Cell - Crosses to: LR44, A76 | Alkaline | | 1.5 | | \$1.30 |
| L1325 | Crosses to: PX28AB | Alkaline | | 1.5 | | \$3.00 |
| DL-02 | Door Lock Battery - 4 AA's with Hole | Alkaline | | 6 | | \$4.00 |
| A10 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |
| A13 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |
| A312 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |
| A675 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |












Hearing Aid Batteries

No Minimum Order & Same Day Shipping

NEW PELICAN[™] ELITE COOLERS

Outdoor / Offshore Tough



LIFETIME GUARANTEE

PELICAN.COM

©2016 Pelican Products, Inc. All trademarks are registered and/or unregistered trademarks of Pelican Products Inc., its affiliates and subsidiaries. See **Pelican.com** for full warranty details.

No Minimum Order & Same Day Shipping

| 🌽 PELICAN | т | SABRELITE Flashlight | | 9490 Remote Area Lighting System |
|--|----------------------|---|-------------------------|---|
| STEALTHLITE Flashlight | | | 0 | |
| | | Durable Polymer Body. 8.1" long. Choose either Xenon lamp module or LED model. Includes heavy duty pocket clip, stainless split ring and | | |
| Durable Polymer Body. 6.5" long. Available with Laser Spot Xenon lamp or High Power LED. Includes: | | wrist lanyard. Requires (3) alkaline C batteries (not included). Waterproof and Submersible. Carded. | Retail Price Each | Light up the entire room |
| toggle switch, wrist lanyard and 4 AA alkaline batteries. Waterproof and Submersible. Carded. | Retail Price Each | 2000C - with Xenon Lamp (specify color) | \$54.70 | of a button. Also operates a Bluetooth App that can an Iphone. With the quick |
| 2400C - Xenon lamp (specify color) | \$54.70 | 2010C - with LED (specify body color: Black or Yellow) | \$95.44 | swappable power pack sy have continuous light for Illuminate confined space |
| 2410C - LED (specify color) | \$94.86 | Replacement Battery: C Replacement Lamp Module 2004 (Xenon Model | | 72" mast with it's 10 high LED's and 340° articulatii large work areas. Unit we |
| Replacement Battery: AA | | only): Body Colors: Black and Yellow | | Includes detachable shou power pack. |
| Replacement Xenon Lamp Module: 2 in 2400C only) | 404 (used | Safety Ratings: 2000C Series: MSHA, FM, UL Class 1, | Div 1 | 9490-B - Remote Area System. Black Body. |
| Body Colors: Black and Yellow | | 2010C Series: FM Class 1, 11, 111, Div | | 9489 - Extra Power Pa |
| Safety Ratings: FM, UL Class 1, Div 1 (Xenon and LED models); MSHA (Xenon model only) | | Light Output Xenon: 53 Lumens / 6234 c Light Output LED: 161 Lumens / 6398 cc | | Replacement Battery: |
| Light Output LED: 183 Lumens / 8460 Light Output Xenon: 45 Lumens / 3964 | | Run Time: 5 hours (Xenon) 22 hours (L | ED) | Replacement Lamp M |
| Run Time: 4 hours (Xenon) 6 hours (| | Minimum Order: 1 Each | | Body Colors: Black (a |
| Minimum Order: 1 Each | | Case Quantity: 6 Each | | Safety Ratings: None |
| | | 2755C LED Headlight | | Light Output: 6000 Lume |
| Case Quantity: 6 Each | | PELICAN LICAL | | Run Time: 3.5 hours (Hig 24 hours (Low) |
| 3315 LED Flashlight | | | | Minimum Order: 1 Each |
| Simo la | | PELICAN" | | HEADSUP LITE |
| 3315 3310P | | Safety approved headlight designed for use in hazardous environments. Compact and lightweight. Equipped with a single high powered LED. Push button | | HisadsUP L |
| Durable Polymer Body. 6.4" long. 6.2 oz. The lightweight and compact design uses (3) AA batteries to power | | switch allows user to choose between High, Low or Flashing modes. It also has a built in battery life indicator. Includes cloth and | | Made of impact and chen ABS. Easy to turn on/off I rotary bezel switch - ever |

| Light up the entire room with the push of a button. Also operates remotely via a Bluetooth App that can be installed on an Iphone. With the quick release hot swappable power pack system, you can have continuous light for an entire shift. Illuminate confined spaces or deploy the 72" mast with it's 10 high powered white LED's and 340° articulating head to light large work areas. Unit weighs only 32 lbs. Includes detachable shoulder strap and power pack. | Retail Price Each | | | |
|--|----------------------|--|--|--|
| 9490-B - Remote Area Lighting System. Black Body. | \$1,647.92 | | | |
| 9489 - Extra Power Pack | \$453.12 | | | |
| Replacement Battery: Sealed Lead Acid | | | | |
| Replacement Lamp Module: None | | | | |
| Body Colors: Black (also available in | Yellow) | | | |
| Safety Ratings: None | | | | |
| Light Output: 6000 Lumens (High) | | | | |
| Run Time: 3.5 hours (High) 12 hours (Med) 24 hours (Low) | | | | |
| Minimum Order: 1 Each | | | | |
| | adlight | | | |

HEADSUP LITE 2690-LED Headlight



a single high output bright white LED.

Push button on/off switch. Includes

batteries and wrist lanyard. Carded.

3310PL - Photoluminescent Body

Replacement Lamp Module: None

Body Colors: Yellow, Black or Photoluminescent

Safety Ratings: UL Class 1, Div 1 (3315 Model only)

Light Output: 3315: 160 Lumens / 5143 cd / 144 m

Light Output: 3310PL: 378 Lumens / 9580 cd / 196 m

Run Time: 3315: 19 hours 3310PL: 8 hours

3315 - Yellow Body

Replacement Battery: AA

Minimum Order: 1 Each

26

Retail

Price

Each

\$57.24

\$49.38

Carded.

2755C-Y

www.Batoray.com

rubber straps for head or helmet

use and 3 alkaline AAA batteries.

Replacement Lamp Module: None

Safety Ratings: UL Class 1, Div 1

Body Colors: also available in Black

Light Output: 72 Lumens / 807 cd / 57 m

Run Time: 6 hours (High) 15 hours (Low)

Replacement Battery: AAA

Minimum Order: 1 Each

Case Quantity: 6 Each

Retail Price

Each

\$49.38

No Minimum Order & Same Day Shipping

Pelican Elite Coolers. Engineered for Extreme performance. Two inches (2") polyurethane insulation gives you 7-10 day ice retention. Freezer grade gasket. Corrosion resistant stainless steel hardware. Press and Pull Latches. Engineered Drainage. Built in Stainless Steel Bottle Opener. Moulded in cupholders, lock hasp, handles and tiedowns. Non-Skid and non-marking raised feet. Holds up against UV exposure, salt water, sand abrasion and extreme temperature fluctuations. Elite Coolers are built to last and guaranteed for life. Made in U.S.A.

| STOCK NO. | Capacity | Dimensions | Weight Each | Body Color Options | Retail Price Each |
|-----------|----------|--|----------------|---|-------------------------|
| 30Q | 30 Quart | Exterior: 25.30" x 19.00" x 18.50" Interior: 14.60" x 10.20" x 11.00" | 21.67 lbs. | White/Gray Tan/Orange OD Green/Tan Brown/Tan | \$410.00 |
| 50Q | 50 Quart | Exterior: 30.00" x 20.30" x 20.40" Interior: 17.50" x 11.00" x 13.70" | 26.39 lbs. | White/Gray Tan/Orange OD Green/Tan Brown/Tan | \$500.00 |
| 70Q | 70 Quart | Exterior: 36.00" x 20.30" x 21.00" Interior: 23.50" x 11.00" x 14.30" | 33.29 lbs. | White/Gray Tan/Orange OD Green/Tan Brown/Tan | \$600.00 |





Pelican AIR Equipment Protector Cases. The lightest premium protector case on the planet. Molded from lightweight HPX resin, it bends without breaking. Tough double throw latches. Automatic purge valve balances air pressure. Watertight O-ring Gasket. Crush proof and dust proof. Stainless Steel hasp protectors. Rubber overmolded handles. Removeable polycarbonate card holder with front or side placement. All cases come with Pick N Pluck foam but can be ordered without foam or with Trekpak divider system.

| STOCK NO. | Interior Dimensions | Exterior Dimensions | Weight Each | Color Option | Price Each |
|--------------|---------------------|----------------------|----------------|-----------------|---------------|
| 1485 AIR | 17.75"x10.18"x6.15" | 19.17"x12.80"x6.89" | 4.57 | Black | \$258.00 |
| 1525 AIR | 20.50"x11.3"x6.75" | 21.96"x13.97"x7.49" | 5.99 | Black | \$270.00 |
| 1535 AIR | 20.39"x11.20"x7.20" | 21.96"x13.97"x8.98" | 8.69 | Black | \$354.00 |
| 1555 AIR | 23.00"x12.75"x7.50" | 24.76"x15.46x8.24" | 7.37 | Black | \$318.00 |
| 1605 AIR | 26.00"x14.00"x8.38" | 28.87"x16.77"x9.12" | 9.28 | Black | \$402.00 |
| 1615 AIR | 29.59"x15.50"x9.38" | 32.58"x18.40"x11.02" | 14.06 | Black | \$480.00 |



CALL TOLL FREE Phone: 800-450-6776

2016

www.Batoray.com





MAG CHARGER - Rechargeable LED Flashlight



| Machined Aluminum body. 13" Long. Multi-mode electronic switch. Personalize for quick access to your preferred functions: Full Power, Power Save, Strobe, SOS, Momentary On/Off. User configurable for civilian or law enforcement duty. Improved spot-to flood quick focus system requires less than 1/4 turn of the head. Includes charging unit, battery pack, 12 volt DC adaptor and 120 volt AC converter. | Retail Price Each |
|--|-------------------------|
| RL1019 - Black body - AC & DC model. | \$224.40 |
| ARXX235 - Mag Charger NiMh replacement battery | |
| Replacement Lamp: None | |
| Body Colors: Black | |
| Safety Ratings: None | |
| Run Time: 4 hours | |
| Light Output: 643 Lumens / 41,400 cd / 407 m | |
| Minimum Order: 1Each | |
| Case Quantity: 1 Each | |



Your Logo or your customer's Logo engraved on a MAG-LITE Flashlight! \$50.00 set up charge plus .60 cents per flashlight. 24 piece minimum order.

XL50 LED Flashlight

| Classifier and the Market | |
|---|-------------------------|
| Super bright white LED. Adjustable beam with spot to flood focus. Features a push button tail cap switch with simple on/off function and 3 selectable modes: turn on with 1 quick click for high power; two quick clicks for low power; 3 quick clicks and you will get emergency strobe. Machined aluminum body: 1" x 4.8". Operates on 3 alkaline AAA batteries (included). | Retail Price Each |
| XL50-S3016 - Black body | \$53.70 |
| Replacement Battery: AAA | |
| Replacement Lamp: None | |
| Body Colors: Black | |
| Safety Ratings: None | |
| Run Time: 7 hours (High) 25 hours (Low) | |
| Light Output: 200 Lumens 12,533 cd / 224 m | |
| Minimum Order: 1 Each | |
| Case Quantity: 6 Each | |
| | |





| Accessories | | | | |
|-------------|--|------------------------------|------------------|-------------------------|
| STOCK NO. | Description | Minimum Order Quantity | Case Quantity | Retail Price Each |
| AM2A056 | Nylon Full Flap Holster for AA Mini Mag - Black | 1 Each | 12 | \$5.50 |
| AM2A026 | Plain Leather Holster for AA Mini Mag - Black | 1 Each | 12 | \$12.22 |
| ASXC046 | Belt Holder, Plain Leather (C Cell) | 1 Each | 12 | \$9.42 |
| ASXD036 | Belt Holder, Plain Leather (D Cell) | 1 Each | 12 | \$10.78 |
| ASXX07B | Mag-Lite Traffic Wand. Color- Red | 1 Each | 1 | \$3.60 |

Joey Egbers on his 70cc, Roxana KY, August 2015.



28

www.Batoray.com



| MAG-LITE 2 & 3 cell D size LED Flashlights | |
|---|-------------------------|
| | |
| Mag-Lite LED flashlight. On/Off or intermittent push button switch. Machined Black Aluminum body. Carded. | Retail Price Each |
| ST2D016 - 2 cell D model. Black body. 10" long | \$50.42 |
| ST3D016 - 3 cell D model. Black body. 12.2" long | \$51.90 |
| Replacement Battery: D | |
| Replacement Lamp: None | |
| Body Colors: Black | |
| Safety Ratings: None | |
| Run Time: ST2D016 = 7 hours ST3D016 = 80 hours | |
| Light Output: ST2D016 = 168 Lumens / 42,533 cd / 412 ST3D016 = 168 Lumens / 42,533 cd / 412 | |
| Minimum Order: 1 Each | |
| Qty. Per case: 6 Each | |

MAG-LITE®

| MINI MAG-LITE PRO LED 2AA Flashlight | |
|---|-------------------------|
| Simple twist on/off switch gives you high output with spot to flood focus. Includes 2 AA alkaline batteries and belt holster. Carded. | Retail Price Each |
| SP2P01H - Black body - 6.5" long | \$41.90 |
| Replacement Battery: AA | |
| Replacement Lamp: None | |
| Body Colors: | |
| Safety Ratings: None | |
| Run Time: 2 hours 30 minutes | |
| Light Output: 272 Lumens / 6613 cd / 163 m | |
| Minimum Order: 1 Each | |
| Case Quantity: 6 Each | |



No Minimum Order & Same Day Shipping



Mini MONGO Plus LED Flashlights Super bright Cree LED. Push button on/off switch. Soft touch feature allows user to choose high or low modes. Retail Body made of machined aluminum: 1.2" x 7". Operates on Price 2 alkaline AA batteries (included). Fach 00156 - Assorted colors: Black, Gun Gray and Pink \$26.50 00156-B - Black \$26.50 00157 - Camo \$28.50 Replacement Battery: AA Replacement Lamp: None Light Output: 300 Lumens / 150 Yards Safety Ratings: None Run Time: 2 hours (high) 5 hours (low) Quantity per case: 20 Flashlights Minimum Order: 1 Flashlight FREE display box when ordering 20 Mini Mongo Plus. **COBBER LED Headlight** Bright white 1 watt LED. Push button switch allows user to choose between high and low settings. Also has two night vision Red LEDs in either solid on or flash mode. 45 degree Retail Price tilting head. Adjustable cloth headstrap. Includes 3 alkaline AAA batteries. Carded. Each 00150 - Cobber \$13.30 Replacement Battery: AAA Replacement Lamp: None Light Output: 60 Lumens / 80 Yards Safety Ratings: None Run Time: 9 hours (High) 17 hours (Low)



Quantity per case: 12 Headlights

Minimum Order: 1 Headlight

No Minimum Order & Same Day Shipping





Your Logo or your customer's Logo engraved on an Outback Flashlight! \$50.00 set up charge plus .50 cents per flashlight. 100 piece minimum order. Mini JOEY LED Flashlights





Machined aluminum body 5.0" length x 1.25" width. User can use the soft touch switch to navigate between the 1 watt LED flashlight mode with spot to flood focus or turn on 12 bright white LEDs in the handle or 5 red LEDs in flash mode. Retail Magnetic base and non roll over feature allows user to work Price hands free. Operates on 2 alkaline AAA batteries, (included). Each

\$17.00 81H - Holster for Mini Joey & Joey Flashlights \$9.00 Replacement Battery: AAA Replacement Lamp: None Light Output: 60 Lumens / 50 Yards Safety Ratings: None Run Time: 3.5 hours Quantity per case: 20 Flashlights Minimum Order: 1 Flashlight

FREE display box when ordering 20 Mini Joey's.






Double Clutch USB Rechargeable Headlight



| battery or 3 AAA alkaline batteries. It also lets you choose either a spot or a flood beam, both with high and low modes. Tilting head. Unbreakable lens. Includes elastic and rubber straps and Li-ion battery. Carded. | Retail Price Each |
|---|-------------------------|
| 61600 - Double Clutch USB Headlight. | \$74.25 |
| Replacement Lamp: None | |
| Replacement Battery: 61604 or Alkalin | ne AAA |
| Body Colors: Yellow and Black | |
| Safety Ratings: None | |
| Light output High Spot: 125 Lumens / 1700 Light output High Flood: 125 Lumens / 250 | |
| Run Time Rechargeable: 3 hours 30 min 10 hours (Low) Run Time Alkaline: 6 hours (High), 18 ho | |
| Quantity per case: 6 Each | |
| Minimum Order: 1 Each | |



| SEPTOR [®] Headlight | |
|--|-------------------------|
| | and C |
| Seven LED Headlight. Push button switch allows user to switch between Low, Medium and High light output. Tilting head. Includes elastic cloth strap for head/hat and rubber strap for hard hat use. Uses (3) AAA batteries (included). Carded. | Retail Price Each |
| 61052 - Yellow body with (7) white LEDs | \$50.49 |
| Replacement Lamp: None | |
| Replacement Battery: AAA | |
| Light Output: 120 Lumens / 900 cd / 60 (7 LEDs) | m |
| Safety Ratings: Class 1 Div 2 (Class model 61024) | 1 Div 1 |
| Run Time: 3.5 hours (High) - 7 LEDs | 55 hours |
| (Low) - 1 LED | |
| (Low) - 1 LED Quantity per case: 12 Each | |

ENDURO[®] Headlight




| Push button switch allows user to switch between Low and High light output. Also securly clips to the brim of your cap for convenient hands free use. Tilting head. Headstrap is a combination of Rubber & elastic. (2) AAA batteries (included). Carded. | Retail Price Each | |
|---|-------------------------|--|
| 61400 - Black body with white LED | \$22.77 | |
| 61405 - Camo Body with white LED | \$27.72 | |
| Replacement Lamp: None | | |
| Replacement Battery: AAA | | |
| Light Output: 14.5 Lumens / 850 cd (white LED) 8 Lumens / 162 cd (green LED) | | |
| Safety Ratings: None | | |
| Run Time: 6 hours (high white LED); 9 hours (high green LED) | | |
| Quantity per case: 6 Each | | |
| Minimum Order: 1 Each | | |


32

Quantity per case: 6 Each Minimum Order: 1 Each

No Minimum Order & Same Day Shipping



PROTAC HL® 4



DUALIE[®] 3AA LASER



| flashlight. The Dualie Laser has 2 switches that work independently or both at the same time. The top switch turns on a focused spot beam that illuminates your work area. The bottom switch operates a red laser that identifies and pinpoints objects at a distance. Rugged, integrated, snag-free clip won't snag. 7" long body is made non conductive polymer resin. Operates on 3 AA batteries (included). Carded. | Retail Price Each |
|---|-------------------------|
| 68760 - Dualie Laser with Yellow body | \$69.30 |
| Replacement Battery: AA | |
| Body Colors: Also available in Black | |
| Safety Ratings: Class 1 & 2, Div 1 | |
| Light Output Spot: 150 Lumens / 7700 | cd / 175 m |
| Run Time: 17 hours (Spot), 70 hours 12 hours simultaneously | s (Laser), |
| Quantity per case: 6 Each | |
| Minimum Order: 1 Each | |

Phone: 859-431-7587

Fax:

859-431-0600

| Compact, waterproof, non-conductive polymer body. 6.5" long. Tail buttom (7) LEDs in flood pattern or single High Flux LED for long range work. Includes (4) Alkaline AA batteries. Carded. 68202 - Yellow body with (7) 1/6 watt LEDs (Flood) 68244 - Yellow body with single C4 (Spot) 8244 - Yellow body with single C4 (Spot) Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL 3 PROTAC HL 3 PROTAC HL 3 PROTAC HL 3 PROTAC HL 3 Pric Features as above but is powered by (2) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded B8047 - ProTac HL 3 \$153. B8040 - ProTac HL \$133. | | |
|---|--|-------------------------|
| polymer body. 6.5" long. Tail button On-Off switch. Choose model with (7) LEDs in flood pattern or single High Flux LED for long range work. Includes (4) Alkaline AA batteries. Carded. 68202 - Yellow body with (7) 1/6 watt LEDs (Flood) 68244 - Yellow body with single C4 (Spot) 8244 - Yellow body with single C4 (Spot) 825 - Second 826 - Yellow body with single C4 (Spot) 826 - Yellow body with single C4 (Spot) 826 - Yellow body with single C4 (Spot) 827 - Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 7 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 8153 . 88040 - ProTac HL 3 8153 . | 4AA PROPOLYMER® | 8 |
| watt LEDs (Flood) \$43.6 68244 - Yellow body with single C4 (Spot) \$59.5 Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 12 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$1153. 88040 - ProTac HL \$1133. | Compact, waterproof, non-conductive polymer body. 6.5" long. Tail button On-Off switch. Choose model with (7) LEDs in flood pattern or single High Flux LED for long range work. Includes (4) Alkaline AA batteries. Carded. | Retail Price Each |
| (Spot) \$59.5 Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 PROTAC HL® 1000000000000000000000000000000000000 | 68202 - Yellow body with (7) 1/6 watt LEDs (Flood) | \$43.87 |
| Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 3 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | 68244 - Yellow body with single C4 (Spot) | \$59.99 |
| Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6822 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® PROTAC HL® 3 PROTAC HL® 4 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Replacement Lamp: None | |
| UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Replacement Battery: AA | |
| Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Safety Ratings: MSHA (only on Mode UL Class 1 Div 1 | el 68244) |
| 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL \$133. | Body Colors: Also available in Black | |
| Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88040 - ProTac HL 3 \$153. 88040 - ProTac HL | Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd | (68244) |
| Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded Reta 88047 - ProTac HL 3 \$153. | Run Time: 155 hours (68202) 6 hou | rs (68244 |
| PROTAC HL® PROTAC HL 3 PROTAC HL 3 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88040 - ProTac HL 3 \$153. | Quantity per case: 12 Each | |
| The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Minimum Order: 1 Each | |
| extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. | PROTAC HL® 3 | |
| 88047 - ProTac HL 3 \$153. 88040 - ProTac HL \$133. | The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded | Retail Price Each |
| | 88047 - ProTac HL 3 | \$153.4 |
| Replacement Lamp: None | 88040 - ProTac HL | \$133.6 |
| | Replacement Lamp: None | • |

New technology brings you this blindingly bright 2200 lumen handheld flashlight with a wide beam pattern that will illuminate an entire ail area. Operates on 4 CR123 lithium batteries (included) or 2 rechargeable e h 18650 batteries. Durable machined aluminum body with rubber sleeve for thermal insulation and a sure grip. 87 Anti Roll head. TEN TAP programable switch. User can choose High/Strobe/ Low, High only or Low/Medium/High. 99 Includes nylon holster. Carded. 88060 - ProTac HL 4 22010 - 18650 Charger Kit. Includes 4), two 18650 Li-ion rechargeable batteries with safety circuit, Smart charging cradle and USB cord. Replacement Lamp: None 1) Replacement Battery: CR123 or 18650 44) Safety Ratings: None Light Output: 2200 Lumens / 30,000 cd / 346 m Run Time on CR123: 1.5 hours (High) 40 hours (Low) Run Time on 18650: 1.75 hours (High) 43 hours (Low)

Minimum Order: 1 Each

Retail

Price

Each

\$173.25

\$66.00

VANTAGE[®] LED HELMET LIGHT One of the best LED helmet lights on the market. It's long running, lightweight and ultra bright. it easily attaches above or below the brim and fits snugly against the helmet to prevent snags. Super bright C4^(R) LED. It also features a bright blue safety tail light to help you be seen from the rear. Includes (2) CR123 lithium batteries. Body Length: 3.26" Retail Width: 1.47" Height with clamp: 2.56". Dual Action easy on/off switch. Price Each Boxed. 69140 - Vantage[®] LED helmet light \$202.97 Replacement Lamp: None Replacement Battery: CR123 x 2 Safety Ratings: NFPA 1971-8.6 Body Colors: Black Light Output: 115 Lumens / 7000 cd / 167 m Run Time: 6 hours Quantity per case: 1 Each Minimum Order: 1 Each

Replacement Battery: CR123

43 hours (Low) 2 hours strobe

Light Output PROTAC HL 3: 1,100 Lumens /

Run Time PROTAC HL 3: 2 hours (High)

Run Time PROTAC HL: 1.5 hours (High) 18 hours (Low) 2.5 hours strobe Minimum Order: 1 Each

Light Output PROTAC HL: 750 Lumens / 18,300

Safety Ratings: None

36,000 cd / 379m


cd / 270m

No Minimum Order & Same Day Shipping



ONE LIGHT, TWO BEAMS

The intrinsically safe 3AA ProPolymer[®] Dualie[®] provides multi-directional lighting. The long-reaching, 171 meter spot beam illuminates with 150 lumens, and combines for a total of 245 lumens when used with the wide flood light. Intuitive activation allows you to use beams independently or together.



35

www.Batoray.com



| STYLUS [®] LED PENLIGHT | - | |
|--|-------------------------|--|
| Ultra slim, machined aluminum high intensity LED penlight. 6.21" long. Includes glare guard, pocket clip and (3) AAAA alkaline batteries. Carded. | Retail Price Each | |
| 65018 - Stylus [®] - Black body with White LED | \$23.56 | |
| 65022 - Stylus [®] - Black body with Blue LED | \$23.56 | |
| 65069 - Stylus [®] - Black body with Ultra Violet LED | \$32.14 | |
| 65418 - Stylus Reach [®] 18" - Black body with White LED and 18" flexible extension. Allows for 25" of total reach. | \$37.51 | |
| Replacement Lamp: None | | |
| Replacement Battery: 65030 (6 batteries per card) | | |
| Safety Ratings: UL Class 1 Div 1 but must order Stylus model 65058 | | |
| Body Colors: Black only | | |
| Light Output: 11 Lumens / 140 cd / 24 m (white LED) | | |
| Run Time: 24 hours | | |
| Quantity per case: 12 Each | | |
| Minimum Order: 1 Each | | |

STYLUS[®] Pro 360

| C Dillo | | |
|--|-------------------------|--|
| Versatile LED light that functions like a typical Stylus Pro or user can adjust the head to reveal the 360° feature which allows the light to be used as a small lantern. Equipped with a rubber tail boot that allows the light to stand upright. Tailcap switch with momentary or constant on operation. Includes 2 AAA batteries and pocket clip. Carded. | Retail Price Each | |
| 66218 - Stylus Pro 360 | \$44.55 | |
| Replacement Lamp: None | | |
| Replacement Battery: AAA | | |
| Safety Ratings: None | | |
| Body Colors: Black | | |
| Light Output: 65 Lumens / 430 cd / 41 m | | |
| Run Time: 6 hours 30 minutes | | |
| Quantity per case: 12 Each | | |
| Minimum Order: 1 Each | | |



| STYLUS PRO [®] - Aluminum Penlight MICROSTREAM [®] - Aluminum | | |
|---|-------------------------|--|
| Penlight | | |
| | Stylus Pro | |
| The Stylus Pro [®] and MicroStream [®] are high powered LED penlights. The Stylus Pro's machined aluminum body is only 5.3" long. It features high intensity C4 LED technology for super bright beam and long run time. Rubber push button tall cap switch, o-ring sealed, unbreakable lens and pocket clip. 2 alkaline AAA batteries and belt holster included. The Microstream has the same features as the Stylus Pro but operates on (1) AAA alkaline battery (included), has a pocket/hat clip and is only 3.5" long. | Retail Price Each | |
| 66118 - Stylus Pro [®] - Black body - White LED | \$33.99 | |
| 66121 - Stylus Pro [®] - Silver body - White LED | \$33.99 | |
| 66129 - Stylus Pro [®] - Green body - White LED | \$33.99 | |
| 66120 - Stylus $Pro^{\mathbb{R}}$ - Red body - White LED | \$33.99 | |
| 66122 - Stylus $Pro^{\ensuremath{\mathbb{R}}}$ - Blue body - White LED | \$33.99 | |
| 66124 - Stylus Pro [®] - BUCKMASTER [®] - Green Camo body -Green LED | \$37.99 | |
| 66133 - Stylus Pro [®] USB - Black body - White LED. Rechargeable. Charges via USB connector - wall or computer. Replaceable Lithium Ion batteries recharge in 2.5 hours. 70 Lumens, 3.5 hour run time. Sliding metal sleeve protects USB port. Includes AC adaptor, USB cord and nylon holster. | \$92.69 | |
| 66418 - Stylus Pro Reach [®] - Black body - White LED. Has same features as the regular Stylus Pro but has a 7" flexible PVC cable to point light were you need it. | \$49.43 | |
| | | |
| 66318 - MicroStream[®] - Black Body - White LED. | \$29.13 | |
| Replacement Lamp: None | | |
| Replacement Battery: Alkaline AAA | | |
| Safety Ratings: None | | |
| Light Output: 90 Lumens / 860 cd / 58 m (Stylus Pro with white LED) 38 Lumens / 825 cd / 57 m (Stylus Pro Reach) 45 Lumens / 420 cd / 38 m (Microstream) | | |
| Run Time: 6.5 hours (Stylus Pro) and 2.25 hours (Microstream) | | |
| Quantity per case: 6 Each (Stylus Pro 12 Each (Microstr | | |
| Minimum Order: 1 Each | | |

No Minimum Order & Same Day Shipping

| PROTAC HL [®] USB Rechargeable | 1 | | | |
|--|-------------------------|--|--|--|
| High lumen tactical light that is USB rechargeable. Accepts multiple battery sources: Uses a Streamlight Lithium-ion battery (included) or (1) 18650 Li-ion battery or (2) CR123 lithium batteries. Durable machined aluminum body. Anti Roll head. TEN- TAP programable switch. User can choose High//Strobe/Low, High only or Low/Medium/High. Includes USB charge cord, removable pocket clip and nylon holster. Carded. | Retail Price Each | | | |
| 88052 - ProTac HL USB \$178.20 | | | | |
| Replacement Lamp: None | | | | |
| Replacement Battery: 74175 or (2) CR123 or (1) 18650 | | | | |
| Safety Ratings: None | | | | |
| Light Output (High): 850 Lumens / 1 / 200 m | 0,000 cd | | | |
| Run Time on CR123: 1.5 hours (Hig 12 hours (Low) | h) | | | |
| Minimum Order: 1 Each | | | | |
| PROTAC [®] 2 AA TACTICAL FLASHLIGHT | | | | |

| Multi Function TEN TAP push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-Low, High Only, Low-High. C4 LED technology delivers a bright white stream of light. Solid state power regulation provides maxium light output throughout battery life. Machined aluminum body. Impact resistant tempered glass lens. Removable and unbreakable pocket clip. Anti-roll head. Includes 2 alkaline AA batteries and nylon belt holster. Carded. | Retail Price Each |
|--|-------------------------|
| 88033 - Protac 2AA | \$69.30 |
| | |
| Replacement Lamp: None | |
| Replacement Lamp: None Replacement Battery: AA | |
| | |
| Replacement Battery: AA | I / 115 m |
| Replacement Battery: AA Safety Ratings: None | |
| Replacement Battery: AA Safety Ratings: None Light Output: 155 Lumens / 3300 cc | |
| Replacement Battery: AA Safety Ratings: None Light Output: 155 Lumens / 3300 cc Run Time: 2 hours (High) 36 hours | |

| STREAMLIGHT JR. [®] LED FLASHLIGHT | | | |
|--|-------------------------|--|--|
| The JR features a super-bright C4 LED. Aircraft aluminum body is 6.5" long with tail button switch. Unbreakable lens. Regulated light output throughtout battery life. Includes 2 AA alkaline batteries, removeable pocket clip and belt holster. Carded. | Retail Price Each | | |
| | Each | | |
| 71500 - JR | \$54.54 | | |
| 71500 - JR Replacement Lamp: None | | | |
| | | | |
| Replacement Lamp: None | | | |
| Replacement Lamp: None Replacement Battery: Alkaline AA | | | |
| Replacement Lamp: None Replacement Battery: Alkaline AA Safety Ratings: None | \$54.54 | | |
| Replacement Lamp: None Replacement Battery: Alkaline AA Safety Ratings: None Body Colors: Black only | \$54.54 | | |
| Replacement Lamp: None Replacement Battery: Alkaline AA Safety Ratings: None Body Colors: Black only Light Output: 85 Lumens / 3,800 cd / | \$54.54 | | |

Twin Task[®] 3C-UV ultraviolent LED Flashlight



| Machined aluminum body 1.26" x 9.02". Push button switch allows user to choose a high powered bright white C4 LED in flashlight mode or a series of either 3 or 6 ULTRA VIOLET LEDs for detecting fradulent documents or engine or HVAC leaks. Includes wrist lanyard. Uses (3) alkaline C batteries (not included). Carded. | Retail Price Each |
|---|-------------------------|
| 51045 | \$80.78 |
| Replacement Lamp: None | |
| Replacement Battery: Alkaline C | |
| Safety Ratings: None | |
| Body Colors: Black | |
| Light Output C4 LED: 185 lumens / 373 Light Output UV's: 6 UV's = 44mw 3 L | |
| Run Time C4 LED: 27 hours / 6 U\ hours / 3 UV's 81 hours | /'s 63 |
| Quantity per case: 12 Each | |
| Minimum Order: 1 Each | |

| NANO LIGHT® | AND I |
|--|-------------------------|
| Machined aluminum LED flashlight. Truly tiny. It is only 1.47" long but it is very bright and weatherproof. Includes a non-rotating snap hook for easy one hand operation when attached to a keychain. 4 button cell batteries included. Carded. | Retail Price Each |
| 73001 - Black with white LED | \$10.30 |
| Replacement Lamp: None | ř |
| Replacement batteries: LR41 or 39 | 2 (requires 4 |
| Safety Ratings: None | |
| Body Colors: Also available in Pir Orange, Coyote Tan and Red. | nk, Blue, |
| Light Output: 10 Lumens | |
| Run Time: 8 hours | |
| | |

Minimum Order: 1 Each

PEAK BEAM INTENSITY

The maximum luminous intensity typically along the central axis of a cone of light. This measures the brightest part of the beam. The value is reported in candela (cd).



LIGHT OUTPUT A measurement of the total quantity of emitted overall light energy. The value is reported in lumens.



BEAM DISTANCE The distance from the device at which the light beam is 0.25 lux. Results are reported in meters.




Phone: 859-431-7587

859-431-0600

Fax:

No Minimum Order & Same Day Shipping







38

Minimum Order: 1 Each

| SURVIVOR [®] LED Rechargeable or Alkaline Battery Flashlights | Contraction of the second | FIRE VULCAN [®] LED Rechargeable Lanterns | | PORTABLE SCENE LIGHT | light |
|--|---------------------------|--|-------------------------|--|-------------------------|
| Nylon polymer body 7.06" long. Super bright C4 [®] LED. Top mounted switch allows user to switch between 3 lighting modes: high, low & strobe. Heavy duty clip and split ring. Available in rechargeable or alkaline battery models. | Retail Price Each | Super-bright white C4 [®] LED set in a deep dish parabolic reflector creates a long range tight beam with optimum peripheral illumination. Also has two ultra- bright blue tail LEDs that user can | | Rechargeable. Rapidly deployed and easily stowed, the bright, white C4 LEDs in the Portable Scene Light bring | |
| 90502 - Rechargeable LED Model - Orange body with AC Fast Charger | \$257.80 | set to solid on or blinking mode. Powered by lightweight Lithium Ion batteries. This lantern is bright, | | 5,300 lumens to your work area. With its narrow footprint and 72" extension pole, this light goes almost anywhere, | |
| 90540 - Alkaline battery powered LED Model - Orange body. Includes battery carrier that holds | | rugged and light as a feather. It even floats! Body Length: 7.5". Weight: only 1lb 13oz. | Retail Price Each | from wide open places to tight, confined spaces. Selectable diffuser settings on the head allows user to choose either spot or flood beams. | |
| 4 alkaline AA batteries (included). Replacement battery for rechargea Model: 90338 | \$100.61 ble Div 2 | 44450 - Orange FIRE VULCAN [®] LED with AC & DC chargers and quick release shoulder strap. | \$310.07 | Head swivels 90 degrees. It weighs 25 lbs. which provides stabilization yet it is light enough to carry. | Retail Price Each |
| Replacement battery for rechargea Model: 90130 | ble Div 1 | 44451 - Orange FIRE VULCAN [®] LED vehicle mount with DC only charger. Also includes quick | | 45670 - with AC & DC charge cords and shoulder strap | \$1090.60 |
| Body Colors: also available in Yello | w and | release shoulder strap. | \$290.31 | Replacement Lamp: None | |
| Black | | Replacement Battery: 44610 | · | Replacement Battery: PS-1290 F2 | |
| Light Output: 175 Lumens / 41,000 cd / 405 m | | Light Output: 145 Lumens / 80,000 | cd (High) | Safety Ratings: None | |
| Safety Ratings: | - 11 - 12 - 1 | Safety Ratings: NFPA, Class 1, 2, I | Div 2, | Light Output: 5,300 Lumens / 410 m | |
| UL class 1 div 1 (rechargeable and MSHA, NFPA (alkaline only) | aikaline) | Class III T-54C Run Time: 3 hours (High) 7 hours | | Run Time: 4 hours (High), 9 hours (N hours (Low); indefinate run time with | |
| Run Time: Recharagable Model: 3.5 hours (Hi | igh) | These settings are for steady, high/l and taillights. | ow LED | power cord | |
| 13 hours (Low); | | Quantity per case: 1 Each | | Safety Ratings: IP67 Tested | |
| Alkaline Model: 4 hours (High) 15 ho | urs (LOW) | Minimum Order: 1 Each | | Quantity per case: 1 Each | |
| Quantity per case: 1 Each | | | | Minimum Order: 1 Each | |
| Minimum Order: 1 Each | | | | | |



39

www.Batoray.com





Features a cushioned pistol grip handle, rubberized lens ring and an integrated stand for precise scene lighting. 3 lighting modes: High, Low, strobe. Ultra Bright C4 LED in deep dish parabolic reflector produces long range targeting beam with optimum peripheral illumination. The Alkaline Model is IPX4 rated water resistant and powered by (4) alkaline C batteries (not included) or use the 12 volt DC power cord with cig lighter adaptor for unlimited use with or without the batteries installed.

The Lithium Ion rechargable model is IPX8 rated waterproof to 2 meters and it floats. Includes AC charge cord. DC charge cord sold separetly. The Rechargeable model will not turn on while being charged.

| Both Models Include polymer storage mount and are Boxed. | Price Each |
|--|---------------|
| 44900 - 4 cell C alkaline Battery Model - Yellow & Black body | \$100.98 |
| 44902 - 4 cell C alkaline battery model - Solid Black body | \$100.98 |
| 44910 - Rechargeable Lithium Ion Model - Yellow & Black body | \$201.96 |
| 44924 - Red Filter lens/cap - 4 C Model only | \$5.79 |
| 44925 - Green Filter lens/cap - 4 C Model only | \$5.79 |
| 44923 - DC charge cord for Lithium ion rechargeable model only | \$22.44 |
| Replacement Battery: Alkaline C (alkaline model only) | |
| Replacement Bulb: None | |
| Light Output: Alkaline Model: 550 Lumens / 100,000 cd / 625 m (high) Rechargeable Model: 1000 Lumens / 115,000 cd / 678 m (high) | |
| Run Time: Alkaline Model: 10 hours (High) 82 hours (Low) Rechargeable Model: 3 hours (High) 80 hours (Low | w) |
| Safety Ratings: None | |
| Minimum Order: 1 Each | |

E-FLOOD[®] LITEBOX[®] and E-SPOT[®] LITEBOX[®]



| The E-FLOOD has 6 ultra bright C4 [®] LEDs set in wide parabolic reflectors that produce a uniform flood pattern. The E-SPOT has 3 C4 [®] LEDs and deep dish parabolic reflectors to produce a large, long range spot pattern. All models include charger/ mounting rack and shoulder strap. | Retail Price Each |
|--|-------------------------|
| 45801 - E-Flood [®] Standard System with AC & DC chargers | \$335.04 |
| 45851 - E-Spot [®] Standard System with AC & DC chargers | \$302.48 |
| 45845 - E-Spot [®] LED UPGRADE KIT. Turn your old Litebox into a LED Spot Light. | \$86.68 |
| 45842 - E-Flood [®] LED UPGRADE KIT. Turn your old Litebox into a LED Flood light. | |
| Replacement Battery: PS-6100 F1 | |
| Replacement Bulb: None | |
| Light Output: E-Flood [®] : 615 Lumens / 4,000 cd / 126 m E-Spot [®] : 540 Lumens / 55,000 cd / 469 m | |
| Safety Ratings: NFPA | |
| Run Time: E-Spot 7 hours (High) E-FLood: 8 hours (High) | |
| Minimum Order: 1 Each | |



Steve Egbers on patrol with a Streamlight Waypoint on his farm, Glencoe Kentucky, July 2016.

40

www.Batoray.com

Retail

No Minimum Order & Same Day Shipping









The Sharp N Easy knife sharpener has coarse ceramic rods on one side and fine ceramic rods on the other. Exactly what someone needs to perfectly maintain their blades. The two stages allow for the proper angle every time by having two ceramic rods molded into the base. It also has over molded grips that allow the user to have a comfortable and secure grip while sharpening. **Free counter display with every order.**

| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|--------------|-------------------------------|----------------|-----------------------|----------------------|-------------------------|
| 00011 | SharpNeasy two step sharpener | Blue/ Black | 24 | 24 | \$6.00 |



This body of this lockback folding knife is constructed of anodized aluminum and the 3" blade is stainless steel to provide years of rust free service. Heavy duty spring steel belt clip. Free display box with every 6 ordered.

| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|--------------|---------------------|------------|-----------------------|----------------------|-------------------------|
| 00701 | Sport Knife - Blue | | 1 | 6 | \$19.50 |
| 00702 | Sport Knife - Red | | 1 | 6 | \$19.50 |
| 00703 | Sport Knife - Black | | 1 | 6 | \$19.50 |
| 00704 | Sport Knife - Camo | | 1 | 6 | \$19.50 |

ACCUSHARP Knife Sharpeners





| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|--------------|--|------------|-----------------------|----------------------|-------------------------|
| 001 | A knife sharpener anyone can use! In about 10 seconds, sharpens knives, cleavers, axes and many other cutting tools. Full length finger guard. The replaceable diamond honed tungsten carbide blades will provide years of reliable service. Will not rust and is dishwasher safe. Free display box with every 12 ordered. Carded. | White | 1 | 12 | \$13.30 |
| 003 | Replacement blades. One set per card. | none | 1 | 12 each | \$8.50 |

| _ | SHARP 4-in-1 Sharpeners | | 4 ES | ARPENER | |
|--------------|--|------------|-----------------------|----------------------|-------------------------|
| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
| 029 | Combines every sharpening necessity into one pocket sized unit. Has coarse tungsten carbide sharpening baldes, fine ceramicc rods, retractable diamond-tapered rod with slot for hooks and darts, retractable flat diamond stone. Body has molded rubber feet to keep the unit steady while in use. Carded. | Black | 1 | 12 | \$17.50 |







Cam Jam Tie Down Strap. Features a 1" wide high density weave polyproplylene strap that is securely attached to a sturdy cast zink alloy cam mechanisim. The non-slip buckle on the cam not only latches securely, it also provided the ability to gradully release even under high tension. Carded.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-------------|------------------------|-----------------------|---------------------|-------------------------|
| CJW6-M1-R8 | Strap Length: 6 feet. | 1 Each | 6 | \$13.00 |
| CJW12-M1-R8 | Strap Length: 12 feet. | 1 Each | 6 | \$15.40 |
| CJW18-M1-R8 | Strap Length: 18 feet. | 1 Each | 6 | \$19.00 |

| FIGURE 9 CARABINER Rope Tightener | | | | | |
|---|---|-----------------------|---------------------|-------------------------|--|
| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each | |
| C9S-02-01 | Small - Black Aluminum body (1.7"w x 2.6" H) with stainless steel spring gate. Easily achieve high rope tension to secure a load without tying knots! Fits rope sizes: 1/16" - 3/16". Load limit: 50 lb. Carded | 1 Each | 6 | \$5.00 | |
| C9L-02-01 | Large - Black Aluminum body with same features as above - just larger size (2.2" x 4.56"). Fits rope sizes: 1/8" - 3/8". Load limit: 150 lb. Carded | 1 Each | 6 | \$7.50 | |

S-BINER **Stainless Steel Multi Purpose** double-gated Carabiner Clips. Minimum Order Qty. Master Case Qty. Retail Price Description Each Stock No. Size 1 Stainless Steel S-BINER 1 SB1-03-11 6 \$2.60 (.56"x1.56") Max Load = 5 lb. Each Carded. Size 2 Stainless Steel S-BINER 1 SB2-03-11 (.75"x 2.0"). Max Load = 10 lb. 6 \$2.80 Each Carded. Size 3 Stainless Steel S-BINER 1 SB3-03-11 (1.1"x 2.6"). Max Load = 25 lb. \$3.30 6

Gear Ties.

SB4-03-11

Carded.

Carded.

Rubber Coated - ReUsable twist ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds it's shape. Organize or tie down virtually anything from small cords to large sporting equipment. Waterproof and safe for use in fresh or salt water. UV resistant. Won't scratch or mark. Use in any weather. Twist it. Tie it. Reuse it. The possibilities are endless.

Size 4 Stainless Steel S-BINER

(1.5"x3.5"). Max Load = 75 lb.

Each

1

Each

6


\$4.00




| Stock No. | Length | Color Options and Quantity per Card | | Master Case Qty. | Retail Price Each |
|-------------|--------|--|--------|---------------------|-------------------------|
| GT18-2PK-01 | 18" | Black - 2 per card | 1 Each | 6 | \$6.86 |
| GT24-2PK-01 | 24" | Black - 2 per card | 1 Each | 6 | \$7.38 |
| GT32-2PK-01 | 32" | Black - 2 per card | 1 Each | 6 | \$8.54 |
| GT64-01-R6 | 64" | Black - 1 per card | 1 Each | 6 | \$8.50 |
| GT18-2PK-16 | 18" | Yellow - 2 per card | 1 Each | 6 | \$6.86 |
| GT24-2PK-16 | 24" | Yellow - 2 per card | 1 Each | 6 | \$7.38 |
| GT32-2PK-16 | 32" | Yellow - 2 per card | 1 Each | 6 | \$8.54 |

Phone: 859-431-7587 Fax: 859-431-0600


No Minimum Order & Same Day Shipping





| Stock No. | Description | Mi | G⊾ | Each |
|------------|--|-----------|----|---------|
| NPXL-03-01 | Pockets XL Holster. Holds AA flashlights similar to AA Mini Mag, Multi- Tools and other small items. Versitle clip for clothing or belts. Velcro Closure. Carded | 1 Each | 12 | \$19.80 |
| LHS-03 | Stretch Holster. Universal holster with elastic sides, expands to fit most shapes and sizes of flashlights. Belt clip rotates and locks in 8 positions. Dimensions: 5.87" x 2.10" x 1.77" Carded | 1 Each | 6 | \$10.80 |
| FAMT-03-01 | Stretch Tool holster. Universal holster with elastic sides, expands to fit thin to thick multi tools or pocket knives. Belt clip rotates and locks in 8 positions. Flap lid fastens with secure snap closure. External dimensions: 5.82" x 2.51" x 2.16". Carded | 1 Each | 6 | \$11.40 |
| | | | | |

| Flash Flight Flying Disc | | | | | |
|-----------------------------|---|-----------------------|---------------------|-------------------------|--|
| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each | |
| FFD-08-10-R | FLASH FLIGHT 11" Flying Disc. The Flashflight was designed by a professional Ultimate player, so it performs beautifully. Made of lightweight, durable materials, with true balance and long, straight flight. It looks, feels and flies like the highest quality non-illuminated discs. With a simple press of the switch, the disc lights up a LED fiber- optic array that extends to its rim so the entire disc is illuminated from every angle. Water resistant and it floats. Operates for up to 20 hours on easily replaceable 2 x CR2016 lithium batteries. LED color is RED. Carded. | 1 Disc | 6 | \$30.00 | |





QUICKSTAND Mobile Device Stand



Designed to prop up Smartphones and tablets. Made of sleek brushed aluminum and sturdy yet flexible polypropylene. Can be adjusted to different angles and holds devices securely in either portrait or landscape orientation. In it's resting state, it's only about the size of a credit card. Free counter display box with every order of 12 Quickstands.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-----------|-------------|-----------------------|---------------------|-------------------------|
| QSD-01-R7 | Quickstand | 1 | 12 | \$11.50 |



Waterproof, impact resistant, polycarbonate body with two LED colors (White or Red) and multiple modes. Activated by a simple swipe of your finder across the top of the light. Swipe once for High Steady Beam, twice for Medium Beam and three times for Flash Mode. A variable dim mode allows you to easily adjust the light output to match your needs. The HELMET LIGHT includes a foam base mounting bracket that attaches directly to a helmet and a short, adjustable elastic strap that can clip through helmet vents. The HEADLIGHT includes an adjustable cloth strap.

Light Output: 142 Lumens, 84 meters beam distance on High White LED. Run Time White LED: 4.5 hours (High) 255 hours (LOW). Run Time Red LED's: 36 hours (High) 602 hours (Low). Includes 3 Alkaline AAA Batteries. Carded.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-------------|----------------------|-----------------------|---------------------|-------------------------|
| HLSHA-19-R7 | STS LED Helmet Light | 1 | 12 | \$41.50 |
| HLSA-19-R7 | STS LED Headlight | 1 | 12 | \$41.50 |

3-in-1 LED Flashlight


Durable lightweight machined aluminum body. The ultra bright white LED can illuminate the night as a flashlight, lantern or safety light. It has both high and low modes both as a flashlight and when converted into its lantern mode with a simple sliding motion. The tail end of the light features a red safety light with it's own switch to set it to glow, flash or SOS modes. Light stands vertically on head or tail. Tailcap includes lanyard hole. AA Alkaline batteries included. Carded.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|------------|---|-----------------------|---------------------|-------------------------|
| NL1A-01-R7 | 1 Cell AA Model: Black body. Dimensions: 1.2" x 4.5". Lumens: 80 (High), 15 (Low). Effective range: 164 feet. Run Time: 2 hours (High) 9.5 hours (Low). | 1 | 6 | \$15.20 |
| NL3A-01-R7 | 3 Cell AA Model : Black body. Dimensions: 1.6" x 9.1". Lumens: 250 (High) 25 (Low). Effective range: 656 feet. Run Time: 3.25 hours (High) 18.5 hours (Low). | 1 | 6 | \$22.80 |



Joey Egbers (12) relied on his Nite-Ize 3-in-1 flashlight when exploring caves and lighting the campsite on a 6 mile hike through the Big South Fork National Forest. It is light enough to be clipped to his pack yet bright enough to be all the light he needed. Oneida Tennessee June 2016.

No Minimum Order & Same Day Shipping





Wasp and Hornet Killer. Electrically non-conductive with dilectric breakdown voltage up to 47,300 volts. Jet blast up to 20 feet. Instantly kills wasps, hornets, yellow jackets and many other insects on contact. Made in USA.

| Stock No. | Description | Minimum Order Qty. | Case Qty. | Retail Price Each |
|--------------|---|-----------------------|---------------|-------------------------|
| WH-16 | 16 oz. Dielectric Non Conductive Wasp/Hornet Killer. | 12 Bottles | 12 Bottles | \$9.00 |

Swamp Gnat Natural Insect Repellent





Swamp Gnat Natural insect repellent. Lotion based formula that contains alcohol and 5 different oils and has a light lemon scent. Spray on, rub gently and repel Gnats, Mosquitos, Flies and No-See-ums. Deet Free. Made in USA.

| Stock No. | Description | Minimum Order Qty. | Case Qty. | Retail Price Each | | |
|---|---------------------------------------|-----------------------|---------------|-------------------------|--|--|
| SNAT-6 | Swamp Gant 6 oz. Pump Spray Bottle | 12 Bottles | 12 Bottles | \$10.00 | | |
| EBEE Counter Dienlau Dev with every order | | | | | | |

FREE Counter Display Box with every order.



Katelyn and Emily Egbers with a catfish they caught in Kenton County Kentucky July 2016. They would not think of going fishing without using Harris Insect Repellent.



Wasp and Hornet Killer Foam



Wasp and Hornet Killer Foam. Jet blast up to 20 feet. Clinging foam covers the entire nest and Instantly kills wasps, hornets, yellow jackets and many other insects on contact. Water based formula is non-staining. Made in USA.

| Stock No. | Description | Minimum Order Qty. | Case Qty. | Retail Price Each |
|--------------|--------------------------------|-----------------------|---------------|-------------------------|
| HFW-16 | 16 oz. Wasp/Hornet Killer Foam | 12 Bottles | 12 Bottles | \$7.50 |



FREE Counter Display Box with every order.

Harris is the oldest EPA registered pest control brand in the U.S.A.

No Minimum Order & Same Day Shipping



Tsunami Grip Light Black Foam Nitrile on 13 Gauge Lightweight Nylon Liner. Cool and comfortable with great wet or dry grip and dexterity.

| Y | | 5000 | A |
|---|----|----------|---|
| | εż | <u> </u> | |

| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|--------------|---|-----------------------|-----------------------|----------------------|--------------------------------|
| 500G | Black Foam Nitrile on Lightweight Nylon. Elastic wrist. Not Carded | S,M, L, XL, 2XL | 12 Pair | 12 Pair | \$3.30 |
| 500G-T | Black Foam Nitrile on Lightweight Nylon. Elastic wrist. Carded | S,M, L, XL | 1 Pair | 12 Pair | \$3.70 |

| Tsuna | mi Grip | | | | r |
|--------------|--|--------------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 500NFT | New foam technology Nitrile on 15 gauge nylon and elastic shell for state of the art feel. The foam nitrile is breathable and provides outstanding wet/oily grip plus extra wear and abrasion resistance. Carded | S,M, L, XL, 2XL | 1 Pair | 12 Pair | \$4.60 |

Gripster

46

state-of-the-art all weather glove




| | | | \mathcal{N} | | |
|--------------|---|----------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 440 | Lightweight 15 gauge nylon liner with double dipped latex coating. Great grip and dexterity in dry, wet & oily conditions. Flexible and waterproof. Open cuff. Carded | S, M, L, XL | 1 Pair | 12 Pair | \$7.80 |

| Gripster Gardening Gloves | | | | | |
|------------------------------|---|-----------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 570T | Machine Washable 13 gauge ultra-thin and breathable Nylon liner. Palm dipped Nitrile coating provides excellent dexterity and puncture resistance. Each dozen comes with 3 pairs of each color (blue, | S,M, L | 12 Pair | 12 Pair | \$3.50 |

pink, green, purple). Carded



| Tsunami Grip Cut Resistant | | | | | |
|-------------------------------|---|---------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| CR609 | Cut resistant 13 gauge liner with foam nitrile dipped palm. Excellent for wet or dry grip. ANSI level A4 cut resistance, level 2 puncture resistance. Not Carded | M, L, XL, 2XL | 1 Pair | 12 Pair | \$13.40 |



| Vice G | ripster C.I.A. | | | | |
|--------------|---|------------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| CIA520MF | Orange nylon with double dipped air injected Nitrile coated palm with padding sewn in. Impact protection added to fingertips and back of the hand. Elastic cuff. Carded | M, L, XL, 2XL | 1 pair | 12 pair | \$21.50 |


| | G | lob | al | | Ve |
|--------------|--|-------------|-----------------------|----------------------|--------------------------------|
| Ice Gripster | | | | | |
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 388INT | ORANGE two layer nylon over seemless synthetic terrycloth provides warmth and comfort in cold conditions. Etched rubber finish for great grip. Stays flexible in cold conditions. Elastic cuff. Carded | M, L, XL | 1 Pair | 12 Pair | \$9.50 |
| 348INT | BLACK two layer nylon over seemless synthetic terrycloth provides warmth and comfort in cold conditions. 3/4 dipped with black foam PVC for great grip. Stays flexible in cold conditions. Elastic cuff. Not Carded | M, L, XL | 1 Pair | 12 Pair | \$9.50 |

Material handling gloves with touch screen responsive fingertips



| STOCH NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|--------------|--|-----------------------|-----------------------|----------------------|--------------------------------|
| PUG13 | Gray polyurethane on gray 13 gauge nylon with touch responsive fingertips for using touch screen devices. Not Carded | S, M, L, XL, | 1 pair | 12 pair | \$2.90 |





| | | | 0 17 | | |
|--------------|--|------------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| HR5008 | Flexible spandex back over synthetic leather. Palm, knuckle and side of hand padding. Features sewn in magnets on index finger and back of hand for parts retrieval. Silicone palm for added grip. | M, L, XL, 2XL | 1 Pair | 12 Pair | \$25.00 |

Insulated Mechanics with 40 grams 3M Thinsulate Minimum Order Qty. ą Pack Quantity Retail Sizes Price Perl Per Pair Description Aireflex Synethetic Leather. PVC Μ, reinforcement in all grip areas. 12 1 Pair L, \$27.50 Pair Waterproof bladder. Hook and XL loop closure. Not Carded.

| woThu Deers | under kin Mechanics | | | | r |
|----------------|---|---------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| SG7001 | Flexible spandex over genuine black deerskin. Extra tough knuckle and fingertip protection. Hook & loop closure. Carded | M, L, XL, 2XL | 1 Pair | 12 Pair | \$19.50 |

48

No Minimum Order & Same Day Shipping



| Global Glove | | | | | ove |
|---|---|---------------------|-----------------------|----------------------|--------------------------------|
| Leather Drivers Cow, Goat or Deer Skin | | | | | |
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 3200 | Cow - Premium Grade beige cow grain leather. Keystone thumb. Carded | M, L, XL | 1 Pair | 12 Pair | \$11.50 |
| 3200DST | Deer - Standard Grade Deer Skin Drivers. Keystone thumb. Carded | M, L, XL | 1 Pair | 12 Pair | \$19.50 |
| 3200DTH | Deer - Premium Grade Deerskin Drivers. Insulated with 40 gram 3M thinsulate. Carded | M, L, XL | 1 Pair | 12 Pair | \$31.00 |
| 3200GINT | Goat - Premium Grade Goatskin Drivers. Insulated with 120 grams Cold Keep insulation. Carded | M, L, XL, 2XL | 1 Pair | 12 Pair | \$20.00 |

Leather Palm




| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|--------------|---|-------|-----------------------|----------------------|--------------------------------|
| 2300LT | Economy Grade with Safety Cuff. Carded. | L | 1 Pair | 12 Pair | \$3.96 |
| 2300XL | Economy Grade with Safety Cuff. Not Carded. | XL | 1 Pair | 12 Pair | \$4.20 |

Cold Keep used as an under glove for added

warmth

NO.

www.Batoray.com




| S13T | great comfort. Prevents heat loss by trapping a layer of warm air around the hands while transporting perspiration to the next layer of hand protection for evaporation. Not Carded |
|------|--|
| | CALL TOLL FREE |


Phone: 800-450-6776


Phone: 859-431-7587 Fax: 859-431-0600

| Global Glove & Safety Manufacturing | | | | | |
|--|---|---------|-----------------------|-----------------------|--------------------------------|
| Brown Jersey | | | | | |
| | | | | | |
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Master Case Qty. | Retail Price Per Item |
| стоск | | ⊤ Sizes | Minimum 15 Jair | Master 005 Dair | Price Per |
| STOCK NO. | Description 9 oz Large Brown Jersey 100% Cotton | | 12 | 300 | Price Per Item |



| Panther-Guard Disposable With Art Restance Based data | | | | | |
|--|---|---------------------------|-----------------------|----------------------|-------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Box |
| 800F | 8 mil black Nitrile. Flocklined interior helps keep hands warm when it is cold outside and absorbs perspiration when it gets hot. 11" length. Fully texturized with rolled/ beaded cuff. 50 gloves per dispenser box. | S, M, L, XL, 2XL | 1 Box | 50 | \$28.00 |





No Minimum Order & Same Day Shipping

| <image/> | | | | | sus |
|--------------|---|-----------------|-------------------------------------|------------------------------------|-----------------------------|
| STOCK NO. | Description | Sound Rating | Minimum Dispensers Order Qty. | Quantity Dispensers Per Pack | Retail Price Per Pair |
| HP-F1 | Uncorded Foam Earplugs. 200 pairs per counter dispenser. | NRR: 33dB | 1 Disp. | 10 Disp. | \$36.00 |
| HP-F2 | Corded Foam Earplugs. 100 pairs per counter dispenser. | NRR: 33dB | 1 Disp | 10 Disp. | \$31.50 |
| HP-S1 | Uncorded Silicone Earplugs. 100 pairs in clear plastic box per counter dispenser. | NRR: 23dB | 1 Disp | 10 Disp. | \$100.00 |
| HP-S2 | Corded Silicone Earplugs. 100 pairs in clear plastic box per counter dispenser. | NRR: 23dB | 1 Disp | 10 Disp. | \$125.00 |




Soft absorbent microfiber material. Just soak in water for instant cooling relief. Reuseable and machine washable.

| STOCK NO. | Description | Towel Size | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|-----------|---|------------|-----------------------|----------------------|--------------------------------|
| GLO-CT2 | Blue cooling towel packed in reusable plastic tube. | 16"x25" | 1 pair | 50 | \$9.50 |
| GLO-CT44 | Orange cooling towel packed 1 per bag. | 12"x40" | 1 pair | 10 | \$9.50 |

Shoe & Boot Covers



| STOCK NO. | Description | Size | Minim Order (| Boxes Palle | Price Per Box |
|--------------|---|------|------------------|----------------|---------------------|
| 51467-3XL | Blue Polyproplylene (cloth-like) shoe/boot covers with clear-white anti-skid bottom. 300 covers per box. 100 per inner wrap. | XL | 1 Box | 1 Box | \$59.00 |
| 72488-3L | White (plastic) shoe/boot covers. 300 covers per box. 100 per inner wrap. | XL | 1 Box | 1 Box | \$69.00 |







Pavon

No Minimum Order & Same Day Shipping



Bullhead Safety Eyewear

Safety Glasses with **Reading Magnifiers** Torrent Swordfish

Non-Prescription safety eyewear for people who can no longer see the fine print. MAGNIFICATION INSERTS decrease eyestrain. Impact and scratch resistant lenses provide 99.9% UV protection. Meets ANSI Z87.1 standards.

| Stock No. | Lens Tint and Magnification Power | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|---|--------------------------|----------------------|-------------------------|
| BH11110 | Torrent Clear - 1.0 power | 1 | 12 | \$3.20 |
| BH11115 | Torrent Clear - 1.5 power | 1 | 12 | \$3.20 |
| BH11120 | Torrent Clear - 2.0 power | 1 | 12 | \$3.20 |
| BH11125 | Torrent Clear - 2.5 power | 1 | 12 | \$3.20 |
| BH13310 | Torrent Smoke - 1.0 power | 1 | 12 | \$3.70 |
| BH113315 | Torrent Smoke - 1.5 power | 1 | 12 | \$3.70 |
| BH113320 | Torrent Smoke - 2.0 power | 1 | 12 | \$3.70 |
| BH113325 | Torrent Smoke - 2.5 power | 1 | 12 | \$3.70 |
| | | | | |
| BH106115 | Swordfish Clear - 1.5 power | 1 | 12 | \$13.72 |
| BH106120 | Swordfish Clear - 2.0 power | 1 | 12 | \$13.72 |
| BH106125 | Swordfish Clear - 2.5 power | 1 | 12 | \$13.72 |
| BH106315 | Swordfish Smoke - 1.5 power | 1 | 12 | \$13.72 |
| BH106320 | Swordfish Smoke - 2.0 power | 1 | 12 | \$13.72 |
| BH106325 | Swordfish Smoke - 2.5 power | 1 | 12 | \$13.72 |

| | | | | 3 |
|--------------|---|-----------------------|----------------------|-------------------------|
| protection a | ncluding clear, provide and meet ANSI Z87.1 s h: 138mm Frame we | afety | standa | |
| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
| BH543 | Black Frame, Smoke Lens | 1 | 12 | \$2.34 |
| BH543AF | Black Frame, Smoke Anti-Fog Lens | 1 | 12 | \$3.00 |
| BH5410 | Black Frame, Red Mirror Lens | 1 | 12 | \$3.20 |
| BH525 | Blue Frame, Light Blue Lens | 1 | 12 | \$2.34 |
| BH578 | Brown Frame, Brown Lens | 1 | 12 | \$2.34 |
| BH516 | Clear Frame, Indoor/ Outdoor Lens | 1 | 12 | \$3.20 |
| BH584 | Yellow Frame, Yellow Lens | 1 | 12 | \$2.92 |
| BH511AF | Clear Frame, Clear Anti-Fog Lens | 1 | 12 | \$3.00 |
| BH511 | Clear Frame, Clear | 1 | 12 | \$2.18 |





Lens

12

\$2.18

All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 135mm Frame weight: 24 grams

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|--|-----------------------|----------------------|-------------------------|
| BH111 | Clear Frame, Clear Lens | 1 | 12 | \$1.60 |
| BH111AF | Clear Frame, Clear Anti-Fog Lens | 1 | 12 | \$2.30 |
| BH133 | Black Frame, Smoke Lens | 1 | 12 | \$1.66 |
| BH133AF | Black Frame, Smoke Anti-Fog Lens | 1 | 12 | \$2.36 |
| BH134 | Yellow Frame, Yellow Lens | 1 | 12 | \$2.28 |
| BH149 | Black Frame, Blue Mirror Lens | 1 | 12 | \$2.58 |
| BH136 | Black Frame, Indoor/Outdoor Lens | 1 | 12 | \$2.58 |
| BH147 | Black Frame, Silver Mirror Lens | 1 | 12 | \$2.58 |



Phone: 859-431-7587 Fax: 859-431-0600

No Minimum Order & Same Day Shipping





Phone: 859-431-7587 Fax: 859-431-0600

53

BH766AF

BH761AF

www.Batoray.com

12

\$5.30

\$4.80

1

1 12

Outdoor Anti-Fog Lens

Black Frame, Clear

Anti-Fog Lens

CALL TOLL FREE Phone: 800-450-6776

BH12108

Brown Precision


Lens

12

1

\$15.94

No Minimum Order & Same Day Shipping





| Stinger | (THE |
|---------|---------|
| | attan - |
| | |

All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 144mm Frame weight: 30 grams

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|---|-----------------------|----------------------|-------------------------|
| BH691 | Gray Frame, Clear Lens | 1 | 12 | \$5.20 |
| BH691AF | Gray Frame, Clear Anti-Fog Lens | 1 | 12 | \$6.00 |
| BH666 | Black Frame, Indoor/Outdoor Lens | 1 | 12 | \$6.00 |
| BH6117 | Black & Silver Frame, Silver Mirror Lens | 1 | 12 | \$6.80 |
| BH654 | Black Frame, Yellow Lens | 1 | 12 | \$5.52 |
| BH633AF | Black Frame, Smoke Gray Anti-Fog Lens | 1 | 12 | \$6.40 |
| BH61712 | Black Frame, POLARIZED Gray Anti-Fog Lens | 1 | 12 | \$44.50 |
| BH6103AF | Camo Frame, Smoke Gray Anti-Fog Lens | 1 | 12 | \$11.08 |
| BH6108AF | Camo Frame, Brown Precision Anti-Fog Lens | 1 | 12 | \$11.08 |
| BH61084AF | Camo Frame, Yellow Anti-Fog Lens | 1 | 12 | \$11.08 |





Silver Mirror Lens

12

\$11.92

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|---|-----------------------|----------------------|-------------------------|
| BH1133 | Black Frame, Smoke Gray Lens | 1 | 12 | \$8.18 |
| BH1169 | Black Frame, Blue Mirror Lens | 1 | 12 | \$10.94 |
| BH11108 | Camo Frame, Brown Lens | 1 | 12 | \$13.70 |
| BH11711 | Black Frame, Brown POLARIZED Precision Lens | 1 | 12 | \$44.50 |





Sport inspired frame. Adjustable nose pads. All lenses including clear provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 130mm Frame weight: 30 grams

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|--|-----------------------|----------------------|-------------------------|
| BH1612 | Clear Frame, Blue Mirror Lens | 1 | 12 | \$14.00 |
| BH1678 | Brown Frame, Brown Flash Mirror Lens | 1 | 12 | \$12.30 |
| BH1691AF | Gray Frame, Clear Anti-Fog Lens | 1 | 12 | \$13.50 |
| BH161012 | Camo Frame, Brown POLARIZED Lens | 1 | 12 | \$46.20 |



No Minimum Order & Same Day Shipping



55

www.Batoray.com

CALL TOLL FREE Phone: 800-450-6776

No Minimum Order & Same Day Shipping

MARK "MEL" MELCHING



1960-2015

Our friend, Mel, passed away September 10, 2015 after a long fight with pancreatic cancer. He is survived by his wife, Shannon, and three children. Mel was our friend since childhood, but became part of our family when he joined our company in 1999. He will forever be missed.

NOTES

Terms:

Net 30

Freight Policy:

- 1. Batoray will pay all freight charges on orders totaling over \$250 that are shipped to one location at one time. Orders under \$250 are plus freight.
- 2. Minimum freight charge is \$8.00.

Claims:

- 1. All claims and shortages must be made within 5 days after receipt of order.
- 2. Items returned to stock are subject to a 15% restocking charge.
- 3. Prices are subject to change without notice.
- 4. All special order products are non-returnable.
- 5. Batoray can not be held responsible for typographical errors or comments found to be inaccurate.



Dave "Skip" Egbers - Chairman



Jake Finke - Inside Sales



Marty Egbers - CFO and Accounts Payable



Marc Egbers - Special Projects



Steve Egbers - President, Inside Sales and Purchasing



Clay Egbers -Warehouse Manager



Lisa Egbers - Inside Support and Accounts Receivable



Tony Franklin - Inside Sales



Joe Egbers - Vice President, Outside Sales and Marketing



Scott Allen - Battery Assembly Manager



Linda Egbers - Inside Support and Marketing



Phone: 859-431-7587 Fax: 859-431-0600

57

CALL TOLL FREE Phone: 800-450-6776

Distributed by Î 🗎 🗒 BATORAY 🗊 🗊 🗊



Sealed Recha Battery POWER SONIC MODEL PS-1250 F1

12 Volt 5.0 Amp. Hr.

的 30

•

R

.

OWER SONIC

18.0 ATP

罰

OWER SONIC

MODEL PS-12750 U 12 Volt 75.0 Amp. Hr.

MODEL PS-12180 NB

91

POWERPSSONIC

MODEL PS-640 F1 6 Volt 4.5 Amp. Hr.

R 3

SONIC

d Rechargeat

OWER SONIC.

5

MODEL PS-12350 NB 12 Volt 35.0 Amp. Hr.

22

凤

PS-6100 F1



BATORAY Wholesale Distributors www.BATORAY.com 648 Elm Street Ludlow, KY 41016 Fax (859) 431-0600 (859) 431-7587

50N//G@

1 \$

BATORAY WHOLESALE DISTRIBUTORS • 648 ELM STREET, LUDLOW, KY 41016 Phone: (859) 431-7587 or toll free (800) 450-6776 • Fax: (859) 431-0600 Visit our website: www.batoray.com • email: sales@batoray.com





OCTOBER 2017





- No Minimum Order
- Custom Battery Assembly
- Master Distributor -- Large Inventory
- No additional charge for broken case orders
- Same Day Shipping
- Standard Terms = Net 30

- Freight Paid on orders over \$250.00
- Low Everyday Pricing
- Volume Discount Pricing available
- Expert product knowledge and experience
- Owned and operated by the Egbers Family since 1987

Wholesale Only --We're committed to making sure your customers remain your customers!

| Table of Contents: | | | | | | | | |
|--------------------------|--|---------|--|--|--|--|--|--|
| Manufacturer | Products | Page(s) | | | | | | |
| Batoray Custom Batteries | Custom Battery Assembly | 3-5 | | | | | | |
| Batoray Connectors | Connector Options | 6-7 | | | | | | |
| PowerSonic | Batteries | 8-11 | | | | | | |
| Xeno | Batteries | 12 | | | | | | |
| Empire | Batteries and Flashlights | 12 | | | | | | |
| EnerSys | Batteries | 13 | | | | | | |
| Rayovac | Batteries | 14-17 | | | | | | |
| Energizer | Batteries and Flashlights | 18-21 | | | | | | |
| Duracell | Batteries and Flashlights | 22 | | | | | | |
| Panasonic | Batteries and Flashlights | 23 | | | | | | |
| Evergreen | Batteries and Flashlights | 24 | | | | | | |
| Pelican | Flashlights | 25-27 | | | | | | |
| Mag-Lite | Flashlights and Equipment Cases | 28-29 | | | | | | |
| Outback | Flashlights | 30-31 | | | | | | |
| Streamlight | Flashlights | 32-40 | | | | | | |
| Accusharp | Knife Sharpeners | 41 | | | | | | |
| Nite-Ize | Innovative Accessories and Cell Phone Holsters | 42-44 | | | | | | |
| Harris | Insect Repellent | 45 | | | | | | |
| Global Glove | Gloves | 46-48 | | | | | | |
| EPIC | Shoe / Boot Covers | 48 | | | | | | |
| Bullhead | Safety Glasses and Hearing Protection | 49-53 | | | | | | |
| Terms and Conditions | | 55 | | | | | | |

Batoray Recycles! Please send your spent Sealed Lead, Nickel Cadmium or Nickel Metal Hydride Batteries to Batoray for recycling.



No Minimum Order & Same Day Shipping

| BATORAY Custo | om Bat | tery | Asse | mbly | | | | | | If you don't see what you are looking for, it's |
|---|-----------------|------------------------|-------|----------------------|----------------------------------|---------------|----------------|--------------------------------|-------------------------|--|
| STOCK NO. | Battery Size | Voltage of Assembly | МАН | Battery Chemistry | # Batteries in Assembly | Configuration | Wire Length | Wire Harness / Connector | Retail Price Each | you are tooking too, it's because we published only our most popular assemblies. XL-060F WH-09 |
| Single Cell Assemblies: | | | | | | | | | | |
| XL-050F WH-09 | 1/2 AA | 3.6 | 1200 | Lithium | 1 | single cell | 5" | WH-09 | \$18.00 | |
| CR14250SE WH-16 | 1/2AA | 3 | 1200 | Lithium | 1 | single cell | 5" | WH-16 | \$24.00 | |
| XL-055F WH-74 | 2/3AA | 3.6 | 1200 | Lithium | 1 | single cell | 2" | WH-09 | \$23.00 | |
| BR2/3A WH-49 | 2/3A | 3 | 1200 | Lithium | 1 | single cell | 5" | WH-49 | \$26.00 | |
| LST17330 WH-17 | 2/3A | 3.6 | 1200 | Lithium | 1 | single cell | 5" | WH-17 | \$30.00 | |
| CR17450SE WH-09 | 4/5A | 3 | 2500 | Lithium | 1 | single cell | 5" | WH-09 | \$30.00 | |
| PS-4/5A WH-12 | 4/5A | 1.2 | 1200 | NiCd | 1 | single cell | 8" | WH-12 | \$13.90 | \sim |
| XL-060F WH-09 | AA | 3.6 | 2400 | Lithium | 1 | single cell | 5" | WH-09 | \$17.00 | Las T |
| PS-AA/1 WH-84R | AA | 1.2 | 800 | NiCd | 1 | single cell | 8" | WH-84R | \$13.50 | PE-4162/001481 Bandray 2-6 and 3 (281 Ref. Frank State Frank Bandray 2-6 and Bandray 2-6 and Bandray 2-6 and |
| BR-A WH-15 | A | 3 | 1800 | Lithium | 1 | single cell | 3" | WH-15 | \$32.00 | |
| BR-C WH-09 | С | 3 | 5000 | Lithium | 1 | single cell | 6" | WH-09 | \$46.00 | |
| XL-145F WH-15 | С | 3.6 | 8500 | Lithium | 1 | single cell | 6" | WH-15 | \$30.00 | |
| PS-C/1 WH-12 | С | 1.2 | 2500 | NiCd | 1 | single cell | 6" | WH-12 | \$24.00 | |
| XL-205F WH-61 | D | 3.6 | 4000 | Lithium | 1 | single cell | 6" | WH-61 | \$50.00 | PS-4/5A/2 WH-60 |
| 2 cell side X side: | | | | | | | | | | |
| XL-060F/2 WH-134 | AA | 3.6 | 2400 | Lithium | 2 | side x side | 3" | WH-46 | \$39.50 | PHT # PRAAT WHEE |
| XL-100F/2 WH-117 | A | 3.6 | | Lithium | 2 | side x side | 5" | WH-117 | \$50.00 | 34 with BB3 BAM Michiel Cadmun Battery Posas Response Battery, Sec. Dizins Sa. |
| PS-AA/2 WH-05 | AA | 2.4 | 800 | NiCd | 2 | side x side | 5" | WH-05 | \$16.00 | 012118 BA |
| PS-4/5A/2 WH-60 | 4/5A | 2.4 | 1100 | NiCd | 2 | side x side | 7" | WH-60 | \$30.00 | the second se |
| CR17450SE/2 WH-09 | 4/5A | 6 | 2500 | Lithium | 2 | side x side | 7" | WH-09 | \$45.00 | |
| BR-A/2 WH-09 | A | 6 | 3600 | Lithium | 2 | side x side | 6" | WH-09 | \$56.00 | |
| BR-CCF2TE/H | С | 6 | 10000 | Lithium | 2 | side x side | 5" | WH-09 | \$70.00 | PS-AA/3 WH-05 |
| 2 cell stick: | | | | | | | | | | |
| PS-AA/2 S WH-05 | AA | 2.4 | 800 | NiCd | 2 | stick | 5" | WH-05 | \$18.00 | |
| PS-SC/2 S WLS-25 | Sub C | 2.4 | 1500 | NiCd | 2 | stick | 10" | WLS-25 | \$28.00 | and the second s |
| PS-C/2 S WH-20 | С | 2.4 | 2500 | NiCd | 2 | stick | 7" | WH-20 | \$33.00 | |
| 3 cell side X side: | | | | | | | | | | |
| PS-AA/3 WH-05 | AA | 3.6 | 800 | NiCd | 3 | side x side | 6" | WH-05 | \$19.00 | |
| PS-D/3 WH-20 | D | 3.6 | 4000 | NiCd | 3 | side x side | 7" | WH-20 | \$50.00 | PS-AA/2 S WH-05 |
| 3 cell Stick: | |) | | | | | | | | 1 3-AAZ 3 WI1-03 |
| PS-AA/3 S WH-12R | AA | 3.6 | 800 | NiCd | 3 | stick | 8" | WH-12R | \$20.00 | |
| 3 cell 1 X 2 Stick: PS-AA/3-1X2 S WH-05 | | 3.6 | 800 | NiCd | 3 | 1x2 stick | 5" | WH-05 | \$22.00 | 10 |
| 3 cell 1 X 2: | |) | | | | | | | | PS-AA/3-1X2 WH-84 |
| PS-AA/3-1X2 WH-84 | AA | 3.6 | 800 | NiCd | 3 | 1x2 | 5" | WH-84 | \$20.00 | |
| | | | | | | | | | | |

No Minimum Order & Same Day Shipping




Phone: 859-431-7587 Fax: 859-431-0600


4


PS-C/5-3X2 S WH-20

No Minimum Order & Same Day Shipping









PS-D/10-2X5 WH-20



PS-F/10-2X5 O WH-20



PS-D/12-4X3 S WH-87



No Minimum Order & Same Day Shipping

| Connector | | | | | | | | | | | |
|---|-----------|--|--|--|--|--|--|--|--|--|--|
| Options | | | | | | | | | | | |
| | Dest# | | | | | | | | | | |
| Part # and Dimensions | Connector | | | | | | | | | | |
| WH-04 WH-04R (Reverse Polarity) L.32xW.23xH.13 | | | | | | | | | | | |
| WH-05 WH-05R (Reverse Polarity) L.58xW.22xH.19 | | | | | | | | | | | |
| WH-06 (Female Pins) L.78xW.30xH.13 | The | | | | | | | | | | |
| WH-09 WH-09R _(Reverse Polarity) L.56xW.21xH.21 | | | | | | | | | | | |
| WH-10 WH-10R _(Reverse Polarity) L.63xW.34xH.27 | Se Ma | | | | | | | | | | |
| WH-12 WH-12R (Reverse Polarity) (2 Pin) L.52xW.20xH.13 | | | | | | | | | | | |
| WH-14 WH-14R _(Reverse Polarity) L.63xW.33xH.25 | | | | | | | | | | | |

| Part # and Dimensions | Connector |
|---|-----------|
| WH-15 WH-15R _(Reverse Polarity) L.60xW.20xH.10 | |
| WH-16 (3 Pin) L.58xW.34xH.16 | the |
| WH-17 (2 Pin) L.49xW.24xH.16 | Red |
| WH-20 WH-20R (Reverse Polarity) L.85xW.43xH.24 | |
| WH-24 WH-24R (Reverse Polarity) (24 mates with WH-51) L.72xW.32xH.28 | |
| WH-26 L.50xW.32xH.21 | |
| WH-29 L.31xW.41xH.18 | |
| WH-32 L.72xW.33xH.30 | |

| Part # and Dimensions WH-42 (Female Pins) L1.03xW.54xH.25 | Connector |
|---|--|
| WH-43 L.78xW.29xH.45 | No. |
| WH-44 WH-44R (Reverse Polarity) L.58xW.22xH.19 | and and |
| WH-49 L.55xW.21xH.09 | |
| WH-51 WH-51R (Reverse Polarity) L.47xW.22xH.16 | Contraction of the second seco |
| WH-52 L.71xW.51xH.14 | |
| WH-57 L.24xW.18xH.14 | La la la |
| WH-60 WH-60R (Reverse Polarity) (2 Pin) L.52xW.20xH.13 | P |

No Minimum Order & Same Day Shipping

| Part # and Dimensions | Connector |
|---|--|
| WH-62 L.31xW.22xH.19 | |
| WH-65 WH-65R (Reverse Polarity) L.26xW.27xH.13 | |
| WH-67 (Female Pins) WH-67R (Female Pins and Reverse Polarity) L.81xW.34xH.19 | |
| WH-73 L.20xW.23xH.16 | the state |
| WH-74 L.55xW.20xH.12 | |
| WH-75 WH-75R (Reverse Polarity) L.63xW.50xH.26 | Contraction of the second seco |
| WH-76 WH-76R (Reverse Polarity) L.16xW.13xH.08 | |
| WH-80 L.97xW.62xH.26 | |

| Part # and Dimensions | Connector |
|--|------------|
| WH-81 L.26xW.24xH.16 | |
| WH-82 (Male Pins) L1.03xW.54xH.25 (Same Connector as WH-42) | the second |
| WH-84 WH-84R (Reverse Polarity) L.30xW.22xH.16 | |
| WH-85 L.98xW.33xH.15 | |
| WH-89 L1.43xW.76xH.34 | |
| WH-92 L.49xW.32xH.20 | |
| WH-95R (Male Pins- same Polartiy as WH-67R) L.81xW.34xH.19 (Same Connector as WH-67) | |
| WH-100 L.31xW.22xH.14 | |

| Part # and Dimensions | Connector |
|--|--------------------|
| WH-101 (2 Pin) L.52xW.30xH.12 | |
| WH-103 L.32xW.32xH.16 | |
| WH-111 L.56xW.30xH.12 | |
| WH-117 L.56xW.41xH.20 | Marine Contraction |
| WH-120 L1.08xW.43xH.19 | K |
| WH-122 WH-122R (Reverse Polarity) L.27xW.17xH.15 | |
| WH-135 L.71xW.43xH.20 | |
| WH-138 L.53xW.20xH.12 | |

POWER PSSONIC Qty. per Case Width / Inches Height / Inches Voltage Length Inches Weight Each (Ibs) AMP. Hours Min. Order Retail ğ Price STOCK NO. Terminal Each PS-445 F2 4 4.5 1.93 2.09 3.70 1 Each 1.5 \$21.86 20 PS-490 4 9 4.02 1.73 3.70 1 Each 10 2.4 F2 \$33.36 \$35.66 PS-4100 4 10 4.02 1.97 3.72 1 Each 30 F1 3.1 PS-605 6 0.5 2.24 0.55 1.97 1 Each 100 0.2 WI \$33.36 PS-610 6 1.1 2.00 1.65 2.00 1 Each 50 0.6 F1 \$19.56 PS-612 6 1.4 3.82 0.94 2.00 1 Each 20 0.6 F1 \$20.70 PS-621 6 2 1.69 1.46 2.99 1 Each 20 0.75 F1 \$25.20 F1 PS-628 6 2.9 2.60 1.30 3.86 1 Each 20 1.25 \$23.00 PS-630 6 3.5 5.28 1.34 2.35 1 Each 20 1.5 F1 \$24.16 PS-632 6 3.5 2.60 1.30 4.65 1 Each 20 1.5 F1 \$33.96 PS-640 2.76 1.89 4.02 1 Each F1 \$10.50 6 4.5 20 2 PS-650 6 5 2.63 2.63 3.78 1 Each 25 2 F1 or SP \$33.36 PS-665 6 6.5 3.86 2.20 4.05 1 Each 10 3 FP \$34.50 PS-670 6 7 5.95 1.34 3.70 1 Each 10 3 F1 \$19.00 PS-682 6 9 3.86 2.20 4.65 1 Each 10 3.3 F1 \$32.78 5.95 3.70 10 5 PS-6100 6 12 2.00 1 Each F1 or F2 \$28.00 1 Each FP PS-6120 6 13 4.26 2.75 5.54 10 5.2 \$37.96 PS-6200 6 20 6.18 3.27 4.92 1 Each 4 8.2 NB1 \$89.70 6.25 3.35 6.50 2 F2 or NB1 PS-6360 6 36 1 Each 13.8 \$96.60 PS-6580 7.28 4.41 8.07 2 21 F2 \$230.00 6 58 1 Each PS-62000 210 12 71 6 65 8 65 1 Each Т8 \$448.50 6 1 64 5.28 1.42 PS-832 32 2 4 9 1 Each 1.9 F1 \$43.70 8 10 **PS-1208WL** 12 0.8 3.78 0.98 2.42 1 Each 20 0.8 WL \$37.96 PS-1212 3.82 1.65 2.00 1.3 \$28.76 12 1.4 1 Each 20 F1 PS-1220 12 2.5 7.01 1.34 2.36 1 Each 20 2 F1 \$34.50 PS-1221S 12 2 5.91 0.80 3.52 1 Each 20 1.7 F1/0 \$46.00 PS-1223 12 2.3 7.17 0.94 2.42 1 Each 20 1.8 PC \$46.00 PS-1227 3.11 2.20 3.90 2.4 F1 12 2.9 1 Each 10 \$37.96 PS-1228 12 28 5 24 1.30 4 09 1 Each 10 26 F1 \$41.40 PS-1229 12 2.9 7.01 1.34 2.36 1 Each 10 2.2 F1 \$50.60 PS-1230 12 34 5.23 2.64 2 36 1 Fach 10 2.6 F1 \$40.26 PS-1238 12 3.8 7.28 1.85 2.91 1 Each 10 3.5 F1 \$46.00 PS-1250 12 5 3.54 2.76 3.98 1 Each 10 4 F1 or F2 \$25.00 PS-1270 12 7 5.95 2.56 3.70 1 Each 5 4.8 F1 or F2 \$29.40 3.70 5 F1 or F2 PS-1280 12 8 5.95 2.56 1 Each 5.8 \$35.00 PS-1282L 12 9 7.75 2.25 4.75 6.7 F1 1 Each 1 \$80.50 4.00 4.50 4.75 PS-1282S 12 9 1 Each 1 6.7 F1 \$80.50 PS-1290 12 9 5.95 2.56 3.70 5 F2 or NB1 1 Each 6.1 \$37.80 PS-12100H 12 10.5 5.94 2.56 4.40 1 Each 7.23 F2 \$59.80 PS-12100 12 12 4.00 3.70 6 F1 or F2 5.95 1 Each 9.2 \$75.90 PS-12120 5 94 3 86 3 70 F2 or NB1 \$55.00 12 12 1 Each 4 9 12 4 FΡ PS-12120L 12 8.45 2.75 5.75 1 Each 9.9 \$96.90 PS-12140 5.94 3.86 1 Each \$74.76 12 14 3 70 4 9 F2 PS-12180 12 7.13 2.99 6.57 2 \$77.00 18 1 Each 13 ⁻2, NB2, T12 PS-12200 12 7.13 3.00 1 Each NB1 101.78 20 6.5 2 13.2

PS Series & PSG Series – General Purpose Design

This series features Absorbent Glass Mat (AGM) technology for superior performance. They are valve regulated, spill proof and allow for safe operation in any position. UL recognized under file number MH 20845.



No Minimum Order & Same Day Shipping



PS Series continued...

| 15 50105 00 | | | | | | | | | | |
|--------------|---------|---------------|--------------------|-------------------|--------------------|-----------------------|------------------|-------------------------|--------------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
| PS-12260 | 12 | 26 | 6.89 | 6.54 | 4.92 | 1 Each | 1 | 18.7 | F2, NB2, T12 | \$138.00 |
| PS-12280 | 12 | 28 | 6.54 | 4.92 | 6.89 | 1 Each | 1 | 19.4 | NB1 | \$159.86 |
| PS-12350 | 12 | 35 | 7.68 | 5.19 | 6.38 | 1 Each | 1 | 26.5 | NB3 or T6 | \$142.00 |
| PS-6360-1X2 | 12 | 36 | 6.25 | 6.75 | 6.50 | 1 Each | 1 | 27.6 | F2 | \$240.00 |
| PS-6360-1X2L | 12 | 36 | 12.50 | 3.50 | 6.50 | 1 Each | 1 | 27.6 | F2 | \$240.00 |
| PS-12400 | 12 | 40 | 7.75 | 6.50 | 6.69 | 1 Each | 1 | 31 | NB4 | \$207.00 |
| PS-12550 | 12 | 55 | 9.50 | 5.45 | 8.10 | 1 Each | 1 | 41.1 | U or T6 | \$264.50 |
| PS-12750 | 12 | 75 | 10.25 | 6.60 | 8.20 | 1 Each | 1 | 52.3 | U or T6 | \$333.50 |
| PS-121000 | 12 | 100 | 12.00 | 6.60 | 8.20 | 1 Each | 1 | 65.7 | U or T6 | \$402.50 |
| PS-121100 | 12 | 110 | 13.00 | 6.73 | 8.35 | 1 Each | 1 | 69.5 | T11 | Call Us |
| PS-121400 | 12 | 140 | 13.50 | 6.73 | 11.15 | 1 Each | 1 | 99 | T11 | Call Us |

| PSH-Serie | | | | | | | | | | |
|--------------|---------|---------------|-----------------------|-------------------|--------------------|-----------------------|---------------------|-------------------------|----------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
| PSH-655 FR | 6 | 6.5 | 2.76 | 1.85 | 3.94 | 1 Each | 10 | 2 | F1 | \$17.26 |
| PSH-1255 FR | 12 | 6 | 3.54 | 2.76 | 3.98 | 1 Each | 10 | 4.19 | F2 | \$39.10 |
| PSH-1280 FR | 12 | 8.5 | 5.95 | 2.56 | 3.70 | 1 Each | 5 | 6 | F2 | \$51.76 |
| PSH-12100 FR | 12 | 10.5 | 5.94 | 2.56 | 4.37 | 1 Each | 1 | 7.05 | F2 | \$69.00 |
| PSH-12180 FR | 12 | 21 | 7.14 | 3.03 | 6.59 | 1 Each | 1 | 13.3 | NB2 | \$109.26 |

PSH Series Batteries – High Rate Discharge Design

WERPSSON

POWER DESONIC

This series has the same features as the PS series but are specifically designed for high rate discharge applications. Valve regulated. Rugged, fire retardant case and cover.



PG Series

| STOCK NO. | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
|--------------|---------|---------------|-----------------------|-------------------|--------------------|-----------------------|------------------|-------------------------|----------|-------------------------|
| PG-6V210 FR | 6 | 210 | 12.70 | 7.00 | 8.98 | 1 Each | 1 | 69 | T11 | \$567.06 |
| PG-12V28 FR | 12 | 28 | 6.56 | 6.96 | 4.92 | 1 Each | 1 | 18.5 | T12 | \$160.12 |
| PG-12V35 FR | 12 | 35 | 7.80 | 5.20 | 6.22 | 1 Each | 1 | 27 | T6 | \$190.04 |
| PG-12V42 FR | 12 | 42 | 7.76 | 6.50 | 6.69 | 1 Each | 1 | 32.5 | T6 | \$258.18 |
| PG-12V55 FR | 12 | 56 | 8.98 | 5.39 | 8.27 | 1 Each | 1 | 39.5 | T6 | \$327.18 |
| PG-12V75 FR | 12 | 75 | 13.70 | 6.57 | 7.00 | 1 Each | 1 | 55.1 | T6 | \$442.30 |
| PG-12V75T FR | 12 | 75 | 10.24 | 6.61 | 8.27 | 1 Each | 1 | 55.1 | T6 | \$452.64 |
| PG-12V100 FR | 12 | 92 | 12.05 | 6.61 | 8.27 | 1 Each | 1 | 60.3 | T6 | \$508.20 |
| PG-12V103 FR | 12 | 103 | 12.99 | 6.81 | 8.35 | 1 Each | 1 | 69 | T11 | \$540.50 |
| PG-12V120 FR | 12 | 124 | 16.14 | 6.97 | 8.86 | 1 Each | 1 | 81.5 | T11 | Call Us |
| PG-12V140 FR | 12 | 144 | 13.50 | 6.73 | 10.79 | 1 Each | 1 | 98.4 | T11 | Call Us |
| PG-12V150 FR | 12 | 153 | 19.09 | 6.69 | 9.53 | 1 Each | 1 | 103.5 | T11 | Call Us |
| PG-12V200 FR | 12 | 210 | 20.55 | 9.45 | 8.58 | 1 Each | 1 | 142 | T11 | Call Us |

PG Series Batteries – Long Life Design This series features Absorbent Glass Mat

(AGM) technology but has thicker plates and lead calcium alloy grids that yield a life expectancy of 10 years in standby mode. Valve regulated. Rugged, fire retardant case and cover.



POWERPS

PHR-Series

PHR Series Batteries – High Rate Discharge, Long Life Design

This series features Absorbent Glass Mat (AGM) technology. It has thicker plates and lead calcium alloy grids designed for High Rate Discharge UPS system applications. It yields a life expectancy of 10 years in standby mode. Valve regulated, rugged, fire retardant case and cover.

| | 00 | | | | | | | | | ., | |
|------------------|---------|---------------|----------------------------|--------------------|-------------------|--------------------|-----------------------|------------------|-------------------------|----------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | Watts / cell@15 min. | Length / Inches | Width / Inches | Height / Inches | Min. Order Qty. | Qty. per Case | Weight Each (Ibs) | Terminal | Retail Price Each |
| PHR-12100 | 12 | 30 | 103 | 6.50 | 4.92 | 6.97 | 1 Each | 1 | 21.38 | T12 | Call Us |
| PHR-12150 | 12 | 36 | 129 | 7.70 | 5.12 | 6.22 | 1 Each | 1 | 26.6 | T6 | Call Us |
| PHR-12200 | 12 | 60 | 192 | 9.02 | 5.43 | 8.15 | 1 Each | 1 | 40.12 | Т6 | Call Us |
| PHR-12300 | 12 | 80 | 279 | 10.20 | 6.61 | 8.19 | 1 Each | 1 | 58.4 | T6 | Call Us |
| PHR-12350 | 12 | 98 | 340 | 11.97 | 6.61 | 8.19 | 1 Each | 1 | 68.7 | Т6 | Call Us |
| PHR-12400 | 12 | 110 | 430 | 12.81 | 6.69 | 8.39 | 1 Each | 1 | 69.2 | T8 | Call Us |
| PHR-12500 | 12 | 154 | 508 | 13.58 | 6.77 | 10.83 | 1 Each | 1 | 97 | T8 | Call Us |
| | | | | | | | | | | | |



| Terminal Adaptors | | | | | | | | |
|-------------------|----------------------------|--------|--|--|--|--|--|--|
| STOCK NO. | Retail Price Each | | | | | | | |
| 035021 | Changes F1 terminals to F2 | \$0.50 | | | | | | |
| 035018 | Changes F2 terminals to F1 | \$0.50 | | | | | | |
| 035025 | Changes NB terminals to F2 | \$0.50 | | | | | | |

Fax:

859-431-0600

035021 F1 to F2




035018





Terminal Adaptors

Phone: 800-450-6776



No Minimum Order & Same Day Shipping

Power-Sonic SLA Battery Chargers

The chargers listed below are "switching" type devices which operate without the use of transformers. They control and regulate current and voltage and automatically switch from the higher fast charge voltage to the lower float voltage when batteries are very close to being fully charged. At the float voltage, it is safe to leave the battery connected to the charger indefinetly, making charging pretty much fool-proof.

| | | Retail Price |
|----------------|---|-----------------|
| STOCK NO. | Description | Each |
| PSC-6500A-C | 6 Volt batery charger for 2-5 AH batteries | \$44.86 |
| PSC-61000A-C | 6 Volt battery charger for 5-10 AH batteries | \$49.72 |
| PSC-64000A-C | 6 Volt battery charger for 10-40 AH batteries | \$136.82 |
| PSC-12300A-C | 12 Volt battery charger for 1-5 AH batteries | \$43.20 |
| PSC-12500A-C | 12 Volt battery charger for 2-5 AH batteries | \$45.16 |
| PSC-12800A-C | 12 Volt battery charger for 4-8 AH batteries | \$47.88 |
| PSC-122000A-C | 12 Volt battery charger for 8-20 AH batteries | \$123.14 |
| PSC-124000A-C | 12 Volt battery charger for 20-40 AH batteries | \$144.60 |
| PSC-1210000A-C | 12 Volt battery charger for 40-100 AH batteries | \$392.28 |
| PSC-2410000A-C | 24 Volt battery charger for 5-10 AH batteries | \$132.52 |

Battery Sitter

The Battery Sitter charges, desulfates, tests and maintains all conventional, AGM, and Gell type batteries from 2.5Ah to 32Ah capacity (PS, PSH and Power-Sport). All major starter battery manufacturers recommend maintaining starter batteries FULLY CHARGED during periods of non-use. The battery sitter is automatic and totally safe for months long connection during off season. DO NOT USE ON BATTERIES WITH AMP RATINGS HIGHER THAN 32 AMPS.

| STOCK NO. | Description | Retail Price Each |
|-----------|----------------|-------------------------|
| | - | |
| PS-MCA12C | Battery Sitter | \$74.00 |









Katelyn Egbers enjoying the day riding ATV's in Roxana, Kentucky (July 2016) while visiting her Mom's family.

Power Sport Series Batteries

This series features Absorbent Glass Mat (AGM) technology, are factory sealed, and maintenance free. Designed for ATV's, motorcycles, utility vehicles, snow mobiles, scooters and other sporting vehicles. Only our most common are listed here.

| Power Sport | sporting vehicles. Only our most common are listed here. | | | | | | | | | |
|---------------|--|---------------|-------------|--------------------|-------------------|--------------------|-------------------------|----------|----------|-------------------------|
| STOCK NO. | Voltage | AMP. Hours | CCA@ 0 F | Length / Inches | Width / Inches | Height / Inches | Weight Each (Ibs) | Terminal | Polarity | Retail Price Each |
| PTX4LBS-FS | 12 | 3 | 40 | 4.50 | 2.81 | 3.38 | 3.3 | 5 | - / + | \$35.64 |
| PTX5LBS-FS | 12 | 4 | 65 | 4.50 | 2.81 | 4.19 | 4.4 | 5 | - / + | \$40.26 |
| PTX7LBS-FS | 12 | 6 | 80 | 4.50 | 2.81 | 5.19 | 5.5 | 5 | - / + | \$55.50 |
| PTX7ABS-FS | 12 | 6 | 85 | 6.00 | 3.44 | 3.75 | 5.9 | 5 | +/- | \$55.50 |
| PTX9BS-FS | 12 | 8 | 90 | 6.00 | 3.44 | 4.19 | 7.2 | 5 | +/- | \$64.08 |
| PTX12BS-FS | 12 | 10 | 120 | 6.00 | 3.44 | 5.13 | 7.5 | 11 | +/- | \$76.18 |
| PTX14BS-FS | 12 | 12 | 150 | 6.00 | 3.44 | 5.75 | 10.6 | 4 | +/- | \$82.00 |
| PTX14AHBS-FS | 12 | 12 | 160 | 5.31 | 3.56 | 6.38 | 11.4 | 4 | +/- | \$92.76 |
| PTX14AHLBS-FS | 12 | 12 | 12 | 5.31 | 3.56 | 6.38 | 11.4 | 4 | - / + | \$92.76 |
| PTX20LBS-FS | 12 | 18 | 200 | 6.88 | 3.44 | 6.13 | 14.1 | 4 | - / + | \$120.82 |
| PiX30LBS-FS | 12 | 12 | 28 | 6.56 | 5.00 | 6.88 | 20.3 | 5 | - / + | \$160.88 |





Xeno & FDK (Sanyo) Lithium Single Cell Batteries

| STOCK NO. | Description | Battery Size | volts | МАН | Battery Dimensions (inches) | Minimum Order Quantity | Retail Price Per Battery |
|------------------|---|--------------|-------|-------|-----------------------------------|------------------------------|-----------------------------------|
| XL-060F | XENO Lithium Battery - Button Top | AA | 3.6 | 2400 | .55 x 1.94 | 1 Battery | \$5.80 |
| XL-060FAX | XENO Lithium Battery - Axial Leads | AA | 3.6 | 2400 | .55 x 1.94 | 1 Battery | \$8.00 |
| XL-050F | XENO Lithium Battery - Button Top | 1/2 AA | 3.6 | 1200 | .55 x .98 | 1 Battery | \$5.20 |
| XL-050FAX | XENO Lithium Battery - Axial Leads | 1/2 AA | 3.6 | 1200 | .55 x .98 | 1 Battery | \$7.70 |
| XL-055F | XENO Lithium Battery - Button Top | 2/3 AA | 3.6 | 1650 | .55 x 1.27 | 1 Battery | \$9.00 |
| XL-100F | XENO Lithium battery - Button Top. | A | 3.6 | 3400 | .65 x 1.27 | 1 Battery | \$10.50 |
| XL-145F | XENO Lithium Battery - Button Top | С | 3.6 | 8500 | 1.01 x 1.89 | 1 Battery | \$26.00 |
| XL-205F | XENO Lithium Battery - Button Top | D | 3.6 | 19000 | 1.31 x 2.30 | 1 Battery | \$31.00 |
| XL-210F | XENO Lithium Battery - Wafer with Pins | 1/10 D | 3.6 | 1000 | .27 x 1.30 | 1 Battery | \$16.00 |
| CR12600SE | FDK Sanyo Lithium Battery - Button Top | | 3 | 1500 | .45 x 2.35 | 1 Battery | \$11.80 |
| CR17335SE | FDK Sanyo Lithium Battery - Flat Top | 2/3 A | 3 | 1800 | .66 x 1.31 | 1 Battery | \$14.00 |
| ER17335 | Titus Lithium Battery - Flat Top | 2/3A | 3.6 | 2100 | .66 x 1.31 | 1 Battery | \$9.00 |
| CR17450SE | FDK Sanyo Lithium Battery - Flat Top | А | 3 | 2500 | .66 1.76 | 1 Battery | \$15.00 |
| CR14250SE | FDK Sanyo Laser Lithium Battery - Flat Top | 1/2 AA | 3 | 850 | .56 x .97 | 1 Battery | \$11.50 |
| KR-1100AEL | Sanyo 1.2 volt NiCad battery. Discontinued by FDK Sanyo. Direct cross is Batoray PS-4/5A found on page 24. | 4/5 A | 1.2 | 1100 | .66 x 1.65 | 1 Battery | N/A |
| LTC-3PN | KEEPER 3.5 volt Lithium Battery | | 3.5 | 350 | .67x.59x.26 | 1 Battery | \$35.88 |
| FLB-18650-3.0 | Ultrafire 18650 Lithium ion Rechargeable Battery | | 3.7 | 3000 | .72x2.73 | | \$13.36 |
| FBC-WF-139 | Charger for the 18650 batteries. Charges 1 or 2 batteries. | | | | | | \$41.86 |







18650 Charger



<image><complex-block><complex-block><complex-block>



formerly known as HAWKER

| Power/Full Solutions" |
|-----------------------|
| |

| Cyclon Batteries Monoblock, Shrink Wrap Packs and Single Cells | | | | | | | | | | |
|---|--|---------|---------------|--------------------|-------------------|--------------------|------------------|----------------|------------------------------|-------------------------|
| STOCK NO. | Description | Voltage | AMP. Hours | Length / Inches | Width / Inches | Height / Inches | STD. Terminal | Weight Each | Minimum Order Quantity | Retail Price Each |
| 0819-0010 | Cyclon Monoblock Battery | 4 | 2.5 | 3.00 | 1.75 | 2.75 | F2 | 0.80 | 1 Battery | \$29.50 |
| 0809-0010 | Cyclon Monoblock Battery | 4 | 5 | 3.75 | 2.00 | 3.00 | F2 | 1.62 | 1 Battery | \$38.00 |
| 0859-0010 | Cyclon Monoblock Battery | 4 | 8 | 3.75 | 2.00 | 4.00 | F2 | 2.11 | 1 Battery | \$42.00 |
| 0819-0012 | Cyclon Monoblock Battery | 6 | 2.5 | 4.15 | 1.63 | 2.70 | F2 | 1.15 | 1 Battery | \$33.00 |
| 0809-0012 | Cyclon Monoblock Battery | 6 | 5 | 5.28 | 2.00 | 3.00 | F2 | 2.16 | 1 Battery | \$45.00 |
| 0859-0012 | Cyclon Monoblock Battery | 6 | 8 | 5.28 | 2.00 | 4.00 | F2 | 3.15 | 1 Battery | \$54.00 |
| 0810-0004 | Cyclon D Cell Battery - single cell | 2 | 2.5 | | 1.35 | 2.50 | F1 | 0.40 | 1 Battery | \$14.00 |
| 0860-0004 | Cyclon DT Cell Battery - single cell | 2 | 4.5 | | 1.35 | 3.75 | F1 | 0.50 | 1 Battery | \$30.00 |
| 0800-0004 | Cyclon X Cell Battery - single cell | 2 | 5 | | 1.75 | 2.95 | F2 | 0.84 | 1 Battery | \$20.00 |
| 0850-0004 | Cyclon E Cell Battery - single cell | 2 | 8 | | 1.75 | 3.94 | F2 | 1.25 | 1 Battery | \$31.20 |
| 0820-0004 | Cyclon BC Cell Battery - single cell | 2 | 25 | | 2.50 | 6.25 | NB | 3.68 | 1 Battery | \$82.50 |
| 0810-2425 | Cyclon (2) D cells in STICK config. with blunt cut wire leads | 4 | 2.5 | | 1.35 | 5.00 | WL | 0.84 | 1 Battery | \$54.00 |
| 0810-0103 | Cyclon (3) D cells side x side with blunt cut wire leads | 6 | 2.5 | 4 | 1.50 | 2.50 | WL | 1.25 | 1 Battery | \$56.00 |
| 0810-0102 | Cyclon (3) D cells side x side with tabs | 6 | 2.5 | 4 | 1.50 | 2.50 | F1 | 1.25 | 1 Battery | \$53.00 |
| 0810-0103 WH-20 | Cyclon (3) D cells side x side with wire leads and WH-20 connector | 6 | 2.5 | 4 | 1.50 | 2.50 | WH-20 | 1.25 | 1 Battery | \$56.50 |
| 0810-0104 | Cyclon (4) D cells side x side with tabs | 8 | 2.5 | 5.35 | 1.50 | 2.50 | F1 | 1.60 | 1 Battery | \$73.00 |
| 0800-0102 | Cyclon (3) X cells side x side with tabs | 6 | 5 | 5.25 | 1.75 | 3.00 | F2 | 3.75 | 1 Battery | \$75.00 |
| 0800-0103 | Cyclon (3) X cells side x side with blunt cut wire leads | 6 | 5 | 5.25 | 1.75 | 3.00 | WL | 2.52 | 1 Battery | \$78.00 |
| 0800-0137 | Cyclon (2) X Cell Battery Pack (side x side config.) with tabs | 4 | 5 | 3.5 | 1.75 | 3.00 | F2 | 1.68 | 1 Battery | \$59.00 |
| 0800-2425 | Cyclon (2) X cells in STICK config. with blunt cut wire leads | 4 | 5 | | 1.75 | 6.00 | WL | 1.68 | 1 Battery | \$61.00 |







0810-2006



13

CALL TOLL FREE Phone: 800-450-6776

No Minimum Order & Same Day Shipping



50% of battery sales are impulse sales. Increase your battery sales by putting a display like this one on your counter! Order Rayovac products and we will ship you a **free** F628IND counter display. Call for details.



| Industr | Industrial Multi-Pack Batteries (shrink wrapped) | | | | | | | | | | |
|--------------|--|-----------------------|-----------------------|-------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|--|
| STOCK NO. | Description | Minimum Order Qty. | Batteries per Pack | Packs per case | Batteries per case | Weight per Battery | Retail Price per Battery | | | | |
| | ALKALINE BATTERIES: | | | | | | | | | | |
| AL-C | Alkaline C Size Batteries | 1 Battery | 6 | 12 | 72 | 0.16 | Call | | | | |
| AL-D | Alkaline D Size Batteries | 1 Battery | 6 | 12 | 72 | 0.32 | Call | | | | |
| AL-AA | Alkaline AA Size Batteries | 1 Battery | 8 | 12 | 96 | 0.05 | Call | | | | |
| AL-AAA | Alkaline AAA Size Batteries | 1 Battery | 8 | 12 | 96 | 0.03 | Call | | | | |
| AL-9V | Alkaline 9-volt Batteries | 1 Battery | 6 | 12 | 72 | 0.11 | Call | | | | |

Industrial Multi-Pack Batteries (Contractor Pack) -Reclosable Clam Pack

| стоск | | Minimum Order Qty. | Batteries per Pack | Packs per case | Batteries per case | Weight er Pack | Retail Price Per |
|----------|---------------------------|--------------------------|-----------------------|-------------------|-----------------------|-------------------|------------------------|
| NO. | Description | Σ | Шā | d | ш с | - d | Battery |
| | ALKALINE BATTERIES | | | | | | |
| ALC-12 | Alkaline C batteries | 12 batteries | 12 | 8 | 96 | 1.97 | Call |
| ALD-12 | Alkaline D batteries | 12 batteries | 12 | 8 | 96 | 3.98 | Call |
| ALAA-24 | Alkaline AA batteries | 24 batteries | 24 | 12 | 288 | 1.31 | Call |
| ALAAA-18 | Alkaline AAA batteries | 18 batteries | 18 | 12 | 216 | 0.50 | Call |
| AL9V-8 | Alkaline 9-volt batteries | 8 batteries | 8 | 12 | 96 | 1.31 | Call |
| | | | | | | | |







RAVE Z.S.

FUSION Batteries by Rayovac

High Performing Advanced **Alkaline** Batteries. The Fusion series is specially formulated for power-hungry high drain devices.

| STOCK NO. | Description | Minimum Order Qty. | Packs per Case | Weight per Pack | Retail Price per Pack |
|-------------|--|-----------------------|-------------------|--------------------|-----------------------------|
| 815-30PPFUS | AA Rayovac Fusion High Performance Alkaline Batteries. 30 batteries per reclosable contractor pack | 30 Batteries | 12 | 1.40 | \$23.50 |
| 824-30PPFUS | AAA Rayovac Fusion High Performance Alkaline Batteries. 30 batteries per reclosable contractor pack | 30 Batteries | 12 | 0.95 | \$23.50 |



| Lantern | Lantern and Special Application Batteries | | | | | | | | |
|------------|---|-----------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|--|
| STOCK NO. | Description | Minimum Order Qty. | Batteries per Case | Weight per Battery | Retail Price per Battery | | | | |
| 6V-HD | 6-volt battery with Spring Terminals Industrial Label, Heavy Duty | 1 Each | 12 | 1.42 | \$4.52 | | | | |
| 6V-HDM | 6-volt battery with Spring Terminals Industrial Label, Heavy Duty Maximum | 1 Each | 12 | 1.55 | \$5.38 | | | | |
| 918 | 6-volt battery with Screw Terminals, General Purpose | 1 Each | 6 | 2.83 | \$13.50 | | | | |
| 926 | 12-volt battery with Screw Terminals, General Purpose | 1 Each | 6 | 2.83 | \$16.72 | | | | |
| 945R | 6-volt Screw Terminals, Heavy Duty | 1 Each | 4 | 1.38 | \$6.96 | | | | |
| KE810-2ZMA | 1.5 volt N cell batteries - 2 per card | 1 Card | 24 | 0.10 | \$3.30 | | | | |



Rechargable Nickel Metal Hydride (Ni-MH) Batteries and Chargers

You can trust these Platinum batteries to keep you running when you need it; low self discharge technology; hold their charge 3x longer than standard rechargeable batteries; pre-charged and ready to use right out of the package; can be used in any device and in any charger; ideal for high drain devices.

| STOCK NO. | Description | Minimum Order Qty. | Case Quantity | Weight per Item | Retail Price per Card |
|--------------|---|-----------------------|------------------|--------------------|-----------------------------|
| PL713-2 GENB | Rechargeable NiMh D Batteries - Carded - 2 Per Card (3000 MAH) | 1 Card | 6 | 0.38 | \$15.00 |
| PL714-2 GENB | Rechargeable NiMh C Batteries - Carded - 2 Per Card (3000 MAH) | 1 Card | 6 | 0.33 | \$15.00 |
| PL715-4 GENB | Rechargeable NiMh AA Batteries - Carded - 4 Per Card (2400 MAH) | 1 Card | 6 | 0.15 | \$16.70 |
| PL724-4 GENB | Rechargeable NiMh AAA Batteries - Carded - 4 Per Card (900 MAH) | 1 Card | 6 | 0.08 | \$16.70 |
| PL1604-1 GEN | Rechargeable NiMh 9V Battery - Carded - 1 Per Card (200 MAH) | 1 Card | 6 | 0.11 | \$13.50 |
| PS203 GEN | Universal Battery Charger - charges (4) AA or (4) AAA or (4) C or (4) D or 1 (9V) batteries. Charges NiCad or NiMH. LED charging indicators. | 1 | 3 | 4.27 | \$39.60 |
| PS334-4B GEN | Battery Charger. Smart Charger. Charges (4) AA or (4) AAA batteries in 4 hours. NiMH or NiCD. Safety auto shut off. LCD countdown timer. Overcharge protection. Includes (4) AA NiMH batteries. | 1 | 3 | 2.33 | \$24.50 |
| PS134-4B GEN | Battery Charger. Value Charger. Charges (4) AA or (4) AAA batteries in 8 hours. Safety auto shut off. Includes (2) AA and (2) AAA NiMH batteries. | 1 | 3 | 2.33 | \$18.98 |







PS134-4B GEN

WHE2D-1 A

VB1DLED-BA ANTHE LED

EFL6V10LED-B



Flashlights & Lanterns

| • | 1 | | | | | |
|--------------|---|-----------------------|------------------|-----------|------------------|-------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Battery Used | Bulb Used | Case Quantity | Retail Price Each |
| WHE2D-1 A | 2 cell D Economy Flashlight. Value Bright Series. Assorted Colors. Carded | 12 Each | D | K2 | 12 | \$3.00 |
| VB1DLED-BA | 1 cell D Economy LED Flashlight. 9 Lumens. Includes 1 D battery. Carded. | 1 Each | D | LED | 6 | \$5.70 |
| EVB2AALED-B | 2 cell AA Economy LED Flashlight. Includes 2 AA batteries. Carded. | 1 Each | AA | LED | 6 | \$3.00 |
| VBUV-B | 3 cell AAA LED UV/Black Light . Aluminum body. Rubber handle. 9 UV LEDs. Carded. | 1 Each | AAA | LED | 4 | \$14.96 |
| EFL6V10LED-B | 6-Volt LED Floating Lantern with 10 LED's. 85 Lumens. 125m beam distance. 45 hour run time. Includes 6 volt alkaline battery. | 1 Each | 6 volt spring | LED | 6 | \$11.74 |
| I2AAAPEN-B | 2 Cell AAA LED penlight. Aluminum body. Push button tail switch. Pocket clip. 18 Lumens. Carded. | 1 Each | AAA | LED | 6 | \$11.70 |
| IN2-KC | 2 Cell D Size Industrial Flashlight with Krypton bulb and ring hanger. 17 Lumens. Carded | 1 Each | D | K2 | 6 | \$7.90 |
| IN2-KMLC | 2 Cell D Size Industrial Flashlight with Krypton Bulb, magnet and ring hanger. 17 Lumens. Carded. | 1 Each | D | K2 | 6 | \$11.00 |
| IN2-MSC | 2 Cell D Size Industrial Safety Flashlight with safety head and ring hanger. 8 Lumens. UL and MSHA approved. Carded. | 1 Each | D | PR2 | 6 | \$9.40 |
| I2DLED-BC | 2 Cell D Size Industrial Flashlight with 3 LEDs and ring hanger. 150 hours run time. Includes batteries. 20 Lumens. Carded. | 1 Each | D | LED | 6 | \$13.50 |
| IS4AA | Pro Grip. Intrinsically Safe 4 Cell AA Flashlight. 120 Lumens Cree LED. Class 1, Div 1 and MSHA approved. Tactical On/ Off Hi/Low switch. Batteries not included. Carded. | 1 Each | AA | LED | 4 | \$53.00 |
| IS3C | Pro Grip. Intrinsically Safe 3 Cell C Flashlight. 150 Lumens Cree LED. Class 1, Div 1 and MSHA approved. Tactical On/ Off Hi/Low switch. Batteries not included. Carded. | 1 Each | С | LED | 4 | \$61.20 |
| W8B | 8 inch Polyethylene Traffic Wand (Red) . Fits the following flashlights: IN2, IN2-K, IN2-ML, IN2-KML. Boxed. | 1 Each | N/A | None | 12 | \$3.00 |



A successful dove hunt on Steve Egbers farm, Glencoe Kentucky, September 2015. Left to Right: Joe Egbers, Clay Egbers, Steve Egbers, Tim Finke, Chris Thamann, Joey Egbers.

16



I2AAAPEN-B -



VBUV-B



I2DLED-BC





W8B

PAN JAG

| Flashlights | & Lanterns - continued | | | | | |
|--------------|---|-----------------------|-----------------|--------------|------------------|-------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Battery Used | Bulb Used | Case Quantity | Retail Price Each |
| RNT3AAA-B | Roughneck 3 cell AAA Flashlight. High performance LED (200 Lumens). 3 lighting modes (high, low & strobe). Machined aluminum body. Spot to flood focus. Includes belt holster and (3) AAA alkaline batteries. Carded | 1 Each | AAA | None | 4 | \$39.50 |
| SE3AAHDLT-BX | 3 cell AA Sportsman Extreme (LED) Headlight . Bright white LED (105 Lumens). 4 light modes: Hi, Medium, Low, Strobe. Pivoting head, 2 rear red light modes: Steady on or Strobe with separate switch. Run Time: 16 hours HIGH, 55 hours LOW using 3 AA alkaline batteries. Carded | 1 Each | AA | None | 4 | \$42.32 |



RNT3AAA-B

| Indestru | ctible Series Flashlights & Lanterns | | | | | |
|--------------|--|-----------------------|-----------------|--------------|------------------|-------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Battery Used | Bulb Used | Case Quantity | Retail Price Each |
| DIY3AAA-B | 3 cell AAA Indestructible Series LED Flashlight. 250 Lumens Machined aluminum body. Rubber head and tail cap. Protected tailcap switch with HI and Low modes. 30 foot drop tested. Operates for up to 5 hours on HI. 40 hours on LOW. Includes (3) AAA batteries. Carded | 1 Each | AAA | LED | 4 | \$26.60 |
| DIYBEAM-B | 6 volt Indestructible Series LED lantern. Operates for 20 hours on High, 78 hours on Low on 4 alkaline C batteries (included). 15 foot drop tested. 150 Lumens. Carded. | 1 Each | С | LED | 4 | \$32.60 |
| DIY6AASP-BC | 6 cell AA Indestructible Series LED spotlight. 3 light modes (high, medium & low). 670 Lumens on High. 360 meter beam distance. Overmold rubber head. Shatterproof lens and reflector. 15 foot drop tested. ANSI IPX7 waterproof submersible. Operates for up to 10 hours on 6 alkaline AA batteries. Carded. | 1 Each | AA | LED | 2 | \$59.30 |
| DIYHL3AAA-BC | 3 cell AAA LED Headlight. Virtually indestructible. 50 Lumens. 2 light modes (high and energy saver). 30 foot drop tested. Aluminum body. Over mold rubber pivoting head. 17 hour run time. Includes 3 AAA batteries and cloth head strap. Carded | 1 Each | AAA | LED | 4 | \$14.30 |
| DIYHPHL3-BC | 3 cell AAA LED Headlight. Virtually indestructible. 300 Lumens. 2 light modes (high and energy saver). 30 foot drop tested. Aluminum body. Over mold rubber pivoting head. 3 hour run time. Includes 3 AAA batteries and cloth head strap. Carded | 1 Each | AAA | LED | 4 | \$24.00 |




DIYHPHL3-BC



Joe Egbers canoeing at Mammoth Cave National Park, Cave City Kentucky. 2016. The water in this creek flows from Mammoth Cave and helps form the Green River.

No Minimum Order & Same Day Shipping



No Minimum Order & Same Day Shipping





| | | Minimum Order Qty. | Master Case Quantity | Bulb Used | Retail Price |
|-----------|--|-----------------------|----------------------------|-----------|-----------------|
| STOCK NO. | Description | | | | Each |
| 1151L | 2 cell AA LED Industrial flashlight. Body made of Polypropylene. Requires (2) AA cell batteries. 30 Lumens. Run time: 43 hours. Not Carded. | 1 Each | 12 | LED | \$6.20 |
| 1251L | 2 cell D LED Industrial flashlight. Body made of Polypropylene. Requires (2) D cell batteries. 35 Lumens. Run time: 113 hours. Not Carded. | 1 Each | 12 | LED | \$8.40 |
| ENCAP22E | LED Cap Light. Compact and lightweight. Has sturdy metal clip with rotating base that attaches light snuggly to the top side brim of cap. 3 light modes: White (High & Low) and Red for night vision. Water Resistant. Includes 2 alkaline AAA batteries. 85 Lumens. Run time: 4 hours. Carded. | 1 Each | 6 | LED | \$17.46 |
| EVEL25IN | Economy 2 cell D Industrial flashlight. Body made of lightweight polymer. Requires (2) D cell batteries. 25 Lumens. Run time: 120 hours. Not Carded. | 1 Each | 12 | LED | \$5.00 |
| HCAL41E | Hardcase work light. 6 bright white LEDs provide 350 lumens of light in a flood pattern. 23 foot drop tested. Retractable rotating hook on top. Powerfull magnetic back. Run time: 10 hours High, 40 hours Low. Includes (4) AA alkaline batteries. Carded. | 1 Each | 4 | LED | \$31.50 |
| HDA32E | LED Headlight with 2 LEDs. Swivel tilt adjustment points light were needed. Operates for up to 50 hours (Low), 7 hours (High) on 3 alkaline AAA batteries (included). 80 Lumens (High). Carded. | 1 Each | 4 | LED | \$23.00 |
| HDBIN32E | LED Headlight with 3 LEDs. Has 3 light modes: white spot, white flood, or white spot and flood combined. Swivel tilt adjustment points light where needed. Dimable switch. Operates for 8 hours High, 50 hours Low on 3 AAA batteries (included). Non Slip silicone backing on strap. 150 Lumens (High). Carded. | 1 Each | 4 | LED | \$29.32 |
| HDDIN32E | LED Headlight with 6 LEDs. Has 3 light modes: white spot, white flood or red for night vision. Swivel tilt adjustment points light where needed. Operates for 6 hours High, 50 hours Low on 3 AAA batteries (included). Non Slip silicone backing on strap. 250 Lumens (High). Carded. | 1 Each | 4 | LED | \$41.48 |
| MS2AALED | 2 cell AA Industrial LED flashlight. Body made of Polypropylene.Meets UL, MSHA Standards.12 hour run time. Batteries not included. 40 Lumens. Carded. | 1 Each | 6 | LED | \$21.40 |
| MS2DLED | 2 cell D Industrial LED flashlight. Body made of Polypropylene. Meets UL, MSHA Standards. 135 hour run time. Batteries not included. 60 Lumens. Carded. | 1 Each | 6 | LED | \$33.96 |
| RCL1NM2WR | Energizer Weather Ready Power Failure Rechargeable LED flashlight. Turns on Automatically during a power outage. 3 lighting modes: High, Low, Night Light. Run time: 3 hours on High. Bright white Nichia LED with focused lens for a uniform spot. 8 Lumens. 5" total length. Carded. | 1 Each | 4 | LED | \$19.46 |













Energizer.

| Button Ce | I and Lithium Coin Cell Batteries | - Carded - 1 Battery | Per Ca | rd | - |
|-----------|---|---|-----------------------|------------------|-----------------------------------|
| STOCK NO. | Description | Cross Reference | Minimum Order Qty. | Case Quantity | Retail Price per Battery |
| A76BP | 1.5-volt alkaline Button Cell Battery on Card | PX76A, LR44 | 1 Battery | 6 | \$1.64 |
| EPX76BP | 1.5-volt alkaline Button Cell Battery on Card | MS76H, RS76, G13 | 1 Battery | 6 | \$4.40 |
| 357BP | 1.5-volt Silver Button Cell Battery on Card | 303, 357, A, J, SR44W, KA | 1 Battery | 6 | \$1.96 |
| 362BP | 1.5-volt Silver Button Cell Battery on Card | 361, SR721W, 362, SR721SW, S, X | 1 Battery | 6 | \$1.50 |
| 364BP | 1.5-volt Silver Button Cell Battery on Card | 364, SR621SW, T | 1 Battery | 6 | \$1.60 |
| 371BP | 1.5-volt Silver Button Cell Battery on Card | 371, SR92OSW | 1 Battery | 6 | \$1.60 |
| 377BP | 1.5-volt Silver Button Cell Battery on Card | 377, SR626SW | 1 Battery | 6 | \$1.50 |
| 379BP | 1.5-volt Silver Button Cell Battery on Card | 379, SR521SW | 1 Battery | 6 | \$1.74 |
| 386BP | 1.5-volt Silver Button Cell Battery on Card | 301, 386, SR43SW, SR43W, D, H | 1 Battery | 6 | \$1.80 |
| 389BP | 1.5-volt Silver Button Cell Battery on Card | 389, SR1130W, M, 390, SR2230SW | 1 Battery | 6 | \$1.50 |
| 392BP | 1.5-volt Silver Button Cell Battery on Card | 392, SR41W, K, 384, SR41SW | 1 Battery | 6 | \$1.80 |
| 395BP | 1.5-volt Silver Button Cell Battery on Card | 395, SR927W, 399, SR927SW,W | 1 Battery | 6 | \$1.80 |
| 397BP | 1.5-volt Silver Button Cell Battery on Card | | 1 Battery | 6 | \$1.80 |
| ECR1025BP | 3.0-volt Lithium Coin Cell Battery Carded | CR1025, ECR1025, DB, DL1025B | 1 Battery | 6 | \$2.70 |
| ECR1216BP | 3.0-volt Lithium Coin Cell Battery Carded | CR1216 | 1 Battery | 6 | \$3.40 |
| ECR1616BP | 3.0-volt Lithium Coin Cell Battery Carded | 1616, CR1616, ECR1616, DL1616B | 1 Battery | 6 | \$3.10 |
| ECR1620BP | 3.0-volt Lithium Coin Cell Battery Carded | DL16202, CR1620 | 1 Battery | 6 | \$2.50 |
| ECR2016BP | 3.0-volt Lithium Coin Cell Battery Carded | CR2016, BR2016, FA, BB, ECR2016, DL2016B | 1 Battery | 6 | \$2.50 |
| ECR2025BP | 3.0-volt Lithium Coin Cell Battery Carded | 2025, CR2025, ECR2025, DL2025B | 1 Battery | 6 | \$2.50 |
| ECR2032BP | 3.0-volt Lithium Coin Cell Battery Carded | CR2032, BR2032, FA, ECR2032, DL2032B | 1 Battery | 6 | \$2.50 |
| ECR2430BP | 3.0-volt Lithium Coin Cell Battery Carded | DL2430, CR2430 | 1 Battery | 6 | \$3.04 |
| ECR2450BP | 3.0-volt Lithium Coin Cell Battery Carded | DL2450, CR2450 | 1 Battery | 6 | \$3.95 |





Coin Cell







20

If your Energizer Bunny is too loud, checkout our hearing protection products on Page 49.

Phone: 859-431-7587 Fax: 859-431-0600 CALL TOLL FREE Phone: 800-450-6776



| Button (| Cell and Lithium Coin Cell - 5 Batteries per | r perforated Str | 'np | | |
|-----------|---|--|-----------------------|------------------|-----------------------------------|
| STOCK NO. | Description | CROSS REFERENCE | Minimum Order Qty. | Case Quantity | Retail Price per Battery |
| 317 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 317, SR516SW, 616, 566, CA | 1 Battery | 100 | \$2.50 |
| 319 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | SP319, V319, SR527SW | 1 Battery | 100 | \$1.90 |
| 321 | 1.5-volt Silver Watch/Calculator Battery on Strip Pack Card | 321, SR616SW, 38, 540, DA | 1 Battery | 100 | \$1.90 |
| 329 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | V329 | 1 Battery | 100 | \$2.50 |
| 337 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$3.80 |
| 344-350TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 344, 12, 529 | | 100 | \$3.00 |
| 357-303TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 303/357, SR44SW/ SR44W, 9/7, 521/541 | 1 Battery | 100 | \$1.60 |
| 366 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | D366, SR1116SW | 1 Battery | 100 | \$1.90 |
| 371-370TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 371, SR920SW, 30, 537 | 1 Battery | 100 | \$1.30 |
| 373 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | SR916SW | 1 Battery | 100 | \$2.00 |
| 386-301TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 301/386, 386, SR43SW/SR43W | 1 Battery | 100 | \$1.40 |
| 391 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 391, SR1120W, 23, 553, L | 1 Battery | 100 | \$1.40 |
| 392-384TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 392, SR41W, 2, 547, K | 1 Battery | 100 | \$1.40 |
| 393 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 309/393, SR754W, 16/15 | 1 Battery | 100 | \$1.90 |
| 394 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.90 |
| 390-389TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.40 |
| 394-380TS | 1.5-volt Silver Button Cell Battery on Strip Pack Card | 394, SR936SW, 27, 524 | 1 Battery | 100 | \$1.90 |
| 399 | 1.5-volt Silver Button Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.80 |
| ECR1220 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | DL1220 | 1 Battery | 100 | \$1.98 |
| ECR1632 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.98 |
| ECR2012 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | CR2012 | 1 Battery | 100 | \$3.90 |
| ECR2016 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | | 1 Battery | 100 | \$1.98 |
| ECR2025 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | E-CR2025, CR2025, DL2025B | 1 Battery | 100 | \$1.98 |
| ECR2032 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | E-CR2032, CR2032, DL2032B | 1 Battery | 100 | \$1.54 |
| ECR2320 | 3.0-volt Lithium Coin Cell Battery on Strip Pack Card | E-CR2320 | 1 Battery | 100 | \$1.54 |





Coin Cell



DURACELL

| Durac | Duracell Procell Alkaline Batteries - Boxed | | | | | | | | | |
|--------------|---|-----------------------|-------------------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|--|
| STOCK NO. | Description | Minimum Order Qty. | Batteries Per Inner Carton | Batteries Per Case | Weight per Battery | Retail Price per Battery | | | | |
| PC1300 | Procell Alkaline D Size Cell Battery | 1 Battery | 12 | 72 | 0.32 | Call | | | | |
| PC1400 | Procell Alkaline C Size Cell Battery | 1 Battery | 12 | 72 | 0.16 | Call | | | | |
| PC1500 | Procell Alkaline AA Size Cell Battery | 1 Battery | 24 | 144 | 0.05 | Call | | | | |
| PC2400 | Procell Alkaline AAA Size Cell Battery | 1 Battery | 24 | 144 | 0.03 | Call | | | | |
| PC1604 | Procell Alkaline 9 Volt Battery | 1 Battery | 12 | 72 | 0.11 | Call | | | | |











MN918

Photo, Electronic, Medical & Special Application Batteries 1 Т

| STOCK NO. | Description | Minimum Order Qty. | Quantity per Case | Weight Per Battery | Retail Price per Battery |
|-----------------|--|-----------------------|----------------------|-----------------------|-----------------------------------|
| DL 1/3NB | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.02 | \$7.04 |
| DL123A | 3.0 volt Lithium Battery - Bulk (shrink wrapped) | 1 Battery | | 0.04 | \$7.00 |
| DL2016BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.58 |
| DL2025BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.78 |
| DL2032BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.78 |
| DL2430BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$2.94 |
| DL2450BP | 3.0 volt Lithium Battery | 1 Battery | 6 | 0.01 | \$4.74 |
| MN21B | 12.0 volt Alkaline Battery (1 per card) | 1 Battery | 6 | 0.02 | \$2.64 |
| MN21B2PK | 12.0 volt Alkaline Battery (2 per card) | 1 Card | 6 | 0.02 | \$4.90 |
| MN27B | 12.0 volt Alkaline Battery | 1 Battery | 6 | 0.01 | \$2.64 |
| PX28AB | 6.0 volt Alkaline Battery | 1 Battery | 6 | 0.01 | \$6.54 |
| PX28LB | 6.0 volt Lithium Battery | 1 Battery | 6 | 0.02 | \$13.26 |
| MS76B | 1.5 volt Silver Oxide Battery | 1 Battery | 6 | 0.01 | \$5.20 |
| PX76A/ 675AB | 1.5 volt Alkaline Battery | 1 Battery | 6 | 0.01 | \$1.90 |
| PX625AB | 1.5 volt Alkaline Battery | 1 Battery | 6 | 0.03 | \$5.06 |
| D303/357B | 1.5 volt Silver Oxide Battery | 1 Battery | 6 | 0.01 | \$2.40 |
| PC133A | 4.5 volt Alkaline Battery | 1 Battery | | 0.08 | \$15.00 |
| MN175B | 7.5 volt Alkalkine Battery | 1 Battery | 6 | 0.03 | \$11.00 |
| MN9100B2 | N Size Alkaline Battery (2 per card) | 1 Card | | 0.03 | \$4.46 |
| MX2500B2 | ULTRA "AAAA" Alkaline Batteries - 2 per card | 1 Card | 6 | 0.04 | \$4.92 |

Alkaline Lantern Batteries

| STOCK NO. | Description | Minimum Order Qty. | Batteries Per Case | Weight Per Battery | Retail Price Per Battery |
|-----------|---|-----------------------|-----------------------|-----------------------|--------------------------------|
| PC903 | 7.5 volt, 40Ah Battery - Screw Terminal | 1 Battery | 4 | 5.25 | \$55.80 |
| MN908 | 6 volt, 13Ah Battery - Spring Terminal | 1 Battery | 6 | 1.72 | \$13.80 |
| PC915 | 6 volt, 13Ah Battery - Screw Terminal | 1 Battery | 6 | 1.72 | \$14.10 |
| MN918 | 6 volt, 27Ah Battery - Screw Terminal | 1 Battery | 4 | 2.93 | \$3700 |

nasonic

| Panasonic Lithium Batteries | | | | | | |
|-----------------------------|--|--------------------------|-----------------------------|-----------------------|--------------------------|-----------------------------|
| STOCK NO. | Description | Minimum Order Qty. | Inner Carton Quantity | Batteries per Case | Weight per Battery | Retail Price per Item |
| CR123APA/B | 3 volt Lithium Battery - (10 per shrink) | 1 Battery | 10 | 1200 | 0.04 | \$3.80 |
| CR-123APA/1B | 3 volt Lithium Battery - (1 per card) | 1 Battery | | 12 | 0.05 | \$4.00 |
| CR-123APA/2B | 3 volt Lithium Battery - (2 per card) | 1 Battery | | 12 | 0.08 | \$7.60 |
| CR-P2PA/1B | 6 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$7.00 |
| 2CR-5MPA/1B | 6 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$7.00 |
| CR-2PA/1B | 3 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$4.00 |
| CR-2PA/2B | 3 volt Lithium Battery (2 per card) | 1 Battery | | 12 | 0.08 | \$7.60 |
| CR-V3A/1B | 3 volt Lithium Battery (1 per card) | 1 Battery | | 12 | 0.05 | \$14.50 |
| CR3032 | 3 volt Lithium Coin Cell Battery | 1 Battery | | 12 | 0.01 | \$5.50 |
| BR2/3A | 3 volt Lithium Battery | 1 Battery | | 20 | 0.03 | \$11.00 |
| BR435 | 3 volt Lithium Pin Type Battery | 1 Battery | | 1 | 0.01 | \$10.50 |
| BR-A | 3 volt Lithium Battery | 1 Battery | | 20 | 0.02 | \$21.00 |
| BR-C | 3 volt Lithium C Cell battery Battery | 1 Battery | | 10 | 0.02 | \$27.50 |
| LR6XWA/B | Alkaline AA (Industrial label) Bulk (no shrink) | 500 Batteries | | 500 | 0.05 | Call |
| LR03XWA/B | Alkaline AAA (Industrial label) Bulk (no shrink) | 500 Batteries | | 500 | 0.03 | Call |





2CR-5MPA/1B CR123A



51

ithiu

BR-2/2A 3V

BR2/3A

anasonic ithiun BR-C 31 ALL DO NOT B BHITA E BR-C



BR-A







0.23 \$3.00 0.32 \$3.60 0.62 \$3.60

Retail Price per

Card

\$1.50

\$3.50

\$1.50

\$3.60

Eneloop Rechargeable Batteries

Alkaline Batteries (Carded)

ALKALINE:

STOCK NO.

AM-4PA/2B

AM-4PA/4B

AM-3PA/2B

AM-3PA/4B

AM-2PA/2B

AM-1PA/2B

6AM-6PA/1B

Eneloop Ni-MH "Low Self Discharge" batteries utilize Panasonic's advanced rechargeable battery technology allowing them to be recharged up to 2,100 times and maintain 70% of their charge for up to 10 years when not in use. Batteries are Pre-Charged and ready to use right out of the package.

Description

Alkaline AAA Batteries - Carded (2 per card)

Alkaline AAA Batteries - Carded (4 per card)

Alkaline AA Batteries - Carded (2 per card)

Alkaline AA Batteries - Carded (4 per card)

Alkaline C Batteries - Carded (2 per card)

Alkaline D Batteries - Carded (2 per card)

Alkaline 9 Volt Battery - Carded (1 per card)

| STOCK NO. | Description | Minimum Order Qty. | Case Quantity | Retail Price per Card |
|--------------|--|-----------------------|------------------|-----------------------------|
| BK-3MCCA4BA | Rechargeable Ni-MH AA Batteries (2,000 MAH). 4 batteries per card. | 1 Card | 48 | \$21.40 |
| BK-4MCCA4BA | Rechargeable Ni-MH AAA Batteries (800 MAH). 4 batteries per card. | 1 Card | 48 | \$15.40 |
| K-KJ17MCA4BA | Eneloop charger. Charges up to 4 AA or AAA Eneloop batteries. Includes 4 Eneloop AA batteries. Carded. | 1 Each | 16 | \$31.50 |





23

www.Batoray.com

Minimum Order Qty.

12 Cards

Cards per Inner Carton

12

12

12

12

12

12

12

Cards per Case

48

48

48

48

48

48

48

Weight per Card

0.04


0.08

0.13

0.13

/ERGREEN

| STOCK NO. | Description | Battery Chemistry | Battery Size | Volts | МАН | Retail Price per Battery |
|-----------|---|----------------------|-----------------|-------|------|-----------------------------|
| H2500-AA | Button top - Rechargeable | Nickel Metal Hydride | AA | 1.2 | 2500 | \$5.50 |
| H600-AAA | Button top - Rechargeable | Nickel Metal Hydride | AAA | 1.2 | 600 | \$4.00 |
| N800-AA | Button top - Rechargeable | Nickel Cadmium | AA | 1.2 | 800 | \$3.00 |
| PS-4/5A | Flat Top - Rechargeable | Nickel Cadmium | 4/5A | 1.2 | 1200 | \$6.50 |
| N2500-C | Button top - Rechargeable | Nickel Cadmium | С | 1.2 | 2500 | \$8.60 |
| N4000-D | Button top - Rechargeable | Nickel Cadmium | D | 1.2 | 4000 | \$12.60 |
| L1028 | Cylindrical - crosses to 23A | Alkaline | | 12 | | \$1.50 |
| CR1/3N | Cylindrical | Lithium | 1/3N | 3 | | \$5.36 |
| CR2 | Cylindrical | Lithium | | 3 | | \$3.50 |
| CR1225 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR1620 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR1632 | Coin Cell | Lithium | | 3 | | \$1.90 |
| CR2016 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR2025 | Coin Cell | Lithium | | 3 | | \$1.30 |
| CR2032 | Coin Cell | Lithium | 1 | 3 | | \$1.30 |
| CR2325 | Coin Cell | Lithium | | 3 | | \$1.90 |
| CR2330 | Coin Cell | Lithium | | 3 | | \$1.90 |
| CR2335 | Coin Cell | Lithium | | 3 | | \$3.00 |
| CR2354 | Coin Cell | Lithium | | 3 | | \$3.00 |
| CR2450 | Coin Cell | Lithium | | 3 | | \$3.00 |
| CR2450N | RENATA Coin Cell | Lithium | | 3 | | \$6.00 |
| CR2477 | Coin Cell | Lithium | | 3 | | \$5.00 |
| CR3032 | Coin Cell - Generic | Lithium | | 3 | | \$5.50 |
| 357 EG | Button Cell - Crosses to: 357 | Silver Oxide | 357 | 1.5 | | \$1.20 |
| 392 | Button Cell | Silver Oxide | | 1.5 | | \$0.80 |
| L544 | Crosses to: PX28LB | Lithium | | 6 | | \$7.50 |
| L1154 | Button Cell - Crosses to: LR44, A76 | Alkaline | | 1.5 | | \$1.30 |
| L1325 | Crosses to: PX28AB | Alkaline | | 1.5 | | \$3.00 |
| DL-02 | Door Lock Battery - 4 AA's with Hole | Alkaline | | 6 | | \$4.00 |
| A10 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |
| A13 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |
| A312 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |
| A675 | Hearing Aid - 6 per card - 10 cards per box | Zinc Air | | 1.4 | | \$6.00 |












Hearing Aid Batteries

No Minimum Order & Same Day Shipping

NEW PELICAN[™] ELITE COOLERS

Outdoor / Offshore Tough



LIFETIME GUARANTEE

PELICAN.COM

©2016 Pelican Products, Inc. All trademarks are registered and/or unregistered trademarks of Pelican Products Inc., its affiliates and subsidiaries. See **Pelican.com** for full warranty details.

No Minimum Order & Same Day Shipping

| 🌽 PELICAN | т | SABRELITE Flashlight | | 9490 Remote Area Lighting System |
|--|----------------------|---|-------------------------|---|
| STEALTHLITE Flashlight | | | 0 | |
| | | Durable Polymer Body. 8.1" long. Choose either Xenon lamp module or LED model. Includes heavy duty pocket clip, stainless split ring and | | |
| Durable Polymer Body. 6.5" long. Available with Laser Spot Xenon lamp or High Power LED. Includes: | | wrist lanyard. Requires (3) alkaline C batteries (not included). Waterproof and Submersible. Carded. | Retail Price Each | Light up the entire room |
| toggle switch, wrist lanyard and 4 AA alkaline batteries. Waterproof and Submersible. Carded. | Retail Price Each | 2000C - with Xenon Lamp (specify color) | \$54.70 | of a button. Also operates a Bluetooth App that can an Iphone. With the quick |
| 2400C - Xenon lamp (specify color) | \$54.70 | 2010C - with LED (specify body color: Black or Yellow) | \$95.44 | swappable power pack sy have continuous light for Illuminate confined space |
| 2410C - LED (specify color) | \$94.86 | Replacement Battery: C Replacement Lamp Module 2004 (Xend | on Model | 72" mast with it's 10 high LED's and 340° articulatii large work areas. Unit we |
| Replacement Battery: AA | | only): Body Colors: Black and Yellow | | Includes detachable shou power pack. |
| Replacement Xenon Lamp Module: 2 in 2400C only) | 404 (used | Safety Ratings: 2000C Series: MSHA, FM, UL Class 1, | Div 1 | 9490-B - Remote Area System. Black Body. |
| Body Colors: Black and Yellow | | 2010C Series: FM Class 1, 11, 111, Div | | 9489 - Extra Power Pa |
| Safety Ratings: FM, UL Class 1, Div 1 and LED models); MSHA (Xenon mod | | Light Output Xenon: 53 Lumens / 6234 c Light Output LED: 161 Lumens / 6398 cc | | Replacement Battery: |
| Light Output LED: 183 Lumens / 8460 Light Output Xenon: 45 Lumens / 3964 | | Run Time: 5 hours (Xenon) 22 hours (L | ED) | Replacement Lamp M |
| Run Time: 4 hours (Xenon) 6 hours (| | Minimum Order: 1 Each | | Body Colors: Black (a |
| Minimum Order: 1 Each | | Case Quantity: 6 Each | | Safety Ratings: None |
| | | 2755C LED Headlight | | Light Output: 6000 Lume |
| Case Quantity: 6 Each | | PELICAN LICAL | | Run Time: 3.5 hours (Hig 24 hours (Low) |
| 3315 LED Flashlight | | | | Minimum Order: 1 Each |
| Simo la | | PELICAN" | | HEADSUP LITE |
| 3315 3310P | | Safety approved headlight designed for use in hazardous environments. Compact and lightweight. Equipped with a single high powered LED. Push button | | HisadsUP L |
| Durable Polymer Body. 6.4" long. 6.2 oz. The lightweight and compact design uses (3) AA batteries to power | | switch allows user to choose between High, Low or Flashing modes. It also has a built in battery life indicator. Includes cloth and | | Made of impact and chen ABS. Easy to turn on/off I rotary bezel switch - ever |

| Light up the entire room with the push of a button. Also operates remotely via a Bluetooth App that can be installed on an Iphone. With the quick release hot swappable power pack system, you can have continuous light for an entire shift. Illuminate confined spaces or deploy the 72" mast with it's 10 high powered white LED's and 340° articulating head to light large work areas. Unit weighs only 32 lbs. Includes detachable shoulder strap and power pack. | Retail Price Each | | | | |
|--|----------------------|--|--|--|--|
| 9490-B - Remote Area Lighting System. Black Body. | \$1,647.92 | | | | |
| 9489 - Extra Power Pack | \$453.12 | | | | |
| Replacement Battery: Sealed Lead Acid | | | | | |
| Replacement Lamp Module: None | | | | | |
| Body Colors: Black (also available in | Yellow) | | | | |
| Safety Ratings: None | | | | | |
| Light Output: 6000 Lumens (High) | | | | | |
| Run Time: 3.5 hours (High) 12 hours (Med) 24 hours (Low) | | | | | |
| Minimum Order: 1 Each | | | | | |
| | adlight | | | | |

HEADSUP LITE 2690-LED Headlight



a single high output bright white LED.

Push button on/off switch. Includes

batteries and wrist lanyard. Carded.

3310PL - Photoluminescent Body

Replacement Lamp Module: None

Body Colors: Yellow, Black or Photoluminescent

Safety Ratings: UL Class 1, Div 1 (3315 Model only)

Light Output: 3315: 160 Lumens / 5143 cd / 144 m

Light Output: 3310PL: 378 Lumens / 9580 cd / 196 m

Run Time: 3315: 19 hours 3310PL: 8 hours

3315 - Yellow Body

Replacement Battery: AA

Minimum Order: 1 Each

26

Retail

Price

Each

\$57.24

\$49.38

Carded.

2755C-Y

www.Batoray.com

rubber straps for head or helmet

use and 3 alkaline AAA batteries.

Replacement Lamp Module: None

Safety Ratings: UL Class 1, Div 1

Body Colors: also available in Black

Light Output: 72 Lumens / 807 cd / 57 m

Run Time: 6 hours (High) 15 hours (Low)

Replacement Battery: AAA

Minimum Order: 1 Each

Case Quantity: 6 Each

Retail Price

Each

\$49.38

No Minimum Order & Same Day Shipping

Pelican Elite Coolers. Engineered for Extreme performance. Two inches (2") polyurethane insulation gives you 7-10 day ice retention. Freezer grade gasket. Corrosion resistant stainless steel hardware. Press and Pull Latches. Engineered Drainage. Built in Stainless Steel Bottle Opener. Moulded in cupholders, lock hasp, handles and tiedowns. Non-Skid and non-marking raised feet. Holds up against UV exposure, salt water, sand abrasion and extreme temperature fluctuations. Elite Coolers are built to last and guaranteed for life. Made in U.S.A.

| STOCK NO. | Capacity | Dimensions | Weight Each | Body Color Options | Retail Price Each |
|-----------|----------|--|----------------|---|-------------------------|
| 30Q | 30 Quart | Exterior: 25.30" x 19.00" x 18.50" Interior: 14.60" x 10.20" x 11.00" | 21.67 lbs. | White/Gray Tan/Orange OD Green/Tan Brown/Tan | \$410.00 |
| 50Q | 50 Quart | Exterior: 30.00" x 20.30" x 20.40" Interior: 17.50" x 11.00" x 13.70" | 26.39 lbs. | White/Gray Tan/Orange OD Green/Tan Brown/Tan | \$500.00 |
| 70Q | 70 Quart | Exterior: 36.00" x 20.30" x 21.00" Interior: 23.50" x 11.00" x 14.30" | 33.29 lbs. | White/Gray Tan/Orange OD Green/Tan Brown/Tan | \$600.00 |





Pelican AIR Equipment Protector Cases. The lightest premium protector case on the planet. Molded from lightweight HPX resin, it bends without breaking. Tough double throw latches. Automatic purge valve balances air pressure. Watertight O-ring Gasket. Crush proof and dust proof. Stainless Steel hasp protectors. Rubber overmolded handles. Removeable polycarbonate card holder with front or side placement. All cases come with Pick N Pluck foam but can be ordered without foam or with Trekpak divider system.

| STOCK NO. | Interior Dimensions | Exterior Dimensions | Weight Each | Color Option | Price Each |
|--------------|---------------------|----------------------|----------------|-----------------|---------------|
| 1485 AIR | 17.75"x10.18"x6.15" | 19.17"x12.80"x6.89" | 4.57 | Black | \$258.00 |
| 1525 AIR | 20.50"x11.3"x6.75" | 21.96"x13.97"x7.49" | 5.99 | Black | \$270.00 |
| 1535 AIR | 20.39"x11.20"x7.20" | 21.96"x13.97"x8.98" | 8.69 | Black | \$354.00 |
| 1555 AIR | 23.00"x12.75"x7.50" | 24.76"x15.46x8.24" | 7.37 | Black | \$318.00 |
| 1605 AIR | 26.00"x14.00"x8.38" | 28.87"x16.77"x9.12" | 9.28 | Black | \$402.00 |
| 1615 AIR | 29.59"x15.50"x9.38" | 32.58"x18.40"x11.02" | 14.06 | Black | \$480.00 |



CALL TOLL FREE Phone: 800-450-6776

2016

www.Batoray.com





MAG CHARGER - Rechargeable LED Flashlight



| Machined Aluminum body. 13" Long. Multi-mode electronic switch. Personalize for quick access to your preferred functions: Full Power, Power Save, Strobe, SOS, Momentary On/Off. User configurable for civilian or law enforcement duty. Improved spot-to flood quick focus system requires less than 1/4 turn of the head. Includes charging unit, battery pack, 12 volt DC adaptor and 120 volt AC converter. | Retail Price Each |
|--|-------------------------|
| RL1019 - Black body - AC & DC model. | \$224.40 |
| ARXX235 - Mag Charger NiMh replacement battery | |
| Replacement Lamp: None | |
| Body Colors: Black | |
| Safety Ratings: None | |
| Run Time: 4 hours | |
| Light Output: 643 Lumens / 41,400 cd / 407 m | |
| Minimum Order: 1Each | |
| Case Quantity: 1 Each | |



Your Logo or your customer's Logo engraved on a MAG-LITE Flashlight! \$50.00 set up charge plus .60 cents per flashlight. 24 piece minimum order.

XL50 LED Flashlight

| Classifier and the Market | |
|---|-------------------------|
| Super bright white LED. Adjustable beam with spot to flood focus. Features a push button tail cap switch with simple on/off function and 3 selectable modes: turn on with 1 quick click for high power; two quick clicks for low power; 3 quick clicks and you will get emergency strobe. Machined aluminum body: 1" x 4.8". Operates on 3 alkaline AAA batteries (included). | Retail Price Each |
| XL50-S3016 - Black body | \$53.70 |
| Replacement Battery: AAA | |
| Replacement Lamp: None | |
| Body Colors: Black | |
| Safety Ratings: None | |
| Run Time: 7 hours (High) 25 hours (Low) | |
| Light Output: 200 Lumens 12,533 cd / 224 m | |
| Minimum Order: 1 Each | |
| Case Quantity: 6 Each | |
| | |





| Accessories | | | | | |
|-------------|--|------------------------------|------------------|-------------------------|--|
| STOCK NO. | Description | Minimum Order Quantity | Case Quantity | Retail Price Each | |
| AM2A056 | Nylon Full Flap Holster for AA Mini Mag - Black | 1 Each | 12 | \$5.50 | |
| AM2A026 | Plain Leather Holster for AA Mini Mag - Black | 1 Each | 12 | \$12.22 | |
| ASXC046 | Belt Holder, Plain Leather (C Cell) | 1 Each | 12 | \$9.42 | |
| ASXD036 | Belt Holder, Plain Leather (D Cell) | 1 Each | 12 | \$10.78 | |
| ASXX07B | Mag-Lite Traffic Wand. Color- Red | 1 Each | 1 | \$3.60 | |

Joey Egbers on his 70cc, Roxana KY, August 2015.



28

www.Batoray.com



| MAG-LITE 2 & 3 cell D size LED Flashlights | |
|---|-------------------------|
| | |
| Mag-Lite LED flashlight. On/Off or intermittent push button switch. Machined Black Aluminum body. Carded. | Retail Price Each |
| ST2D016 - 2 cell D model. Black body. 10" long | \$50.42 |
| ST3D016 - 3 cell D model. Black body. 12.2" long | \$51.90 |
| Replacement Battery: D | |
| Replacement Lamp: None | |
| Body Colors: Black | |
| Safety Ratings: None | |
| Run Time: ST2D016 = 7 hours ST3D016 = 80 hours | |
| Light Output: ST2D016 = 168 Lumens / 42,533 cd / 412 ST3D016 = 168 Lumens / 42,533 cd / 412 | |
| Minimum Order: 1 Each | |
| Qty. Per case: 6 Each | |

MAG-LITE®

| MINI MAG-LITE PRO LED 2AA Flashlight | |
|---|-------------------------|
| Simple twist on/off switch gives you high output with spot to flood focus. Includes 2 AA alkaline batteries and belt holster. Carded. | Retail Price Each |
| SP2P01H - Black body - 6.5" long | \$41.90 |
| Replacement Battery: AA | |
| Replacement Lamp: None | |
| Body Colors: | |
| Safety Ratings: None | |
| Run Time: 2 hours 30 minutes | |
| Light Output: 272 Lumens / 6613 cd / 163 m | |
| Minimum Order: 1 Each | |
| Case Quantity: 6 Each | |



No Minimum Order & Same Day Shipping



Mini MONGO Plus LED Flashlights Super bright Cree LED. Push button on/off switch. Soft touch feature allows user to choose high or low modes. Retail Body made of machined aluminum: 1.2" x 7". Operates on Price 2 alkaline AA batteries (included). Fach 00156 - Assorted colors: Black, Gun Gray and Pink \$26.50 00156-B - Black \$26.50 00157 - Camo \$28.50 Replacement Battery: AA Replacement Lamp: None Light Output: 300 Lumens / 150 Yards Safety Ratings: None Run Time: 2 hours (high) 5 hours (low) Quantity per case: 20 Flashlights Minimum Order: 1 Flashlight FREE display box when ordering 20 Mini Mongo Plus. **COBBER LED Headlight** Bright white 1 watt LED. Push button switch allows user to choose between high and low settings. Also has two night vision Red LEDs in either solid on or flash mode. 45 degree Retail Price tilting head. Adjustable cloth headstrap. Includes 3 alkaline AAA batteries. Carded. Each 00150 - Cobber \$13.30 Replacement Battery: AAA Replacement Lamp: None Light Output: 60 Lumens / 80 Yards Safety Ratings: None Run Time: 9 hours (High) 17 hours (Low)



Quantity per case: 12 Headlights

Minimum Order: 1 Headlight

No Minimum Order & Same Day Shipping





Your Logo or your customer's Logo engraved on an Outback Flashlight! \$50.00 set up charge plus .50 cents per flashlight. 100 piece minimum order. Mini JOEY LED Flashlights





Machined aluminum body 5.0" length x 1.25" width. User can use the soft touch switch to navigate between the 1 watt LED flashlight mode with spot to flood focus or turn on 12 bright white LEDs in the handle or 5 red LEDs in flash mode. Retail Magnetic base and non roll over feature allows user to work Price hands free. Operates on 2 alkaline AAA batteries, (included). Each

\$17.00 81H - Holster for Mini Joey & Joey Flashlights \$9.00 Replacement Battery: AAA Replacement Lamp: None Light Output: 60 Lumens / 50 Yards Safety Ratings: None Run Time: 3.5 hours Quantity per case: 20 Flashlights Minimum Order: 1 Flashlight

FREE display box when ordering 20 Mini Joey's.






Double Clutch USB Rechargeable Headlight



| battery or 3 AAA alkaline batteries. It also lets you choose either a spot or a flood beam, both with high and low modes. Tilting head. Unbreakable lens. Includes elastic and rubber straps and Li-ion battery. Carded. | Retail Price Each | |
|---|-------------------------|--|
| 61600 - Double Clutch USB Headlight. | \$74.25 | |
| Replacement Lamp: None | | |
| Replacement Battery: 61604 or Alkaline AAA | | |
| Body Colors: Yellow and Black | | |
| Safety Ratings: None | | |
| Light output High Spot: 125 Lumens / 1700 cd / 82 m Light output High Flood: 125 Lumens / 250 cd / 31 m | | |
| Run Time Rechargeable: 3 hours 30 mins (High); 10 hours (Low) Run Time Alkaline: 6 hours (High), 18 hours (Low) | | |
| Quantity per case: 6 Each | | |
| Minimum Order: 1 Each | | |



| SEPTOR [®] Headlight | |
|--|-------------------------|
| | and C |
| Seven LED Headlight. Push button switch allows user to switch between Low, Medium and High light output. Tilting head. Includes elastic cloth strap for head/hat and rubber strap for hard hat use. Uses (3) AAA batteries (included). Carded. | Retail Price Each |
| 61052 - Yellow body with (7) white LEDs | \$50.49 |
| Replacement Lamp: None | |
| Replacement Battery: AAA | |
| Light Output: 120 Lumens / 900 cd / 60 (7 LEDs) | m |
| Safety Ratings: Class 1 Div 2 (Class model 61024) | 1 Div 1 |
| Run Time: 3.5 hours (High) - 7 LEDs | 55 hours |
| (Low) - 1 LED | |
| (Low) - 1 LED Quantity per case: 12 Each | |

ENDURO[®] Headlight




| Push button switch allows user to switch between Low and High light output. Also securly clips to the brim of your cap for convenient hands free use. Tilting head. Headstrap is a combination of Rubber & elastic. (2) AAA batteries (included). Carded. | Retail Price Each |
|---|-------------------------|
| 61400 - Black body with white LED | \$22.77 |
| 61405 - Camo Body with white LED | \$27.72 |
| Replacement Lamp: None | |
| Replacement Battery: AAA | |
| Light Output: 14.5 Lumens / 850 cd (white LED 8 Lumens / 162 cd (green LED) | |
| Safety Ratings: None | |
| Run Time: 6 hours (high white LED); 9 hours (high green LED) | |
| Quantity per case: 6 Each | |
| Minimum Order: 1 Each | |


32

Quantity per case: 6 Each Minimum Order: 1 Each

No Minimum Order & Same Day Shipping



PROTAC HL® 4



DUALIE[®] 3AA LASER



| flashlight. The Dualie Laser has 2 switches that work independently or both at the same time. The top switch turns on a focused spot beam that illuminates your work area. The bottom switch operates a red laser that identifies and pinpoints objects at a distance. Rugged, integrated, snag-free clip won't snag. 7" long body is made non conductive polymer resin. Operates on 3 AA batteries (included). Carded. | Retail Price Each |
|---|-------------------------|
| 68760 - Dualie Laser with Yellow body | \$69.30 |
| Replacement Battery: AA | |
| Body Colors: Also available in Black | |
| Safety Ratings: Class 1 & 2, Div 1 | |
| Light Output Spot: 150 Lumens / 7700 | cd / 175 m |
| Run Time: 17 hours (Spot), 70 hours 12 hours simultaneously | s (Laser), |
| Quantity per case: 6 Each | |
| Minimum Order: 1 Each | |

Phone: 859-431-7587

Fax:

859-431-0600

| Compact, waterproof, non-conductive polymer body. 6.5" long. Tail buttom (7) LEDs in flood pattern or single High Flux LED for long range work. Includes (4) Alkaline AA batteries. Carded. 68202 - Yellow body with (7) 1/6 watt LEDs (Flood) 68244 - Yellow body with single C4 (Spot) 8244 - Yellow body with single C4 (Spot) Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL 3 PROTAC HL 3 PROTAC HL 3 PROTAC HL 3 PROTAC HL 3 Price Features as above but is powered by (2) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded B8047 - ProTac HL 3 \$153. B8040 - ProTac HL \$133. | | |
|--|--|-------------------------|
| polymer body. 6.5" long. Tail button On-Off switch. Choose model with (7) LEDs in flood pattern or single High Flux LED for long range work. Includes (4) Alkaline AA batteries. Carded. 68202 - Yellow body with (7) 1/6 watt LEDs (Flood) 68244 - Yellow body with single C4 (Spot) 8244 - Yellow body with single C4 (Spot) Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 1 Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL \$133. | 4AA PROPOLYMER® | |
| watt LEDs (Flood) \$43.6 68244 - Yellow body with single C4 (Spot) \$59.5 Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 12 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$1153. 88040 - ProTac HL \$1133. | Compact, waterproof, non-conductive polymer body. 6.5" long. Tail button On-Off switch. Choose model with (7) LEDs in flood pattern or single High Flux LED for long range work. Includes (4) Alkaline AA batteries. Carded. | Retail Price Each |
| (Spot) \$59.5 Replacement Lamp: None Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 PROTAC HL® 1000000000000000000000000000000000000 | 68202 - Yellow body with (7) 1/6 watt LEDs (Flood) | \$43.87 |
| Replacement Battery: AA Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 3 PROTAC HL® 3 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | 68244 - Yellow body with single C4 (Spot) | \$59.99 |
| Safety Ratings: MSHA (only on Model 68244 UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6822 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® PROTAC HL® 3 PROTAC HL® 4 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Replacement Lamp: None | |
| UL Class 1 Div 1 Body Colors: Also available in Black Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Replacement Battery: AA | |
| Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Safety Ratings: MSHA (only on Mode UL Class 1 Div 1 | el 68244) |
| 100 Lumens & 4200 cd (68244 Run Time: 155 hours (68202) 6 hours (6824 Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL \$133. | Body Colors: Also available in Black | |
| Quantity per case: 12 Each Minimum Order: 1 Each PROTAC HL® 3 PROTAC HL® 3 PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88040 - ProTac HL 3 \$153. 88040 - ProTac HL | Light Output: 67 Lumens (68202) 100 Lumens & 4200 cd | (68244) |
| Minimum Order: 1 Each PROTAC HL® PROTAC HL® 3 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded Reta 88047 - ProTac HL 3 \$153. | Run Time: 155 hours (68202) 6 hou | rs (68244 |
| PROTAC HL® PROTAC HL 3 PROTAC HL 3 The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88040 - ProTac HL 3 \$153. 88040 - ProTac HL | Quantity per case: 12 Each | |
| The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. 88040 - ProTac HL | Minimum Order: 1 Each | |
| extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP® programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded 88047 - ProTac HL 3 \$153. | PROTAC HL® 3 | |
| 88047 - ProTac HL 3 \$153. 88040 - ProTac HL \$133. | The PROTAC HL 3 provides extraordinary brightness from the C4 LED with a wide beam pattern that lights an entire area. TEN- TAP [®] programmable switch: 3 user-selectable programs: High/ Strobe/Low/High Only; Low/High. Machined aluminum body (1.0"x7.10") Anti-Roll head. Tail switch. Includes removeable pocket clip, nylon holster and (3) lithium CR123 batteries. Carded. The PROTAC HL also has same features as above but is powered by (2) lithium CR123 batteries and measures 1.0"x5.4". Carded | Retail Price Each |
| | 88047 - ProTac HL 3 | \$153.4 |
| Replacement Lamp: None | 88040 - ProTac HL | \$133.6 |
| | Replacement Lamp: None | • |

New technology brings you this blindingly bright 2200 lumen handheld flashlight with a wide beam pattern that will illuminate an entire ail area. Operates on 4 CR123 lithium batteries (included) or 2 rechargeable e h 18650 batteries. Durable machined aluminum body with rubber sleeve for thermal insulation and a sure grip. 87 Anti Roll head. TEN TAP programable switch. User can choose High/Strobe/ Low, High only or Low/Medium/High. 99 Includes nylon holster. Carded. 88060 - ProTac HL 4 22010 - 18650 Charger Kit. Includes 4), two 18650 Li-ion rechargeable batteries with safety circuit, Smart charging cradle and USB cord. Replacement Lamp: None 1) Replacement Battery: CR123 or 18650 44) Safety Ratings: None Light Output: 2200 Lumens / 30,000 cd / 346 m Run Time on CR123: 1.5 hours (High) 40 hours (Low) Run Time on 18650: 1.75 hours (High) 43 hours (Low)

Minimum Order: 1 Each

Retail

Price

Each

\$173.25

\$66.00

VANTAGE[®] LED HELMET LIGHT One of the best LED helmet lights on the market. It's long running, lightweight and ultra bright. it easily attaches above or below the brim and fits snugly against the helmet to prevent snags. Super bright C4^(R) LED. It also features a bright blue safety tail light to help you be seen from the rear. Includes (2) CR123 lithium batteries. Body Length: 3.26" Retail Width: 1.47" Height with clamp: 2.56". Dual Action easy on/off switch. Price Each Boxed. 69140 - Vantage[®] LED helmet light \$202.97 Replacement Lamp: None Replacement Battery: CR123 x 2 Safety Ratings: NFPA 1971-8.6 Body Colors: Black Light Output: 115 Lumens / 7000 cd / 167 m Run Time: 6 hours Quantity per case: 1 Each Minimum Order: 1 Each

Replacement Battery: CR123

43 hours (Low) 2 hours strobe

Light Output PROTAC HL 3: 1,100 Lumens /

Run Time PROTAC HL 3: 2 hours (High)

Run Time PROTAC HL: 1.5 hours (High) 18 hours (Low) 2.5 hours strobe Minimum Order: 1 Each

Light Output PROTAC HL: 750 Lumens / 18,300

Safety Ratings: None

36,000 cd / 379m


cd / 270m

No Minimum Order & Same Day Shipping



ONE LIGHT, TWO BEAMS

The intrinsically safe 3AA ProPolymer[®] Dualie[®] provides multi-directional lighting. The long-reaching, 171 meter spot beam illuminates with 150 lumens, and combines for a total of 245 lumens when used with the wide flood light. Intuitive activation allows you to use beams independently or together.



35

www.Batoray.com



| STYLUS [®] LED PENLIGHT | - |
|--|-------------------------|
| Ultra slim, machined aluminum high intensity LED penlight. 6.21" long. Includes glare guard, pocket clip and (3) AAAA alkaline batteries. Carded. | Retail Price Each |
| 65018 - Stylus [®] - Black body with White LED | \$23.56 |
| 65022 - Stylus [®] - Black body with Blue LED | \$23.56 |
| 65069 - Stylus [®] - Black body with Ultra Violet LED | \$32.14 |
| 65418 - Stylus Reach [®] 18" - Black body with White LED and 18" flexible extension. Allows for 25" of total reach. | \$37.51 |
| Replacement Lamp: None | ~ |
| Replacement Battery: 65030 (6 batter | ies per card) |
| Safety Ratings: UL Class 1 Div 1 bu order Stylus model 65058 | t must |
| Body Colors: Black only | |
| Light Output: 11 Lumens / 140 cd / 24 m (white LED) | |
| Run Time: 24 hours | |
| Quantity per case: 12 Each | |
| Minimum Order: 1 Each | |

STYLUS[®] Pro 360

| ()))))) - order | |
|--|-------------------------|
| Versatile LED light that functions like a typical Stylus Pro or user can adjust the head to reveal the 360° feature which allows the light to be used as a small lantern. Equipped with a rubber tail boot that allows the light to stand upright. Tailcap switch with momentary or constant on operation. Includes 2 AAA batteries and pocket clip. Carded. | Retail Price Each |
| 66218 - Stylus Pro 360 | \$44.55 |
| Replacement Lamp: None | |
| Replacement Battery: AAA | |
| Safety Ratings: None | |
| Body Colors: Black | |
| Light Output: 65 Lumens / 430 cd / 4 | 41 m |
| Run Time: 6 hours 30 minutes | |
| | |
| Quantity per case: 12 Each | |



| STYLUS PRO [®] - Aluminum Penlight MICROSTREAM [®] - Aluminum | | |
|---|-------------------------|--|
| Penlight | | |
| | Stylus Pro | |
| The Stylus Pro [®] and MicroStream [®] are high powered LED penlights. The Stylus Pro's machined aluminum body is only 5.3" long. It features high intensity C4 LED technology for super bright beam and long run time. Rubber push button tall cap switch, o-ring sealed, unbreakable lens and pocket clip. 2 alkaline AAA batteries and belt holster included. The Microstream has the same features as the Stylus Pro but operates on (1) AAA alkaline battery (included), has a pocket/hat clip and is only 3.5" long. | Retail Price Each | |
| 66118 - Stylus Pro [®] - Black body - White LED | \$33.99 | |
| 66121 - Stylus Pro [®] - Silver body - White LED | \$33.99 | |
| 66129 - Stylus Pro [®] - Green body - White LED | \$33.99 | |
| 66120 - Stylus $Pro^{\mathbb{R}}$ - Red body - White LED | \$33.99 | |
| 66122 - Stylus $Pro^{\ensuremath{\mathbb{R}}}$ - Blue body - White LED | \$33.99 | |
| 66124 - Stylus Pro [®] - BUCKMASTER [®] - Green Camo body -Green LED | \$37.99 | |
| 66133 - Stylus Pro [®] USB - Black body - White LED. Rechargeable. Charges via USB connector - wall or computer. Replaceable Lithium Ion batteries recharge in 2.5 hours. 70 Lumens, 3.5 hour run time. Sliding metal sleeve protects USB port. Includes AC adaptor, USB cord and nylon holster. | \$92.69 | |
| 66418 - Stylus Pro Reach [®] - Black body - White LED. Has same features as the regular Stylus Pro but has a 7" flexible PVC cable to point light were you need it. | \$49.43 | |
| | | |
| 66318 - MicroStream[®] - Black Body - White LED. | \$29.13 | |
| Replacement Lamp: None | | |
| Replacement Battery: Alkaline AAA | | |
| Safety Ratings: None | | |
| Light Output: 90 Lumens / 860 cd / 58 m (Stylus Pro with white LED) 38 Lumens / 825 cd / 57 m (Stylus Pro Reach) 45 Lumens / 420 cd / 38 m (Microstream) | | |
| Run Time: 6.5 hours (Stylus Pro) and 2.25 hours (Microstream) | | |
| Quantity per case: 6 Each (Stylus Pro 12 Each (Microstr | | |
| Minimum Order: 1 Each | | |

No Minimum Order & Same Day Shipping

| PROTAC HL [®] USB Rechargeable | 1 | |
|--|-------------------------|--|
| High lumen tactical light that is USB rechargeable. Accepts multiple battery sources: Uses a Streamlight Lithium-ion battery (included) or (1) 18650 Li-ion battery or (2) CR123 lithium batteries. Durable machined aluminum body. Anti Roll head. TEN- TAP programable switch. User can choose High//Strobe/Low, High only or Low/Medium/High. Includes USB charge cord, removable pocket clip and nylon holster. Carded. | Retail Price Each | |
| 88052 - ProTac HL USB | \$178.20 | |
| Replacement Lamp: None | | |
| Replacement Battery: 74175 or (2) ((1) 18650 | CR123 or | |
| Safety Ratings: None | | |
| Light Output (High): 850 Lumens / 10,000 cd / 200 m | | |
| Run Time on CR123: 1.5 hours (High) 12 hours (Low) | | |
| Minimum Order: 1 Each | | |
| PROTAC [®] 2 AA TACTICAL FLASHLIGHT | | |

| Multi Function TEN TAP push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-Low, High Only, Low-High. C4 LED technology delivers a bright white stream of light. Solid state power regulation provides maxium light output throughout battery life. Machined aluminum body. Impact resistant tempered glass lens. Removable and unbreakable pocket clip. Anti-roll head. Includes 2 alkaline AA batteries and nylon belt holster. Carded. | Retail Price Each |
|--|-------------------------|
| 88033 - Protac 2AA | \$69.30 |
| | |
| Replacement Lamp: None | |
| Replacement Lamp: None Replacement Battery: AA | |
| | |
| Replacement Battery: AA | I / 115 m |
| Replacement Battery: AA Safety Ratings: None | |
| Replacement Battery: AA Safety Ratings: None Light Output: 155 Lumens / 3300 cc | |
| Replacement Battery: AA Safety Ratings: None Light Output: 155 Lumens / 3300 cc Run Time: 2 hours (High) 36 hours | |

| STREAMLIGHT JR. [®] LED FLASHLIGHT | |
|--|-------------------------|
| The JR features a super-bright C4 LED. Aircraft aluminum body is 6.5" long with tail button switch. Unbreakable lens. Regulated light output throughtout battery life. Includes 2 AA alkaline batteries, removeable pocket clip and belt holster. Carded. | Retail Price Each |
| | Each |
| 71500 - JR | \$54.54 |
| 71500 - JR Replacement Lamp: None | |
| | |
| Replacement Lamp: None | |
| Replacement Lamp: None Replacement Battery: Alkaline AA | |
| Replacement Lamp: None Replacement Battery: Alkaline AA Safety Ratings: None | \$54.54 |
| Replacement Lamp: None Replacement Battery: Alkaline AA Safety Ratings: None Body Colors: Black only | \$54.54 |
| Replacement Lamp: None Replacement Battery: Alkaline AA Safety Ratings: None Body Colors: Black only Light Output: 85 Lumens / 3,800 cd / | \$54.54 |

Twin Task[®] 3C-UV ultraviolent LED Flashlight



| | Machined aluminum body 1.26" x 9.02". Push button switch allows user to choose a high powered bright white C4 LED in flashlight mode or a series of either 3 or 6 ULTRA VIOLET LEDs for detecting fradulent documents or engine or HVAC leaks. Includes wrist lanyard. Uses (3) alkaline C batteries (not included). Carded. | Retail Price Each |
|--|---|-------------------------|
| | 51045 | \$80.78 |
| | Replacement Lamp: None | |
| | Replacement Battery: Alkaline C | |
| | Safety Ratings: None | |
| | Body Colors: Black | |
| | Light Output C4 LED: 185 lumens / 3730 cd / 116 Light Output UV's: 6 UV's = 44mw 3 UV's = 30m Run Time C4 LED: 27 hours / 6 UV's 63 hours / 3 UV's 81 hours | |
| | | |
| | Quantity per case: 12 Each | |
| | Minimum Order: 1 Each | |

| NANO LIGHT® | AND I |
|--|-------------------------|
| Machined aluminum LED flashlight. Truly tiny. It is only 1.47" long but it is very bright and weatherproof. Includes a non-rotating snap hook for easy one hand operation when attached to a keychain. 4 button cell batteries included. Carded. | Retail Price Each |
| 73001 - Black with white LED | \$10.30 |
| Replacement Lamp: None | ř |
| Replacement batteries: LR41 or 39 | 2 (requires 4 |
| Safety Ratings: None | |
| Body Colors: Also available in Pir Orange, Coyote Tan and Red. | nk, Blue, |
| Light Output: 10 Lumens | |
| Run Time: 8 hours | |
| | |

Minimum Order: 1 Each

PEAK BEAM INTENSITY

The maximum luminous intensity typically along the central axis of a cone of light. This measures the brightest part of the beam. The value is reported in candela (cd).



LIGHT OUTPUT A measurement of the total quantity of emitted overall light energy. The value is reported in lumens.



BEAM DISTANCE The distance from the device at which the light beam is 0.25 lux. Results are reported in meters.




Phone: 859-431-7587

859-431-0600

Fax:

No Minimum Order & Same Day Shipping







38

Minimum Order: 1 Each

| SURVIVOR [®] LED Rechargeable or Alkaline Battery Flashlights | Contraction of the second | FIRE VULCAN [®] LED Rechargeable Lanterns | | PORTABLE SCENE LIGHT | light | |
|--|---------------------------|--|-------------------------|--|-------------------------|--|
| Nylon polymer body 7.06" long. Super bright C4 [®] LED. Top mounted switch allows user to switch between 3 lighting modes: high, low & strobe. Heavy duty clip and split ring. Available in rechargeable or alkaline battery models. | Retail Price Each | Super-bright white C4 [®] LED set in a deep dish parabolic reflector creates a long range tight beam with optimum peripheral illumination. Also has two ultra- bright blue tail LEDs that user can | | Rechargeable. Rapidly deployed and easily stowed, the bright, white C4 LEDs in the Portable Scene Light bring | | |
| 90502 - Rechargeable LED Model - Orange body with AC Fast Charger | \$257.80 | set to solid on or blinking mode. Powered by lightweight Lithium Ion batteries. This lantern is bright, | | 5,300 lumens to your work area. With its narrow footprint and 72" extension pole, this light goes almost anywhere, | | |
| 90540 - Alkaline battery powered LED Model - Orange body. Includes battery carrier that holds | | rugged and light as a feather. It even floats! Body Length: 7.5". Weight: only 1lb 13oz. | Retail Price Each | from wide open places to tight, confined spaces. Selectable diffuser settings on the head allows user to choose either spot or flood beams. | | |
| 4 alkaline AA batteries (included). Replacement battery for rechargea Model: 90338 | \$100.61 ble Div 2 | 44450 - Orange FIRE VULCAN [®] LED with AC & DC chargers and quick release shoulder strap. | \$310.07 | Head swivels 90 degrees. It weighs 25 lbs. which provides stabilization yet it is light enough to carry. | Retail Price Each | |
| Replacement battery for rechargea Model: 90130 | ble Div 1 | 44451 - Orange FIRE VULCAN [®] LED vehicle mount with DC only charger. Also includes quick | | 45670 - with AC & DC charge cords and shoulder strap | \$1090.60 | |
| Body Colors: also available in Yello | w and | release shoulder strap. | \$290.31 | Replacement Lamp: None | | |
| Black | | Replacement Battery: 44610 | · | Replacement Battery: PS-1290 F2 | | |
| Light Output: 175 Lumens / 41,000 d | cd / 405 m | Light Output: 145 Lumens / 80,000 | cd (High) | Safety Ratings: None | | |
| Safety Ratings: | - 11 - 12 - 1 | Safety Ratings: NFPA, Class 1, 2, I | Div 2, | Light Output: 5,300 Lumens / 410 m | | |
| UL class 1 div 1 (rechargeable and MSHA, NFPA (alkaline only) | aikaline) | Class III T-54C Run Time: 3 hours (High) 7 hours | | Run Time: 4 hours (High), 9 hours (Med), 18 hours (Low); indefinate run time with 12 volt | | |
| Run Time: Recharagable Model: 3.5 hours (Hi | igh) | These settings are for steady, high/l and taillights. | ow LED | power cord | | |
| 13 hours (Low); | | Quantity per case: 1 Each | | Safety Ratings: IP67 Tested | | |
| Alkaline Model: 4 hours (High) 15 ho | urs (LOW) | Minimum Order: 1 Each | | Quantity per case: 1 Each | | |
| Quantity per case: 1 Each | | | | Minimum Order: 1 Each | | |
| Minimum Order: 1 Each | | | | | | |



39

www.Batoray.com





Features a cushioned pistol grip handle, rubberized lens ring and an integrated stand for precise scene lighting. 3 lighting modes: High, Low, strobe. Ultra Bright C4 LED in deep dish parabolic reflector produces long range targeting beam with optimum peripheral illumination. The Alkaline Model is IPX4 rated water resistant and powered by (4) alkaline C batteries (not included) or use the 12 volt DC power cord with cig lighter adaptor for unlimited use with or without the batteries installed.

The Lithium Ion rechargable model is IPX8 rated waterproof to 2 meters and it floats. Includes AC charge cord. DC charge cord sold separetly. The Rechargeable model will not turn on while being charged.

| Both Models Include polymer storage mount and are Boxed. | Price Each |
|--|---------------|
| 44900 - 4 cell C alkaline Battery Model - Yellow & Black body | \$100.98 |
| 44902 - 4 cell C alkaline battery model - Solid Black body | \$100.98 |
| 44910 - Rechargeable Lithium Ion Model - Yellow & Black body | \$201.96 |
| 44924 - Red Filter lens/cap - 4 C Model only | \$5.79 |
| 44925 - Green Filter lens/cap - 4 C Model only | \$5.79 |
| 44923 - DC charge cord for Lithium ion rechargeable model only | \$22.44 |
| Replacement Battery: Alkaline C (alkaline model only) | |
| Replacement Bulb: None | |
| Light Output: Alkaline Model: 550 Lumens / 100,000 cd / 625 m (high) Rechargeable Model: 1000 Lumens / 115,000 cd / 678 m (high) | |
| Run Time: Alkaline Model: 10 hours (High) 82 hours (Low) Rechargeable Model: 3 hours (High) 80 hours (Low | w) |
| Safety Ratings: None | |
| Minimum Order: 1 Each | |

E-FLOOD[®] LITEBOX[®] and E-SPOT[®] LITEBOX[®]



| The E-FLOOD has 6 ultra bright C4 [®] LEDs set in wide parabolic reflectors that produce a uniform flood pattern. The E-SPOT has 3 C4 [®] LEDs and deep dish parabolic reflectors to produce a large, long range spot pattern. All models include charger/ mounting rack and shoulder strap. | Retail Price Each |
|--|-------------------------|
| 45801 - E-Flood [®] Standard System with AC & DC chargers | \$335.04 |
| 45851 - E-Spot [®] Standard System with AC & DC chargers | \$302.48 |
| 45845 - E-Spot [®] LED UPGRADE KIT. Turn your old Litebox into a LED Spot Light. | \$86.68 |
| 45842 - E-Flood [®] LED UPGRADE KIT. Turn your old Litebox into a LED Flood light. | \$115.58 |
| Replacement Battery: PS-6100 F1 | |
| Replacement Bulb: None | |
| Light Output: E-Flood [®] : 615 Lumens / 4,000 cd / 126 m E-Spot [®] : 540 Lumens / 55,000 cd / 469 m | |
| Safety Ratings: NFPA | |
| Run Time: E-Spot 7 hours (High) E-FLood: 8 hours (High) | |
| Minimum Order: 1 Each | |



Steve Egbers on patrol with a Streamlight Waypoint on his farm, Glencoe Kentucky, July 2016.

40

www.Batoray.com

Retail

No Minimum Order & Same Day Shipping









The Sharp N Easy knife sharpener has coarse ceramic rods on one side and fine ceramic rods on the other. Exactly what someone needs to perfectly maintain their blades. The two stages allow for the proper angle every time by having two ceramic rods molded into the base. It also has over molded grips that allow the user to have a comfortable and secure grip while sharpening. **Free counter display with every order.**

| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|--------------|-------------------------------|----------------|-----------------------|----------------------|-------------------------|
| 00011 | SharpNeasy two step sharpener | Blue/ Black | 24 | 24 | \$6.00 |



This body of this lockback folding knife is constructed of anodized aluminum and the 3" blade is stainless steel to provide years of rust free service. Heavy duty spring steel belt clip. Free display box with every 6 ordered.

| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|--------------|---------------------|------------|-----------------------|----------------------|-------------------------|
| 00701 | Sport Knife - Blue | | 1 | 6 | \$19.50 |
| 00702 | Sport Knife - Red | | 1 | 6 | \$19.50 |
| 00703 | Sport Knife - Black | | 1 | 6 | \$19.50 |
| 00704 | Sport Knife - Camo | | 1 | 6 | \$19.50 |

ACCUSHARP Knife Sharpeners





| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|--------------|--|------------|-----------------------|----------------------|-------------------------|
| 001 | A knife sharpener anyone can use! In about 10 seconds, sharpens knives, cleavers, axes and many other cutting tools. Full length finger guard. The replaceable diamond honed tungsten carbide blades will provide years of reliable service. Will not rust and is dishwasher safe. Free display box with every 12 ordered. Carded. | White | 1 | 12 | \$13.30 |
| 003 | Replacement blades. One set per card. | none | 1 | 12 each | \$8.50 |

| _ | SHARP 4-in-1 Sharpeners | | 4 ES | ARPENER | |
|--------------|--|------------|-----------------------|----------------------|-------------------------|
| Stock No. | Description | Body Color | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
| 029 | Combines every sharpening necessity into one pocket sized unit. Has coarse tungsten carbide sharpening baldes, fine ceramicc rods, retractable diamond-tapered rod with slot for hooks and darts, retractable flat diamond stone. Body has molded rubber feet to keep the unit steady while in use. Carded. | Black | 1 | 12 | \$17.50 |







Cam Jam Tie Down Strap. Features a 1" wide high density weave polyproplylene strap that is securely attached to a sturdy cast zink alloy cam mechanisim. The non-slip buckle on the cam not only latches securely, it also provided the ability to gradully release even under high tension. Carded.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-------------|------------------------|-----------------------|---------------------|-------------------------|
| CJW6-M1-R8 | Strap Length: 6 feet. | 1 Each | 6 | \$13.00 |
| CJW12-M1-R8 | Strap Length: 12 feet. | 1 Each | 6 | \$15.40 |
| CJW18-M1-R8 | Strap Length: 18 feet. | 1 Each | 6 | \$19.00 |

| FIGURE 9 CARABINER Rope Tightener | | | | |
|---|---|-----------------------|---------------------|-------------------------|
| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
| C9S-02-01 | Small - Black Aluminum body (1.7"w x 2.6" H) with stainless steel spring gate. Easily achieve high rope tension to secure a load without tying knots! Fits rope sizes: 1/16" - 3/16". Load limit: 50 lb. Carded | 1 Each | 6 | \$5.00 |
| C9L-02-01 | Large - Black Aluminum body with same features as above - just larger size (2.2" x 4.56"). Fits rope sizes: 1/8" - 3/8". Load limit: 150 lb. Carded | 1 Each | 6 | \$7.50 |

S-BINER **Stainless Steel Multi Purpose** double-gated Carabiner Clips. Minimum Order Qty. Master Case Qty. Retail Price Description Each Stock No. Size 1 Stainless Steel S-BINER 1 SB1-03-11 6 \$2.60 (.56"x1.56") Max Load = 5 lb. Each Carded. Size 2 Stainless Steel S-BINER 1 SB2-03-11 (.75"x 2.0"). Max Load = 10 lb. 6 \$2.80 Each Carded. Size 3 Stainless Steel S-BINER 1 SB3-03-11 (1.1"x 2.6"). Max Load = 25 lb. \$3.30 6

Gear Ties.

SB4-03-11

Carded.

Carded.

Rubber Coated - ReUsable twist ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds it's shape. Organize or tie down virtually anything from small cords to large sporting equipment. Waterproof and safe for use in fresh or salt water. UV resistant. Won't scratch or mark. Use in any weather. Twist it. Tie it. Reuse it. The possibilities are endless.

Size 4 Stainless Steel S-BINER

(1.5"x3.5"). Max Load = 75 lb.

Each

1

Each

6


\$4.00




| Stock No. | Length | Color Options and Quantity per Card | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-------------|--------|-------------------------------------|-----------------------|---------------------|-------------------------|
| GT18-2PK-01 | 18" | Black - 2 per card | 1 Each | 6 | \$6.86 |
| GT24-2PK-01 | 24" | Black - 2 per card | 1 Each | 6 | \$7.38 |
| GT32-2PK-01 | 32" | Black - 2 per card | 1 Each | 6 | \$8.54 |
| GT64-01-R6 | 64" | Black - 1 per card | 1 Each | 6 | \$8.50 |
| GT18-2PK-16 | 18" | Yellow - 2 per card | 1 Each | 6 | \$6.86 |
| GT24-2PK-16 | 24" | Yellow - 2 per card | 1 Each | 6 | \$7.38 |
| GT32-2PK-16 | 32" | Yellow - 2 per card | 1 Each | 6 | \$8.54 |

Phone: 859-431-7587 Fax: 859-431-0600


No Minimum Order & Same Day Shipping





| Stock No. | Description | Mi | G⊾ | Each |
|------------|--|-----------|----|---------|
| NPXL-03-01 | Pockets XL Holster. Holds AA flashlights similar to AA Mini Mag, Multi- Tools and other small items. Versitle clip for clothing or belts. Velcro Closure. Carded | 1 Each | 12 | \$19.80 |
| LHS-03 | Stretch Holster. Universal holster with elastic sides, expands to fit most shapes and sizes of flashlights. Belt clip rotates and locks in 8 positions. Dimensions: 5.87" x 2.10" x 1.77" Carded | 1 Each | 6 | \$10.80 |
| FAMT-03-01 | Stretch Tool holster. Universal holster with elastic sides, expands to fit thin to thick multi tools or pocket knives. Belt clip rotates and locks in 8 positions. Flap lid fastens with secure snap closure. External dimensions: 5.82" x 2.51" x 2.16". Carded | 1 Each | 6 | \$11.40 |
| | | | | |

| Flash Flight Flying Disc | | | | | | |
|-----------------------------|---|-----------------------|---------------------|-------------------------|--|--|
| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each | | |
| FFD-08-10-R | FLASH FLIGHT 11" Flying Disc. The Flashflight was designed by a professional Ultimate player, so it performs beautifully. Made of lightweight, durable materials, with true balance and long, straight flight. It looks, feels and flies like the highest quality non-illuminated discs. With a simple press of the switch, the disc lights up a LED fiber- optic array that extends to its rim so the entire disc is illuminated from every angle. Water resistant and it floats. Operates for up to 20 hours on easily replaceable 2 x CR2016 lithium batteries. LED color is RED. Carded. | 1 Disc | 6 | \$30.00 | | |





QUICKSTAND Mobile Device Stand



Designed to prop up Smartphones and tablets. Made of sleek brushed aluminum and sturdy yet flexible polypropylene. Can be adjusted to different angles and holds devices securely in either portrait or landscape orientation. In it's resting state, it's only about the size of a credit card. Free counter display box with every order of 12 Quickstands.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-----------|-------------|-----------------------|---------------------|-------------------------|
| QSD-01-R7 | Quickstand | 1 | 12 | \$11.50 |



Waterproof, impact resistant, polycarbonate body with two LED colors (White or Red) and multiple modes. Activated by a simple swipe of your finder across the top of the light. Swipe once for High Steady Beam, twice for Medium Beam and three times for Flash Mode. A variable dim mode allows you to easily adjust the light output to match your needs. The HELMET LIGHT includes a foam base mounting bracket that attaches directly to a helmet and a short, adjustable elastic strap that can clip through helmet vents. The HEADLIGHT includes an adjustable cloth strap.

Light Output: 142 Lumens, 84 meters beam distance on High White LED. Run Time White LED: 4.5 hours (High) 255 hours (LOW). Run Time Red LED's: 36 hours (High) 602 hours (Low). Includes 3 Alkaline AAA Batteries. Carded.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|-------------|----------------------|-----------------------|---------------------|-------------------------|
| HLSHA-19-R7 | STS LED Helmet Light | 1 | 12 | \$41.50 |
| HLSA-19-R7 | STS LED Headlight | 1 | 12 | \$41.50 |

3-in-1 LED Flashlight


Durable lightweight machined aluminum body. The ultra bright white LED can illuminate the night as a flashlight, lantern or safety light. It has both high and low modes both as a flashlight and when converted into its lantern mode with a simple sliding motion. The tail end of the light features a red safety light with it's own switch to set it to glow, flash or SOS modes. Light stands vertically on head or tail. Tailcap includes lanyard hole. AA Alkaline batteries included. Carded.

| Stock No. | Description | Minimum Order Qty. | Master Case Qty. | Retail Price Each |
|------------|---|-----------------------|---------------------|-------------------------|
| NL1A-01-R7 | 1 Cell AA Model: Black body. Dimensions: 1.2" x 4.5". Lumens: 80 (High), 15 (Low). Effective range: 164 feet. Run Time: 2 hours (High) 9.5 hours (Low). | 1 | 6 | \$15.20 |
| NL3A-01-R7 | 3 Cell AA Model : Black body. Dimensions: 1.6" x 9.1". Lumens: 250 (High) 25 (Low). Effective range: 656 feet. Run Time: 3.25 hours (High) 18.5 hours (Low). | 1 | 6 | \$22.80 |



Joey Egbers (12) relied on his Nite-Ize 3-in-1 flashlight when exploring caves and lighting the campsite on a 6 mile hike through the Big South Fork National Forest. It is light enough to be clipped to his pack yet bright enough to be all the light he needed. Oneida Tennessee June 2016.

No Minimum Order & Same Day Shipping





Wasp and Hornet Killer. Electrically non-conductive with dilectric breakdown voltage up to 47,300 volts. Jet blast up to 20 feet. Instantly kills wasps, hornets, yellow jackets and many other insects on contact. Made in USA.

| Stock No. | Description | Minimum Order Qty. | Case Qty. | Retail Price Each |
|--------------|---|-----------------------|---------------|-------------------------|
| WH-16 | 16 oz. Dielectric Non Conductive Wasp/Hornet Killer. | 12 Bottles | 12 Bottles | \$9.00 |

Swamp Gnat Natural Insect Repellent





Swamp Gnat Natural insect repellent. Lotion based formula that contains alcohol and 5 different oils and has a light lemon scent. Spray on, rub gently and repel Gnats, Mosquitos, Flies and No-See-ums. Deet Free. Made in USA.

| Stock No. | Description | Minimum Order Qty. | Case Qty. | Retail Price Each |
|--------------|---------------------------------------|-----------------------|---------------|-------------------------|
| SNAT-6 | Swamp Gant 6 oz. Pump Spray Bottle | 12 Bottles | 12 Bottles | \$10.00 |
| | ntor Diaplay Rox with overy order | | | |

FREE Counter Display Box with every order.



Katelyn and Emily Egbers with a catfish they caught in Kenton County Kentucky July 2016. They would not think of going fishing without using Harris Insect Repellent.



Wasp and Hornet Killer Foam



Wasp and Hornet Killer Foam. Jet blast up to 20 feet. Clinging foam covers the entire nest and Instantly kills wasps, hornets, yellow jackets and many other insects on contact. Water based formula is non-staining. Made in USA.

| Stock No. | Description | Minimum Order Qty. | Case Qty. | Retail Price Each |
|--------------|--------------------------------|-----------------------|---------------|-------------------------|
| HFW-16 | 16 oz. Wasp/Hornet Killer Foam | 12 Bottles | 12 Bottles | \$7.50 |



FREE Counter Display Box with every order.

Harris is the oldest EPA registered pest control brand in the U.S.A.

No Minimum Order & Same Day Shipping



Tsunami Grip Light Black Foam Nitrile on 13 Gauge Lightweight Nylon Liner. Cool and comfortable with great wet or dry grip and dexterity.

| Y | | 5000 | A |
|---|----|----------|---|
| | εż | <u> </u> | |

| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|--------------|---|-----------------------|-----------------------|----------------------|--------------------------------|
| 500G | Black Foam Nitrile on Lightweight Nylon. Elastic wrist. Not Carded | S,M, L, XL, 2XL | 12 Pair | 12 Pair | \$3.30 |
| 500G-T | Black Foam Nitrile on Lightweight Nylon. Elastic wrist. Carded | S,M, L, XL | 1 Pair | 12 Pair | \$3.70 |

| Tsuna | mi Grip | | | | r |
|--------------|--|--------------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 500NFT | New foam technology Nitrile on 15 gauge nylon and elastic shell for state of the art feel. The foam nitrile is breathable and provides outstanding wet/oily grip plus extra wear and abrasion resistance. Carded | S,M, L, XL, 2XL | 1 Pair | 12 Pair | \$4.60 |

Gripster

46

state-of-the-art all weather glove




| | | | \mathcal{N} | | |
|--------------|---|----------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 440 | Lightweight 15 gauge nylon liner with double dipped latex coating. Great grip and dexterity in dry, wet & oily conditions. Flexible and waterproof. Open cuff. Carded | S, M, L, XL | 1 Pair | 12 Pair | \$7.80 |

| Gardening Gloves | | | | | |
|------------------|---|-----------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| 570T | Machine Washable 13 gauge ultra-thin and breathable Nylon liner. Palm dipped Nitrile coating provides excellent dexterity and puncture resistance. Each dozen comes with 3 pairs of each color (blue, | S,M, L | 12 Pair | 12 Pair | \$3.50 |

pink, green, purple). Carded



| Tsunami Grip Cut Resistant | | | | | |
|-------------------------------|---|---------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| CR609 | Cut resistant 13 gauge liner with foam nitrile dipped palm. Excellent for wet or dry grip. ANSI level A4 cut resistance, level 2 puncture resistance. Not Carded | M, L, XL, 2XL | 1 Pair | 12 Pair | \$13.40 |



| Vice Gripster C.I.A. | | | | | |
|----------------------|---|------------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| CIA520MF | Orange nylon with double dipped air injected Nitrile coated palm with padding sewn in. Impact protection added to fingertips and back of the hand. Elastic cuff. Carded | M, L, XL, 2XL | 1 pair | 12 pair | \$21.50 |


| | G | lob | al | | Ve | | |
|------------------------|--|-------------|-----------------------|----------------------|--------------------------------|--|--|
| Ice Gripster 388INT | | | | | | | |
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair | | |
| 388INT | ORANGE two layer nylon over seemless synthetic terrycloth provides warmth and comfort in cold conditions. Etched rubber finish for great grip. Stays flexible in cold conditions. Elastic cuff. Carded | M, L, XL | 1 Pair | 12 Pair | \$9.50 | | |
| 348INT | BLACK two layer nylon over seemless synthetic terrycloth provides warmth and comfort in cold conditions. 3/4 dipped with black foam PVC for great grip. Stays flexible in cold conditions. Elastic cuff. Not Carded | M, L, XL | 1 Pair | 12 Pair | \$9.50 | | |

Material handling gloves with touch screen responsive fingertips



| STOCH NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|--------------|--|-----------------------|-----------------------|----------------------|--------------------------------|
| PUG13 | Gray polyurethane on gray 13 gauge nylon with touch responsive fingertips for using touch screen devices. Not Carded | S, M, L, XL, | 1 pair | 12 pair | \$2.90 |





| | • | | | | |
|--------------|--|------------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| HR5008 | Flexible spandex back over synthetic leather. Palm, knuckle and side of hand padding. Features sewn in magnets on index finger and back of hand for parts retrieval. Silicone palm for added grip. | M, L, XL, 2XL | 1 Pair | 12 Pair | \$25.00 |

Insulated Mechanics with 40 grams 3M Thinsulate Minimum Order Qty. ą Pack Quantity Retail Sizes Price Perl Per Pair Description Aireflex Synethetic Leather. PVC Μ, reinforcement in all grip areas. 12 1 Pair L, \$27.50 Pair Waterproof bladder. Hook and XL loop closure. Not Carded.

| woThunder Deerskin Mechanics | | | | | R |
|---------------------------------|---|---------------------|-----------------------|----------------------|--------------------------------|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
| SG7001 | Flexible spandex over genuine black deerskin. Extra tough knuckle and fingertip protection. Hook & loop closure. Carded | M, L, XL, 2XL | 1 Pair | 12 Pair | \$19.50 |

48

No Minimum Order & Same Day Shipping



| | Global Glove | | | | | | |
|---|---|---------------------|-----------------------|----------------------|--------------------------------|--|--|
| Leather Drivers Cow, Goat or Deer Skin | | | | | | | |
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair | | |
| 3200 | Cow - Premium Grade beige cow grain leather. Keystone thumb. Carded | M, L, XL | 1 Pair | 12 Pair | \$11.50 | | |
| 3200DST | Deer - Standard Grade Deer Skin Drivers. Keystone thumb. Carded | M, L, XL | 1 Pair | 12 Pair | \$19.50 | | |
| 3200DTH | Deer - Premium Grade Deerskin Drivers. Insulated with 40 gram 3M thinsulate. Carded | M, L, XL | 1 Pair | 12 Pair | \$31.00 | | |
| 3200GINT | Goat - Premium Grade Goatskin Drivers. Insulated with 120 grams Cold Keep insulation. Carded | M, L, XL, 2XL | 1 Pair | 12 Pair | \$20.00 | | |

Leather Palm




| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|--------------|---|-------|-----------------------|----------------------|--------------------------------|
| 2300LT | Economy Grade with Safety Cuff. Carded. | L | 1 Pair | 12 Pair | \$3.96 |
| 2300XL | Economy Grade with Safety Cuff. Not Carded. | XL | 1 Pair | 12 Pair | \$4.20 |

Cold Keep used as an under glove for added

warmth

NO.

www.Batoray.com




| S13T | great comfort. Prevents heat loss by trapping a layer of warm air around the hands while transporting perspiration to the next layer of hand protection for evaporation. Not Carded |
|------|--|
| | CALL TOLL FREE |


Phone: 800-450-6776


Phone: 859-431-7587 Fax: 859-431-0600

| Global Glove & Safety Manufacturing | | | | | | | | |
|--|---|---------|-----------------------|-----------------------|--------------------------------|--|--|--|
| Brown Jersey | | | | | | | | |
| | | | | | | | | |
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Master Case Qty. | Retail Price Per Item | | | |
| стоск | | ⊤ Sizes | Minimum 15 Jair | Master 005 Dair | Price Per | | | |
| STOCK NO. | Description 9 oz Large Brown Jersey 100% Cotton | | 12 | 300 | Price Per Item | | | |



| Panther-Guard Disposable With Back Flash and With Back Flash and W | | | | | | | |
|---|---|---------------------------|-----------------------|----------------------|-------------------------------|--|--|
| STOCK NO. | Description | Sizes | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Box | | |
| 800F | 8 mil black Nitrile. Flocklined interior helps keep hands warm when it is cold outside and absorbs perspiration when it gets hot. 11" length. Fully texturized with rolled/ beaded cuff. 50 gloves per dispenser box. | S, M, L, XL, 2XL | 1 Box | 50 | \$28.00 | | |





No Minimum Order & Same Day Shipping

| Earplugs | | | | | | | | |
|--------------|---|-----------------|-------------------------------------|------------------------------------|-----------------------------|--|--|--|
| STOCK NO. | Description | Sound Rating | Minimum Dispensers Order Qty. | Quantity Dispensers Per Pack | Retail Price Per Pair | | | |
| HP-F1 | Uncorded Foam Earplugs. 200 pairs per counter dispenser. | NRR: 33dB | 1 Disp. | 10 Disp. | \$36.00 | | | |
| HP-F2 | Corded Foam Earplugs. 100 pairs per counter dispenser. | NRR: 33dB | 1 Disp | 10 Disp. | \$31.50 | | | |
| HP-S1 | Uncorded Silicone Earplugs. 100 pairs in clear plastic box per counter dispenser. | NRR: 23dB | 1 Disp | 10 Disp. | \$100.00 | | | |
| HP-S2 | Corded Silicone Earplugs. 100 pairs in clear plastic box per counter dispenser. | NRR: 23dB | 1 Disp | 10 Disp. | \$125.00 | | | |




Soft absorbent microfiber material. Just soak in water for instant cooling relief. Reuseable and machine washable.

| STOCK NO. | Description | Towel Size | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pair |
|-----------|---|------------|-----------------------|----------------------|--------------------------------|
| GLO-CT2 | Blue cooling towel packed in reusable plastic tube. | 16"x25" | 1 pair | 50 | \$9.50 |
| GLO-CT44 | Orange cooling towel packed 1 per bag. | 12"x40" | 1 pair | 10 | \$9.50 |

Shoe & Boot Covers



| STOCK NO. | Description | Siz | Minim Order (| Boxes Palle | Price Per Box |
|--------------|---|-----|------------------|----------------|---------------------|
| 51467-3XL | Blue Polyproplylene (cloth-like) shoe/boot covers with clear-white anti-skid bottom. 300 covers per box. 100 per inner wrap. | XL | 1 Box | 1 Box | \$59.00 |
| 72488-3L | White (plastic) shoe/boot covers. 300 covers per box. 100 per inner wrap. | XL | 1 Box | 1 Box | \$69.00 |





| Earm | nuffs | | | | |
|--------------|---|-----------------|-----------------------|----------------------|----------------------------|
| | HP-M4 | | HP-M2 | 2 | |
| STOCK NO. | Description | Sound Rating | Minimum Order Qty. | Quantity Per Pack | Retail Price Per Pai |
| HP-M2 | High-Visibility Line - Folding Earmuff. Durable ABS cups and soft PVC cushions. ANSI S3.19-1974. Boxed | NRR: 23dB | 1 | 20 | \$15.50 |
| HP-M4 | High-Visibility Lime - Padded Band Earmuff. Durable ABS cups and soft PVC cushions. ANSI S3.19-1974. Boxed | NRR: 27dB | 1 | 20 | \$23.00 |

Pavon

No Minimum Order & Same Day Shipping



Bullhead Safety Eyewear

Safety Glasses with **Reading Magnifiers** Torrent Swordfish

Non-Prescription safety eyewear for people who can no longer see the fine print. MAGNIFICATION INSERTS decrease eyestrain. Impact and scratch resistant lenses provide 99.9% UV protection. Meets ANSI Z87.1 standards.

| Stock No. | Lens Tint and Magnification Power | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|---|--------------------------|----------------------|-------------------------|
| BH11110 | Torrent Clear - 1.0 power | 1 | 12 | \$3.20 |
| BH11115 | Torrent Clear - 1.5 power | 1 | 12 | \$3.20 |
| BH11120 | Torrent Clear - 2.0 power | 1 | 12 | \$3.20 |
| BH11125 | Torrent Clear - 2.5 power | 1 | 12 | \$3.20 |
| BH13310 | Torrent Smoke - 1.0 power | 1 | 12 | \$3.70 |
| BH113315 | Torrent Smoke - 1.5 power | 1 | 12 | \$3.70 |
| BH113320 | Torrent Smoke - 2.0 power | 1 | 12 | \$3.70 |
| BH113325 | Torrent Smoke - 2.5 power | 1 | 12 | \$3.70 |
| | | | | |
| BH106115 | Swordfish Clear - 1.5 power | 1 | 12 | \$13.72 |
| BH106120 | Swordfish Clear - 2.0 power | 1 | 12 | \$13.72 |
| BH106125 | Swordfish Clear - 2.5 power | 1 | 12 | \$13.72 |
| BH106315 | Swordfish Smoke - 1.5 power | 1 | 12 | \$13.72 |
| BH106320 | Swordfish Smoke - 2.0 power | 1 | 12 | \$13.72 |
| BH106325 | Swordfish Smoke - 2.5 power | 1 | 12 | \$13.72 |

| | | | | 3 |
|--------------|---|-----------------------|----------------------|-------------------------|
| protection a | ncluding clear, provide and meet ANSI Z87.1 s h: 138mm Frame we | afety | standa | |
| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
| BH543 | Black Frame, Smoke Lens | 1 | 12 | \$2.34 |
| BH543AF | Black Frame, Smoke Anti-Fog Lens | 1 | 12 | \$3.00 |
| BH5410 | Black Frame, Red Mirror Lens | 1 | 12 | \$3.20 |
| BH525 | Blue Frame, Light Blue Lens | 1 | 12 | \$2.34 |
| BH578 | Brown Frame, Brown Lens | 1 | 12 | \$2.34 |
| BH516 | Clear Frame, Indoor/ Outdoor Lens | 1 | 12 | \$3.20 |
| BH584 | Yellow Frame, Yellow Lens | 1 | 12 | \$2.92 |
| BH511AF | Clear Frame, Clear Anti-Fog Lens | 1 | 12 | \$3.00 |
| BH511 | Clear Frame, Clear | 1 | 12 | \$2.18 |





Lens

12

\$2.18

All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 135mm Frame weight: 24 grams

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|--|-----------------------|----------------------|-------------------------|
| BH111 | Clear Frame, Clear Lens | 1 | 12 | \$1.60 |
| BH111AF | Clear Frame, Clear Anti-Fog Lens | 1 | 12 | \$2.30 |
| BH133 | Black Frame, Smoke Lens | 1 | 12 | \$1.66 |
| BH133AF | Black Frame, Smoke Anti-Fog Lens | 1 | 12 | \$2.36 |
| BH134 | Yellow Frame, Yellow Lens | 1 | 12 | \$2.28 |
| BH149 | Black Frame, Blue Mirror Lens | 1 | 12 | \$2.58 |
| BH136 | Black Frame, Indoor/Outdoor Lens | 1 | 12 | \$2.58 |
| BH147 | Black Frame, Silver Mirror Lens | 1 | 12 | \$2.58 |



No Minimum Order & Same Day Shipping



| | Bullh Safety Ey | | | | |
|---------|--------------------|--|-----------------------|----------------------|-------------------------|
| | Maki | | | 2 | - |
| 5 | clear, provide | rt inspired design. e 99.9% UV protec standards. Frame nt: 31 grams | tion and | l meet | ANSI |
| | Stock No. | Frame Color an Lens Tint | Minimum Order Otv | Quantity Per Case | Retail Price Each |
| | BH145712 | Black Frame, POLARIZED Silve Mirror Lens | er 1 | 12 | \$44.00 |
| | BH14209 | Black Frame, POLARIZED Blue Mirror Lens | e 1 | 12 | \$46.00 |
| | BH1433AF | Black Frame, Smol Anti-Fog Lens | ke 1 | 12 | \$12.50 |
| | BH1419AF | Clear Frame, Blue Mirror Anti-Fog Precison Lens | e 1 | 12 | \$13.70 |
| | BH14183AF | White Frame, Smo Anti-Fog Lens | ke 1 | 12 | \$12.50 |
| 00 | BH14103 | Pink Camo Frame Smoke Lens | 1 | 12 | \$15.94 |
| | BH14G | Removable Gaske For Maki's | et 1 | 12 | \$1.70 |
| | protection a | ncluding clear, pro nd meet ANSI Z87 1: 136mm Frame | 7.1 safe e weigh | ety sta | ndards. |
| $ \ge $ | Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
| | BH12610 | Black Frame, Red Mirror Precison Lens | 1 | 12 | \$13.34 |
| | BH1233 | Black Frame, Smoke Lens | 1 | 12 | \$10.40 |
| \sum | BH1251612 | Black Frame, POLARIZED Green Mirror Precision Lens | 1 | 12 | \$42.40 |
| | BH12108 | Camo Frame, Brown Precision Lens | 1 | 12 | \$15.94 |

53

BH766AF

BH761AF

12

12

\$5.30

\$4.80


1

1

Outdoor Anti-Fog Lens Black Frame, Clear

Anti-Fog Lens

No Minimum Order & Same Day Shipping





| Stinger | (at a second sec |
|---------|--|
| | |
| | |

All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 144mm Frame weight: 30 grams

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|---|-----------------------|----------------------|-------------------------|
| BH691 | Gray Frame, Clear Lens | 1 | 12 | \$5.20 |
| BH691AF | Gray Frame, Clear Anti-Fog Lens | 1 | 12 | \$6.00 |
| BH666 | Black Frame, Indoor/Outdoor Lens | 1 | 12 | \$6.00 |
| BH6117 | Black & Silver Frame, Silver Mirror Lens | 1 | 12 | \$6.80 |
| BH654 | Black Frame, Yellow Lens | 1 | 12 | \$5.52 |
| BH633AF | Black Frame, Smoke Gray Anti-Fog Lens | 1 | 12 | \$6.40 |
| BH61712 | Black Frame, POLARIZED Gray Anti-Fog Lens | 1 | 12 | \$44.50 |
| BH6103AF | Camo Frame, Smoke Gray Anti-Fog Lens | 1 | 12 | \$11.08 |
| BH6108AF | Camo Frame, Brown Precision Anti-Fog Lens | 1 | 12 | \$11.08 |
| BH61084AF | Camo Frame, Yellow Anti-Fog Lens | 1 | 12 | \$11.08 |





Silver Mirror Lens

12

\$11.92

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|---|-----------------------|----------------------|-------------------------|
| BH1133 | Black Frame, Smoke Gray Lens | 1 | 12 | \$8.18 |
| BH1169 | Black Frame, Blue Mirror Lens | 1 | 12 | \$10.94 |
| BH11108 | Camo Frame, Brown Lens | 1 | 12 | \$13.70 |
| BH11711 | Black Frame, Brown POLARIZED Precision Lens | 1 | 12 | \$44.50 |





Sport inspired frame. Adjustable nose pads. All lenses including clear provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 130mm Frame weight: 30 grams

| Stock No. | Frame Color and Lens Tint | Minimum Order Qty. | Quantity Per Case | Retail Price Each |
|-----------|--|-----------------------|----------------------|-------------------------|
| BH1612 | Clear Frame, Blue Mirror Lens | 1 | 12 | \$14.00 |
| BH1678 | Brown Frame, Brown Flash Mirror Lens | 1 | 12 | \$12.30 |
| BH1691AF | Gray Frame, Clear Anti-Fog Lens | 1 | 12 | \$13.50 |
| BH161012 | Camo Frame, Brown POLARIZED Lens | 1 | 12 | \$46.20 |



No Minimum Order & Same Day Shipping



55

www.Batoray.com

CALL TOLL FREE Phone: 800-450-6776

No Minimum Order & Same Day Shipping

MARK "MEL" MELCHING



1960-2015

Our friend, Mel, passed away September 10, 2015 after a long fight with pancreatic cancer. He is survived by his wife, Shannon, and three children. Mel was our friend since childhood, but became part of our family when he joined our company in 1999. He will forever be missed.

NOTES

Terms:

Net 30

Freight Policy:

- 1. Batoray will pay all freight charges on orders totaling over \$250 that are shipped to one location at one time. Orders under \$250 are plus freight.
- 2. Minimum freight charge is \$8.00.

Claims:

- 1. All claims and shortages must be made within 5 days after receipt of order.
- 2. Items returned to stock are subject to a 15% restocking charge.
- 3. Prices are subject to change without notice.
- 4. All special order products are non-returnable.
- 5. Batoray can not be held responsible for typographical errors or comments found to be inaccurate.



Dave "Skip" Egbers - Chairman



Jake Finke - Inside Sales



Marty Egbers - CFO and Accounts Payable



Marc Egbers - Special Projects

859-431-0600

Phone: 859-431-7587

Fax:



Steve Egbers - President, Inside Sales and Purchasing



Clay Egbers -Warehouse Manager



Lisa Egbers - Inside Support and Accounts Receivable



Tony Franklin - Inside Sales



Joe Egbers - Vice President, Outside Sales and Marketing



Scott Allen - Battery Assembly Manager



Linda Egbers - Inside Support and Marketing



www.Batoray.com

Distributed by Î 🗎 🗒 BATORAY 🗊 🗊 🗊



Sealed Recha Battery POWER SONIC MODEL PS-1250 F1

12 Volt 5.0 Amp. Hr.

的 30

•

R

.

OWER SONIC

18.0 ATP

罰

OWER SONIC

MODEL PS-12750 U 12 Volt 75.0 Amp. Hr.

MODEL PS-12180 NB

91

POWERPSSONIC

MODEL PS-640 F1 6 Volt 4.5 Amp. Hr.

R 3

SONIC

d Rechargeat

OWER SONIC.

5

MODEL PS-12350 NB 12 Volt 35.0 Amp. Hr.

22

凤

PS-6100 F1



BATORAY Wholesale Distributors www.BATORAY.com 648 Elm Street Ludlow, KY 41016 Fax (859) 431-0600 (859) 431-7587

50N//G@

1 \$