



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



ES014012 5" Cond Seal Hub *Crouse-Hinds*

Catalog Number	ES014012
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Es Sealing Hub, 5" Female Hub Size, 6" Male Hub Size, Feraloy Iron Alloy
Weight per unit	14.4 (lbs/each)
Product Category	Sealing Bodies

Features

connection	Female Threaded, Male Threaded
dimensions	7.2500 IN X 7.2500 IN X 7.2500 IN
Material	FERALOY IRON ALLOY

Material, Color, and Finish

Finish	Electrogalvanized With Aluminum Acrylic Painted
--------	---

Dimensions and Weight

Size	5 In X 6 In
------	-------------

Descriptions

Construction	Watertight, Explosionproof
Description	5" COND SEAL HUB
extra long description	CRS-H ES014012 5 NPT F 6 NPT M SEAL
Features	ES explosionproof sealing hubs from Eaton Crouse-Hinds Division are used to seal vertical conduit risers at switchgear and motor control centers, sheet metal structures or cast boxes and enclosures. When used with TSC sealing compound, ES hubs can seal horizontal conduit runs at enclosures. TSC epoxy sealing compound is a two-part epoxy sealing compound that may be used to seal ES sealing hubs. It is quick and easy to measure, mix and install. The compound is kneaded until a uniform color is obtained.
Long Description	Eaton Crouse-Hinds series ES sealing hub, 5" female hub size, 6" male hub size, Feraloy iron alloy
Product Type	5 NPT F 6 NPT M Sealing Hub
Special Features	With Sealing Gasket, 7-1/4 In Length

Manufacturer Information

Brand	Eaton
GTIN	00782274275604
Manufacturers Part Number	ES014012
UPC	782274275604



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	Watertight Hub, 3-PIECE COUPLINGS, THREADLESS COUPLINGS AND THREADLESS CONNECTOR
----------------------	---

Type	Sealing Hub
------	-------------

Packaging

Carton	1
--------	---

Weight Per each	14.35
-----------------	-------

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
-------------	--

Enclosure	Class I Div 1 2 Group C D
-----------	---------------------------

standard	UL 886, CSA C22.2
----------	-------------------