# BORESCOPE ET510

The Klein Tools Video Borescope is used to view inaccessible areas. It features a durable camera snake with an adjustable work light.



REMOVE

For Professionals...Since 1857®

KLEIN TOOLS®







# **Multiple Applications!**

- Electrical
  HVAC
  Plumbing
- Automotive
  Aircraft

## **GENERAL SPECIFICATIONS:**

2.4"(61 mm)
480 x 234 px
24 bits
1.97"~5.90" (5~15 cm)
0.67" (17 mm)
3.28' (1 m)
9.84' (3 m)
Lithium Ion

# **Features**

Waterproof / Dustproof Camera (IP67)

Adjustable LED Worklight
 High Resolution Screen

Mirror Image

# **Included Accessories**

- Main Unit
- Gooseneck Camera 17 mm
- 3.7V 2000mAh Rechargeable Li-Ion Battery
- Mirror Camera Attachment
- Hook Camera Attachment
- Magnet Camera Attachment
- USB Power Adapter/Charger
- Instruction Manual

## Additional Accessories Available

Accessories	Description
69454	Camera Replacement
69455	Camera Extension
69457	Camera Attachments

Cat. No.	Batteries	Height	Width	Depth	Weight (Main Unit)
ET510	Lithium Ion	6.53" (16.59 cm)	2.84" (7.22 cm)	1.55" (3.95 cm)	8.08 oz (229.3 g)

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: The Borescope and gooseneck camera are NOT insulated. Avoid probing areas where energized conductive elements may be present. Shut off power to the nearby work areas before starting work. Avoid probing areas where chemicals may be present. Do not probe moving machinery that could catch the Borescope and cause harm to the operator and the Borescope. The Borescope is not intended for use on people or animals. Do not use the Borescope near sources of heat. Keep steady footing at all times, following ladder safety procedures when necessary. Do not use if the Borescope casing is cracked or broken in any way.











# BORESCOPE ET510

The Klein Tools Video Borescope is used to view inaccessible areas. It features a durable camera snake with an adjustable work light.



REMOVE

For Professionals...Since 1857®

KLEIN TOOLS®







# **Multiple Applications!**

- Electrical
  HVAC
  Plumbing
- Automotive
  Aircraft

## **GENERAL SPECIFICATIONS:**

2.4"(61 mm)
480 x 234 px
24 bits
1.97"~5.90" (5~15 cm)
0.67" (17 mm)
3.28' (1 m)
9.84' (3 m)
Lithium Ion

# **Features**

Waterproof / Dustproof Camera (IP67)

Adjustable LED Worklight
 High Resolution Screen

Mirror Image

# **Included Accessories**

- Main Unit
- Gooseneck Camera 17 mm
- 3.7V 2000mAh Rechargeable Li-Ion Battery
- Mirror Camera Attachment
- Hook Camera Attachment
- Magnet Camera Attachment
- USB Power Adapter/Charger
- Instruction Manual

## Additional Accessories Available

Accessories	Description
69454	Camera Replacement
69455	Camera Extension
69457	Camera Attachments

Cat. No.	Batteries	Height	Width	Depth	Weight (Main Unit)
ET510	Lithium Ion	6.53" (16.59 cm)	2.84" (7.22 cm)	1.55" (3.95 cm)	8.08 oz (229.3 g)

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: The Borescope and gooseneck camera are NOT insulated. Avoid probing areas where energized conductive elements may be present. Shut off power to the nearby work areas before starting work. Avoid probing areas where chemicals may be present. Do not probe moving machinery that could catch the Borescope and cause harm to the operator and the Borescope. The Borescope is not intended for use on people or animals. Do not use the Borescope near sources of heat. Keep steady footing at all times, following ladder safety procedures when necessary. Do not use if the Borescope casing is cracked or broken in any way.









