



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EXB12126N34 Enclosure Size: Exb-12126 *Hubbell--Killark*

Catalog Number	EXB12126N34
Manufacturer	Hubbell--Killark
Description	Exb Series, 12 X 12 X 6, Class I, II, III, BCDEFG, Cast Aluminum, Type 4, Bolted Enclosure
Weight per unit	75.0 (lbs/each)
Product Category	Nema Type 9 Metallic Enclosure

Features

Material	Aluminum, Copper Free (less than 4/10 of 1%)
----------	--

Material, Color, and Finish

Color	Gray
-------	------

Dimensions and Weight

Length	20
Size	20 in x 25 in x 17.5 in
Width	25

Descriptions

Description	ENCLOSURE SIZE: EXB-12126
extra long description	KLRK EXB-12126 N34 QUANT ENCL 12X12
Long Description	EXB Series, 12 X 12 X 6, Class I, II, III, BCDEFG, Cast Aluminum, Type 4, Bolted Enclosure
Product Type	Quant Encl 12X12X6 Cast Al
Special Features	Copper-free cast aluminum construction - high strength, lighter in weight, and corrosion resistant. Fewer cover bolts - computer-aided design lessens the number of cover bolts by eliminating corner bolts. Reduces installation and maintenance time. Gasketed

Manufacturer Information

Brand	KILLARK
GTIN	00783936119014
Manufacturers Part Number	EXB-12126 N34
series	EXB
sub brand	QUANTUM
UPC	783936119014

Taxonomies, Classifications, and Categories

Type	JUNCTION BOX
------	--------------

Packaging

Carton	1
Weight Per each	75



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Uses, Certifications, and Standards

Application

Locations made hazardous due to the presence of flammable gases or vapors, combustible dust, or easily ignitable fibers and flyings, and areas which are subject to corrosion, weather, and dampness. Petroleum refineries, chemical and petrochemical plants w

Mounting

Ductile mounting lugs

nema rating

3, 4, 4X

standard

UL, CSA