

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Type

FD1030 FD BRKR 1 Pole 30AMP With Load Only Terms *Eaton Corp*

Catalog Number	FD1030		
Manufacturer	Eaton Corp		
Description	Eaton Series C Complete Molded Case Circuit Breaker, F-Frame FD, Complete Breaker, Fixed Thermal, Fixed Magnetic Trip Typ Single-Pole, 30 A, 347 Vac, 125 VDC, Load Side, 50/60 HZ		
Weight per unit	1.5 (lbs/each)		
Product Category	1 Pole		
tures			
Current Rating	30 A		
dimensions	3.3800 IN X 1.3800 IN X 6.0000 IN		
media	Yes		
Poles	1		
Trip Type	Fixed thermal, fixed magnetic		
Voltage Rating	347 Vac, 125 Vdc		
criptions			
Description	FD BRKR 1 POLE 30AMP WITH LOAD ONLY TERMS		
extra long description	ETN FD1030 FD BRK 1P 30A WITH LOAD		
Features	Experience the superior quality of the Eaton Series C Molded Case Circuit Breaker. The Series C circuit breaker is ideal		
	for panelboards, switchboards, motor control centers, and busway applications. Choose from a premier selection of trip units including thermal magnetic, electronic, and magnetic onl switches. Available for systems up to 600 VAC or 250 VDC with current ratings up to 800A.		
Long Description	Eaton Series C complete molded case circuit breaker, F-frame, FD, Complete breaker, Fixed thermal, Fixed magnetic trip type Single-pole, 30 A, 347 Vac, 125 Vdc, Load side, 50/60 Hz		
Product Type	FD BRK 1P 30A With Load Only Terminals		
nufacturer Information			
Brand	Eaton		
GTIN	00786679312131		
Manufacturers Part Number	FD1030		
UPC	786679312131		

Molded case circuit breaker

Category Description MOLDED CASE BREAKERS



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging		
Carton	1	
Weight Per each	1.5	
Uses, Certifications, and Stand	lards	

Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies and EOEMs - Other
Frequency Rating	50/60 Hz
standard	UL Listed