

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



GASK035N 1" Form 5 Conduit Body Gasket Crouse-Hinds

Catalog Number	GASK035N		
Manufacturer	Crouse-Hinds		
Description	Eaton Crouse-Hinds Series Condulet Series 5 Gasket, Neoprene 1"		
Weight per unit			
Product Category	Aluma		
atures			
connection	Threaded / Set Screw		
dimensions	1.7500 IN X 0.0600 IN X 5.3400 IN		
Form	Series 5		
aterial, Color, and Finish	Creation		
Color	Gray Enough Douglas Coat		
Finish	Epoxy Powder Coat		
mensions and Weight Hub Size	1 in		
escriptions			
extra long description	MIDWEST GASK035N 1 NEOPRENE GASKET		
Features	Eaton's Crouse-Hinds Division Series 5 die cast copper-free aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly In addition, Series 5 is completely interchangeable with other manufacturer		
Long Description	Eaton Crouse-Hinds series Condulet Series 5 gasket, Neoprene, 1"		
Product Type	1 Neoprene Gasket		
Special Features	Corrosion Resistant		
anufacturer Information Brand	Eaton		
GTIN	00784564140739		
Manufacturers Part Number	GASK035N		
UPC	784564140739		
xonomies, Classifications, and C	FORM 5 CONDULETS, COVERS, & GASKETS		
Category Description			



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

		•
Pacl	kad	Ind

Carton	50
Weight Per each	0.03
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL