RESIDENTIAL DIMMERS & FAN SPEED CONTROLS
Harmony® Tru-Universal and CFL/LED Dimmers

H703PTUW

HCL453PW

Features

Harmony Tru-Universal (H703PTUW)
- Self-Calibration feature allows users to select lamp type, which then automatically sets the minimum voltage for that lamp, eliminating flickering and poor performance.
- Works with every lamp and load.
- Preset, single pole and 3-way operation.
- Wider slide controller for easier dimming operation.

- Larger paddle switch that's easier to see and use.
- Green LED glows when off to make dimmer easy to find in the dark.
- Sleek, modern design that matches today's styles.
- Interchangeable faces — Package comes with three colors: Ivory, White, Light Almond. Other face color kits available separately, see page L-11.

Harmony CFL/LED Dimmer (HCL453PW)
- CFL/LED dimmable-bulb compatible (with the exception of 0-10V LED drivers).
- Adjustment dial allows users to adjust the bottom of the dimming range for a wide range of CFL and LED bulbs.
- No derating required in multi-gang applications.

CATALOG NUMBER	DESCRIPTION	RATINGS	COLOR
TRU-UNIVERSAL DIMMER			
H703PTUTC*	Tru-Universal, Preset, Single-Pole/3-Way Three Interchangeable Face Colors	120 VAC, 60 Hz Incandescent, Halogen & ELV: 700W MLV: 500VA LED/CFL: 450W EFL: 5.5A	Ivory/White/Light Almond
H703PTUW	Tru-Universal, Preset, Single Pole/3-Way		White
CFL/LED DIMMERS			
HCL453PTC	CFL/LED Single Pole and 3-Way, Preset Three Interchangeable Face Colors	120 VAC, 60 Hz, 450W/700W Incandescent	Ivory/White/Light Almond
HCL453PW	CFL/LED Single Pole and 3-Way, Preset		White

*Available in VisionPak™ packaging, add "CCV6" to Catalog Number. Example: H703PTUTCCCV6.

DIMMERS & FAN SPEED CONTROLS

L-10

All devices listed on this page conform to NEMA WD-1 and WD-6. UL Listed and CSA Certified.

WWW.LEGRAND.US/PASSANDSEYMOUR

DEVICES & WALL PLATES
Color Selection Chart

Devices & Plastic Wall Plate Colors

| Ivory | Light Almond | White | Green | Antique Brass | Dark Bronze | Nickel |

| Black | Blue | Brown | Gray | Orange | Red |

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates
Metal Finish

| Aluminum | Brass (Brushed) | Polished Brass | Stainless Steel | Brushed Bronze | Chrome |

Custom Metal Wall Plates Paint Finish Colors
Paint Color

| Orange | Green | Gray | Yellow | Glossy Black | Brown | White |

| Primer | Red | Pink | Flat Black | Ivory | Light Almond | Blue |

To order custom metal wall plates, see Pages P-40 – P-42.
For additional colors consult factory.

RESIDENTIAL DIMMERS & FAN SPEED CONTROLS
Harmony® Tru-Universal and CFL/LED Dimmers

H703PTUW

HCL453PW

Features

Harmony Tru-Universal (H703PTUW)
- Self-Calibration feature allows users to select lamp type, which then automatically sets the minimum voltage for that lamp, eliminating flickering and poor performance.
- Works with every lamp and load.
- Preset, single pole and 3-way operation.
- Wider slide controller for easier dimming operation.

- Larger paddle switch that's easier to see and use.
- Green LED glows when off to make dimmer easy to find in the dark.
- Sleek, modern design that matches today's styles.
- Interchangeable faces — Package comes with three colors: Ivory, White, Light Almond. Other face color kits available separately, see page L-11.

Harmony CFL/LED Dimmer (HCL453PW)
- CFL/LED dimmable-bulb compatible (with the exception of 0-10V LED drivers).
- Adjustment dial allows users to adjust the bottom of the dimming range for a wide range of CFL and LED bulbs.
- No derating required in multi-gang applications.

CATALOG NUMBER	DESCRIPTION	RATINGS	COLOR
TRU-UNIVERSAL DIMMER			
H703PTUTC*	Tru-Universal, Preset, Single-Pole/3-Way Three Interchangeable Face Colors	120 VAC, 60 Hz Incandescent, Halogen & ELV: 700W MLV: 500VA LED/CFL: 450W EFL: 5.5A	Ivory/White/Light Almond
H703PTUW	Tru-Universal, Preset, Single Pole/3-Way		White
CFL/LED DIMMERS			
HCL453PTC	CFL/LED Single Pole and 3-Way, Preset Three Interchangeable Face Colors	120 VAC, 60 Hz, 450W/700W Incandescent	Ivory/White/Light Almond
HCL453PW	CFL/LED Single Pole and 3-Way, Preset		White

*Available in VisionPak™ packaging, add "CCV6" to Catalog Number. Example: H703PTUTCCCV6.

All devices listed on this page conform to NEMA WD-1 and WD-6. UL Listed and CSA Certified.

WWW.LEGRAND.US/PASSANDSEYMOUR

![Legrand logo]

DEVICES & WALL PLATES
Color Selection Chart

Devices & Plastic Wall Plate Colors

| Ivory | Light Almond | White | Green | Antique Brass | Dark Bronze | Nickel |

| Black | Blue | Brown | Gray | Orange | Red |

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates
Metal Finish

| Aluminum | Brass (Brushed) | Polished Brass | Stainless Steel | Brushed Bronze | Chrome |

Custom Metal Wall Plates Paint Finish Colors
Paint Color

| Orange | Green | Gray | Yellow | Glossy Black | Brown | White |

| Primer | Red | Pink | Flat Black | Ivory | Light Almond | Blue |

To order custom metal wall plates, see Pages P-40 – P-42.
For additional colors consult factory.