



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



HCTR6 6A 600V Class CC Time Delay Small Control Fuse *Edison Fuses*

Catalog Number	HCTR6
Manufacturer	Edison Fuses
Description	Eaton Edison HCTR Fuse, Rejection Style, 600V, 6A, 200 Kaic, Non Indicating, Current-Limiting, High Inrush, Time Delay, Class CC, Melamine Tube, Nickel-Plated Brass Endcaps
Weight per unit	0.0300 (lbs/each)
Product Category	Dual Element

Features

amperage rating	6 A
class	Class CC
dimensions	1.0000 IN X 0.4060 IN X 0.4060 IN
interrupt rating	200 kAIC
Material	Melamine tubeNickel-plated brass endcaps
media	Yes
Voltage Rating	600 V

Descriptions

Description	6A 600V CLASS CC TIME DELAY SMALL CONTROL FUSE
extra long description	EFSE HCTR6 UL CLASS CC TIME DELAY
Features	Edison offers a complete line of Class CC fuses to meet your circuit and equipment protection needs. These branch circuit rated compact fuses rated 600v, and delivering 200,000a IR Vac Sym provide excellent protection in the smallest package of any UL class of fuses. Choose from our EDCC time-delay fuses for your small horsepower motor circuits, our HCLR fast-acting for your non-inductive lighting and resistance heating loads or our HCTR time-delay fuses for your small control transformer protection.
Long Description	Eaton Edison HCTR fuse, Rejection style, 600V, 6A, 200 kAIC, Non Indicating, Current-limiting, high inrush, time delay, Class CC, Melamine tube, Nickel-plated brass endcaps
Product Type	UI Class CC Time Delay
Special Features	Rejection Style

Manufacturer Information

Brand	Eaton
GTIN	00782634802242
Manufacturers Part Number	HCTR6
UPC	782634802242



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description.....MIDGET FUSES

Type.....FUSE

Packaging

Carton.....1

Package.....10

Weight Per each.....0.03

Uses, Certifications, and Standards

Application.....Ind Facilities & Factories - Facility: Safety and Security Systems

standard.....CE Marked,RoHS Compliant