Eaton LPN-RK-20SP

Catalog Number: LPN-RK-20SP

Eaton Bussmann series LPN-RK fuse, 20 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Currentlimiting, 8 sec at 500%, 300 kAIC at 250 V|100 kAIC at 125 Vdc, Standard, 10

General specifications

UPC

0.56 in

0.5 lb

051712538343

Product Height

Product Weight

Compliances CE Marked

Product Name Eaton Bussmann series LPN-RK fuse

LPN-RK-20SP Product Length/Depth 2 in

Catalog Number

Product Width 0.56 in

Warranty

Not Applicable



Powering Business Worldwide

Electrical rating

Amperage Rating

20 A

Interrupt rating

300 kAIC at 250 Vac 100 kAIC at 125 Vdc

Response time

8 sec at 500%

Voltage rating

250 Vac, 125 Vdc

Physical details

Fuse type

Time delay Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating, High in-rush current motor protection

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

LPN-RK-20SP~LOW PEAK DUAL ELEMENT

Multimedia

Bussmann series Fuseology

Specifications and datasheets Eaton Specification Sheet - LPN-RK-20SP

Technical service bulletins Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia