

# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



### **LR50M 1/2" LR FM5 Conduit Body** *Crouse-Hinds*

Material, Color, and Finish	Electrogalvanized With Aluminum Acrylic Painted
Form	Form 5
Features dimensions	4.6800 IN X 1.3700 IN X 2.0500 IN
Product Category	Bodies & Covers
Weight per unit	0.8900 (lbs/each)
Description	Eaton Crouse-Hinds Series Condulet Form 5 Conduit Outlet Body, Malleable Iron, LR Shape, 1/2"
Manufacturer	Crouse-Hinds
Catalog Number	LR50M

#### **Dimensions and Weight**

Height	1.37	
Hub Size	1/2 in	
Length		
wiath	2.05	

#### **Descriptions**

Description	1/2" LR FM5 CONDUIT BODY
extra long description	CRS-H LR50M 1/2 FORM 5 LR COND BODY
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 conduit outlet body, Malleable iron, LR shape, 1/2"
Product Type	1/2 Form 5 LR Cond Body Malleable
facturer Information	

#### **Manufacturer Information**

Brand	Eaton
GTIN	00782274756035
Manufacturers Part Number	LR50M
UPC	782274756035



standard

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, an	nd Categories
Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body
Packaging Carton	
Carton	10
Weight Per each	0.89
Uses, Certifications, and Standa	ards
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other

UL 514B, CSA C22.2, CUL