

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



LR75 2-1/2" Alu LR SR5 Conduit Body Crouse-Hinds

Catalog Number	LR75		
Manufacturer	Crouse-Hinds		
Description	Conduit Outlet Body, Epoxy Powder Painted (Body); Natural (Gasket), 2-1/2 In Trade Size, Threaded/Set Screw Connection, 69.7 Cu.In Capacity, 90 ° Angle, 2-1/2 In Hub Size, 5.37 In Length 2.25 In Width, 1.7 In Height, 5.4 LB/Ea		
Weight per unit	5.4 (lbs/each)		
Product Category	Alum		
eatures			
connection	Threaded / Set Screw		
dimensions	13.1400 IN X 4.0000 IN X 6.0000 IN		
Form	Series 5		
Material, Color, and Finish			
Color	Gray		
imensions and Weight			
Height	1.70		
Width	2.25		
escriptions			
Description	2-1/2" ALU LR SR5 CONDUIT BODY		
extra long description	MIDWEST LR75 2 1/2 RGD LR COND BODY		
Features	Eaton's Crouse-Hinds Division Series 5 die cast copper-free aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and 3 shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly In addition, Series 5 is completely interchangeable with other manufacturer		
Nanufacturer Information			
Brand	Eaton		
GTIN	00784564140173		
UPC	784564140173		

Taxonomies, Classifications, and Categories

Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging		

Carton	1	
Weight Per each	5.4	

Uses, Certifications, and Standards

Application .	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL