

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



UPC

LR888 3" LR FM8 Conduit Body Crouse-Hinds

Catalog Number	LR888
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 8 Conduit Outlet Body Feraloy Iron Alloy, LR Shape, 3"
Weight per unit	15.4 (lbs/each)
Product Category	Bodies & Covers
eatures	
dimensions	13.9400 IN X 4.8100 IN X 6.6900 IN
Form	Form 8
Material, Color, and Finish	
Finish	Electrogalvanized With Aluminum Acrylic Painted
Dimensions and Weight	9
Height	4-13/16
Hub Size	3 in
Length	13-15/16
Width	6-11/16
Descriptions	
Description	3" LR FM8 CONDUIT BODY
extra long description	CRS-H LR888 3 LR FORM 8 CNDT BODY
Features	One hundred years after the introduction of the Condulet, Eator
	remains the leader in conduit outlet bodies with its Crouse-Hind series. The line has grown to six families manufactured in a variety of materials, and Form 8 bodies are offered in seven different shapes to provide the most flexible offering on the market. Form 8 Condulet outlet bodies provide more room for heavier conductors. Many shapes and sizes are available for rigit threaded conduit. Two cover screws on all body sizes provide tight
Long Description	Eaton Crouse-Hinds series Condulet Form 8 conduit outlet body, Feraloy iron alloy, LR shape, 3"
Product Type	3 LR Form 8 CNDT Body
Manufacturer Information	- -
Brand	Eaton
GTIN	00782274530604
Manufacturers Part Number	LR888

782274530604



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories	
Category Description	FORM 7, 8, CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body
Packaging Carton	1
Weight Per each	15.38
Uses, Certifications, and Standards Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other

UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D