# Eaton REN-20

# Catalog Number: REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

## General specifications

Product Name

Catalog Number

Eaton Bussmann series REN fuse

REN-20

UPC

EAN

051712100205

5027590098250

Product Length/Depth

Product Height

0.56 in

2 in

Product Width

Product Weight

0.56 in

0.41 lb

Warranty

Compliances

Not Applicable

Not Applicable RoHS Compliant

Photo is representative



### Electrical rating

**Amperage Rating** 

20 A

Interrupt rating

10 kAIC

Voltage rating

250 V

### Physical details

Packaging type

Standard

### General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

#### Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

REN-20~SUPER LAG RENEWABLE FUSE 20/250

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - REN-20

Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.









# Eaton REN-20

# Catalog Number: REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

## General specifications

Product Name

Catalog Number

Eaton Bussmann series REN fuse

REN-20

UPC

EAN

051712100205

5027590098250

Product Length/Depth

Product Height

0.56 in

2 in

Product Width

Product Weight

0.56 in

0.41 lb

Warranty

Compliances

Not Applicable

Not Applicable RoHS Compliant

Photo is representative



### Electrical rating

**Amperage Rating** 

20 A

Interrupt rating

10 kAIC

Voltage rating

250 V

### Physical details

Packaging type

Standard

### General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

#### Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

REN-20~SUPER LAG RENEWABLE FUSE 20/250

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - REN-20

Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.







