



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



T2535163S T2535163S *Acme Electric*

| | |
|------------------|--|
| Catalog Number | T2535163S |
| Manufacturer | Acme Electric |
| Description | Low Voltage Distribution Transformer - Single Phase, 240X480 - 120/240V, 10kva |
| Weight per unit | 127.0 (lbs/each) |
| Product Category | Single Phase Non Ventilated to |

Features

| | |
|-------------------|---|
| Fuse Rating | Primary: 60 AMP For 240 V, 30 AMP For 480 V, Secondary: 110 AMP For 120 V |
| pallet quantity | 6 |
| Primary Voltage | 240 x 480 V |
| product category | Dry Type Distribution Transformer |
| Secondary Voltage | 120/240 V |

Dimensions and Weight

| | |
|--------|-------|
| Height | 15.19 |
| Length | 10.84 |
| Width | 13.5 |

Descriptions

| | |
|------------------------|---|
| Construction | ENCAPSULATED |
| Description | T2535163S |
| extra long description | ACME T2535163S TFMR 1PH 10KVA 240X4 |
| Long Description | Low Voltage Distribution Transformer - Single Phase, 240X480 - 120/240V, 10kVA |
| Product Type | Dry Type Distribution Transformer |
| Special Features | Encapsulated core and coil; Shielded for cleaner power; Encapsulated and completely enclosed design electrical grade silica and resin compounds completely enclose the core and coil to seal out all moisture and air, UL type 3R enclosure for indoor or outdoor service, encapsulation eliminates corrosion and insulation deterioration; Quiet operation with sound levels well below NEMA standards; 10-year limited warranty |

Manufacturer Information

| | |
|---------------------------|----------------|
| Brand | ACME ELECTRIC |
| GTIN | 00047503734100 |
| Manufacturers Part Number | T2535163S |
| UPC | 047503734100 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Type Distribution Transformer

Packaging

Carton 1

Weight Per each 127

Uses, Certifications, and Standards

Enclosure NEMA 3R Steel

Frequency Rating 60

Mounting WALL

standard UL 506, UL File Number E79947V1, UL Control Number 50B8, UL
Insulation Number H3221, CSA Certified, OSHA Compliant, ANSI,
IEEE

Temperature Rating 115 DEG C Rise