

## ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## TMCX1002 1" Cable Gland

Crouse-Hinds	
Catalog Number	TMCX1002
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Terminator Ii TMCX Cable Gland, TSC Compound, Cable Range:0.87-1.39", Cable Sealing:2 (M), Metal-Cladcorrugated Armoured, Teck Armoured, Armoured Barrier and Tray Cable, Armoured Gland, Aluminum, 1" NPT
Weight per unit	1.1 (lbs/each)
Product Category	BX, MC, Armored Cable Fittings
Features	
connection	Cable OD 0.87 to 1.39 inch
dimensions	4.3800 IN X 2.5600 IN X 2.5600 IN
Material, Color, and Finish	
Color	Natural with red union nut
Finish	Untreated
<b>Dimensions and Weight</b>	
Size	1" NPT, Size 2
	111111111111111111111111111111111111111
<b>Descriptions</b>	1" CABLE GLAND
Description extra long description	CRS-H TMCX100 2 BARR GLAND 1 NPT S
Features	TMCX II explosionproof cable glands from Eaton Crouse-Hinds
reatures	Division are used to terminate armoured barrier, non-armoured barrier and TECK armoured cable in hazardous locations. Its unique design features, coupled with our fast curing Chico LiquidSeal compound, make the TMCX II the easiest and safest solution available.
Long Description	Eaton Crouse-Hinds series Terminator II TMCX cable gland, TSC compound, Cable Range: 0.87-1.39", Cable Sealing: 2 (M), Metal-cladcorrugated armoured, TECK armoured, armoured barrier and tray cable, Armoured gland, Aluminum, 1" NPT
Product Type	Barr Gland 1 NPT SZ2 Alu TSC
Special Features	2 Piece Union Design
Manufacturer Information	
Brand	EATON CROUSE-HINDS SERIES
GTIN	00662276298170
Manufacturers Part Number	TMCX100 2
UPC	662276298170



Temperature Rating

## ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

-40 to + 60 Degrees C

Taxonomies, Classifications, and Categories	
Category Description	CORD CONNECTORS & CORD GRIPS
Туре	Cable gland
Packaging	
Carton	1
Weight Per each	1.1499
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Mounting	1 inch NPT
standard	UL and cUL Class 1, Div 1 (ABCD) Class 2 (EFG)