# Eaton UT4R1121BCH

# Catalog Number: UT4R1121BCH

Eaton meter socket, Multi position commercial or resi service, 100A, Over/under, 3-5/16 inch hub open, #6-250 kcmil, Four-jaw, 1-ph, #8-2/0 AWG, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

## General specifications



Eaton meter socket

UPC

782116094639

**Product Height** 

14.13 in

**Product Weight** 

40 lb

Catalog Number

UT4R1121BCH

Product Length/Depth

4.5 in

Product Width

40.63 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Certifications

**UL** Listed



# defaultTaxonomyAttributeLabel

Type

Multiple position commercial or residential service

**Amperage Rating** 

100A

Feed type

Top/bottom

Number of jaws

Four-jaw

Phase

Single-phase

Utility approvals

ME: Central Maine Power

ME: Emera Maine (Bangor Hydro Electric Co./ Maine Public

Service Company)

SC: South Carolina Electric and Gas (SCE&G)

AR : Entergy
LA : Entergy
MS : Entergy
TX : Entergy

Line

#6-250 kcmil

Load

#8-2/0 AWG

Number of wires

Three-wire

Hub type

3-5/16 in hub opening

Security

Ringless

Voltage rating

600 V

Number of sockets

4

### Resources

### Catalogs

Eaton's Volume 1—Residential and Light Commercial

#### Drawings

Dimensional Drawing - SKT/4 GANG 100A 1P HO

### Specifications and datasheets

 $\label{eq:Metering Equipment - Utilities Servicing Illinois, Iowa, Kansas, Missouri, \\$ 

Oklahoma and Wisconsin

Eaton Specification Sheet - UT4R1121BCH

### Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

# Eaton UT4R1121BCH

# Catalog Number: UT4R1121BCH

Eaton meter socket, Multi position commercial or resi service, 100A, Over/under, 3-5/16 inch hub open, #6-250 kcmil, Four-jaw, 1-ph, #8-2/0 AWG, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

## General specifications



Eaton meter socket

UPC

782116094639

**Product Height** 

14.13 in

**Product Weight** 

40 lb

Catalog Number

UT4R1121BCH

Product Length/Depth

4.5 in

Product Width

40.63 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Certifications

**UL** Listed



# defaultTaxonomyAttributeLabel

Type

Multiple position commercial or residential service

**Amperage Rating** 

100A

Feed type

Top/bottom

Number of jaws

Four-jaw

Phase

Single-phase

Utility approvals

ME: Central Maine Power

ME: Emera Maine (Bangor Hydro Electric Co./ Maine Public

Service Company)

SC: South Carolina Electric and Gas (SCE&G)

AR : Entergy
LA : Entergy
MS : Entergy
TX : Entergy

Line

#6-250 kcmil

Load

#8-2/0 AWG

Number of wires

Three-wire

Hub type

3-5/16 in hub opening

Security

Ringless

Voltage rating

600 V

Number of sockets

4

### Resources

### Catalogs

Eaton's Volume 1—Residential and Light Commercial

#### Drawings

Dimensional Drawing - SKT/4 GANG 100A 1P HO

### Specifications and datasheets

 $\label{eq:Metering Equipment - Utilities Servicing Illinois, Iowa, Kansas, Missouri, \\$ 

Oklahoma and Wisconsin

Eaton Specification Sheet - UT4R1121BCH

### Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia