

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



X47 1-1/4" X FM7 Conduit Body Crouse-Hinds

Catalog Number	X47
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 7 Conduit Outlet Body, Feraloy Iron Alloy, X Shape, 1-1/4"
Weight per unit	
Product Category	
Features	
connection	Threaded / Set Screw
dimensions	
Form	Form 7
Material, Color, and Finish	
Finish	Electrogalvanized With Aluminum Acrylic Painted
Dimensions and Weight	
Height	2-5/16
Hub Size	1 1/4 in
Length	7-7/16
Width	4-1/8
Descriptions	
Description	1-1/4" X FM7 CONDUIT BODY
extra long description	CRS-H X47 1 1/4 NPT X FORM 7 CNDT O
Features	One hundred years after the introduction of the Condulet, Eaton
	remains the leader in conduit outlet bodies with its Crouse-Hinds
	series. The line has grown to six families manufactured in a
	variety of materials, and Form 7 bodies are offered in 11
	different shapes to provide the most flexible offering on the
	market. Form 7 Condulet outlet bodies approach conduit in size
	for neat, compact installations. Many shapes and sizes are
	available for rigid threaded conduit. Our Form 7 family features
	an exclus
Long Description	Eaton Crouse-Hinds series Condulet Form 7 conduit outlet body,
Draduat Tuna	Feraloy iron alloy, X shape, 1-1/4"
Product Type	1 1/4 NPT X Form 7 CNDT Outlet Body
Manufacturer Information	
Brand	Eaton
GTIN	00782274746500
UPC	782274746500



standard

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	FORM 7, 8, CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body
Packaging	1
Package	2
Weight Per each	3.3
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Condulet

UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D