

SP-400™ Corrosion Inhibitor, 10 Wt Oz No. 03282 | Item# 1003481 | Case# 1003480

Product Description

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Applications

Motors, shafts, equipment exposed to elements, outdoor

storage of raw materials & finished stock.

Unit Package Description

Generic Description 1

CRC

Brand

Corrosion Inhibitor (Extreme Duty)

Net Fill

10 Wt Oz

UPC Code

Corrosion Inhibitor

Para Todos los Metales durante el Transporte ^{© el Alma}cenamiento Prolongado

Inhibidor de corrosion

Long Term Protection Seals Out Moisture Completely For All Metals During Shipment or

Prolección a Largo Plazo Sella la Humedad Completamente

PELIGRO: EXTREMAMENTE

Extended Storage

078254032825

16 Ounce Aerosol

Unit Dimensions

7.75H x 2.63W x 2.63D in

Units Per Case

12

Case Dimensions

8.1H x 8.3W x 11.1D in

Cases Per Pallet

133

Case Weight

11 lbs

I 2 of 5 Code

30078254032826

Appearance

Dark Amber Viscous Liquid

Flash point (F)

<0°F

Flash point (C)

<-18°C

Flammability Class - CPSC

Extremely Flammable

Spec Gravity Concentrate

0.787

Film Type

Waxy, Dry, Transparent

Coverage

1,000 Sq Ft per Gal

Plastic Safe

Not Determined

Propellant

Hydrocarbon

Military Specification

Number

Meets requirements of Mil-C-16173 Grade 4 (Corrosion

NSF Category Code

test only)

H2

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified

and adheres to the strictest guidelines for quality in all facets of research, development and production.

Last revised: 11/9/2017

Page 1 of 2







NSF Number 145049 Federal Specification

Number

Aerosol Flammability Level Ш

DOT Proper Shipping Name

VOC % (Consumer Product

def)

VOC g/L (Consumer Product def)

VOC lbs/gal (Consumer

Prod def)

VOC Category

Removal (How To)

Not Determined

Aerosols, Flammable, Limited Quantity

79.2

623.3

5.2

Not Regulated

May be removed with mineral spirits, Stoddard solvents,

or Alaphatic Petroleum solvents.

Last revised: 11/9/2017





CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



SP-400™ Corrosion Inhibitor, 10 Wt Oz No. 03282 | Item# 1003481 | Case# 1003480

Product Description

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years.

Applications

Motors, shafts, equipment exposed to elements, outdoor

storage of raw materials & finished stock.

Unit Package Description

Generic Description 1

CRC

Brand

Corrosion Inhibitor (Extreme Duty)

Net Fill

10 Wt Oz

UPC Code

Corrosion Inhibitor

Para Todos los Metales durante el Transporte ^{© el Alma}cenamiento Prolongado

Inhibidor de corrosion

Long Term Protection Seals Out Moisture Completely For All Metals During Shipment or

Prolección a Largo Plazo Sella la Humedad Completamente

PELIGRO: EXTREMAMENTE

Extended Storage

078254032825

16 Ounce Aerosol

Unit Dimensions

7.75H x 2.63W x 2.63D in

Units Per Case

12

Case Dimensions

8.1H x 8.3W x 11.1D in

Cases Per Pallet

133

Case Weight

11 lbs

I 2 of 5 Code

30078254032826

Appearance

Dark Amber Viscous Liquid

Flash point (F)

<0°F

Flash point (C)

<-18°C

Flammability Class - CPSC

Extremely Flammable

Spec Gravity Concentrate

0.787

Film Type

Waxy, Dry, Transparent

Coverage

1,000 Sq Ft per Gal

Plastic Safe

Not Determined

Propellant

Hydrocarbon

Military Specification

Number

Meets requirements of Mil-C-16173 Grade 4 (Corrosion

NSF Category Code

test only)

H2

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified

and adheres to the strictest guidelines for quality in all facets of research, development and production.

Last revised: 11/9/2017

Page 1 of 2







NSF Number 145049 Federal Specification

Number

Aerosol Flammability Level Ш

DOT Proper Shipping Name

VOC % (Consumer Product

def)

VOC g/L (Consumer Product def)

VOC lbs/gal (Consumer

Prod def)

VOC Category

Removal (How To)

Not Determined

Aerosols, Flammable, Limited Quantity

79.2

623.3

5.2

Not Regulated

May be removed with mineral spirits, Stoddard solvents,

or Alaphatic Petroleum solvents.

Last revised: 11/9/2017





CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.