



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

110 Success Blvd
79029-0000, TX Dumas
Phone: 806-934-4805
Fax: 806-717-2052



1459 4" STL Set/Screw Conn, Ins Emt *Crouse-Hinds*

Catalog Number	1459
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Emt Set Screw Type Connector, Emt, Straight, Insulated, Steel, Two Tightening Screws, 4"
Weight per unit	2.2 (lbs/each)
Product Category	Steel Insulated Straight Set S

Features

connection	Threaded
dimensions	4.8800 IN X 4.7500 IN X 4.7500 IN

Material, Color, and Finish

Finish	Zinc Plated
--------	-------------

Dimensions and Weight

Size	4 in
------	------

Descriptions

Description	4" STL SET/SCREW CONN, INS EMT
extra long description	MIDWEST 1459 4 EMT RGD SS CONN INSU
Features	Crouse-Hinds series EMT connectors and couplings are used to join EMT conduit to a box or enclosure, or to couple two ends of EMT conduit. Our EMT fittings are available in set screw type and compression type, in both insulated and non-insulated versions. They are available in steel and zinc die cast. Crouse-Hinds series EMT connectors and couplings are also available painted in seven different colors to better match architectural specifications and preferences.
Long Description	Eaton Crouse-Hinds series EMT set screw type connector, EMT, Straight, Insulated, Steel, Two tightening screws, 4"
Product Type	4 Emt RGD SS Conn Insulated

Manufacturer Information

Brand	EATON CROUSE-HINDS SERIES
GTIN	00784564114594
Manufacturers Part Number	1459
UPC	784564114594

Taxonomies, Classifications, and Categories

Category Description	STEEL EMT FITTINGS
Type	Set screw type connector



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

110 Success Blvd
79029-0000, TX Dumas
Phone: 806-934-4805
Fax: 806-717-2052

Packaging

Carton	1
Weight Per each	2.2

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
standard	UL, cUL