



PRODUCT DATA SHEET

Upside Down Marking Paints-White, 17 Wt Oz
No. 18206 | Item# 1005226 | Case# 1005225

Product Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Color

White

Applications

To identify and code surfaces such as metal, concrete, asphalt, gravel, soil, trees and grass for construction, utility, recreational, municipal and landscaping sites, golf courses, nurseries and surveying.

Unit Package Description

20 Ounce Aerosol

Brand

CRC

Generic Description 1

Upside Down Marking Paints

Net Fill

17 Wt Oz

UPC Code

078254182063

Unit Dimensions

9.25H x 2.63W x 2.63D in

Units Per Case

6

Case Dimensions

10.18H x 5.6W x 11.3D in

Cases Per Pallet

136

Case Weight

8 lbs

1 2 of 5 Code

30078254182064

Appearance

White Liquid

Flash point (F)

-2°F

Flash point (C)

-19°C

Flammability Class - CPSC

Extremely Flammable

Spec Gravity Concentrate

0.77 to 0.85

Plastic Safe

Yes

Dry Time - Fully Dry

1 Hour

Dry Time - Tack Free

30 Minutes

Coverage

0 to 700 Linear Feet

Propellant

Hydrocarbon



Last revised: 3/27/2018
Page 1 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



PRODUCT DATA SHEET



Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	48.7
VOC g/L (Consumer Product def)	515.9
VOC lbs/gal (Consumer Prod def)	4.31
VOC Category	Aerosol Coating: Ground Traffic/Marking
MIR Limit (EPA)	1.2
MIR Limit (CA)	0.85
MIR Value	0.54
Removal (How To)	Remove: WET paint with mineral spirits or turpentine, DRY paint with lacquer thinner/stripper.

Last revised: 3/27/2018
Page 2 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



PRODUCT DATA SHEET

Upside Down Marking Paints-White, 17 Wt Oz
No. 18206 | Item# 1005226 | Case# 1005225

Product Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

Color

White

Applications

To identify and code surfaces such as metal, concrete, asphalt, gravel, soil, trees and grass for construction, utility, recreational, municipal and landscaping sites, golf courses, nurseries and surveying.

Unit Package Description

20 Ounce Aerosol

Brand

CRC

Generic Description 1

Upside Down Marking Paints

Net Fill

17 Wt Oz

UPC Code

078254182063

Unit Dimensions

9.25H x 2.63W x 2.63D in

Units Per Case

6

Case Dimensions

10.18H x 5.6W x 11.3D in

Cases Per Pallet

136

Case Weight

8 lbs

I 2 of 5 Code

30078254182064

Appearance

White Liquid

Flash point (F)

-2°F

Flash point (C)

-19°C

Flammability Class - CPSC

Extremely Flammable

Spec Gravity Concentrate

0.77 to 0.85

Plastic Safe

Yes

Dry Time - Fully Dry

1 Hour

Dry Time - Tack Free

30 Minutes

Coverage

0 to 700 Linear Feet

Propellant

Hydrocarbon



Last revised: 3/27/2018
Page 1 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



PRODUCT DATA SHEET



Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	48.7
VOC g/L (Consumer Product def)	515.9
VOC lbs/gal (Consumer Prod def)	4.31
VOC Category	Aerosol Coating: Ground Traffic/Marking
MIR Limit (EPA)	1.2
MIR Limit (CA)	0.85
MIR Value	0.54
Removal (How To)	Remove: WET paint with mineral spirits or turpentine, DRY paint with lacquer thinner/stripper.

Last revised: 3/27/2018
Page 2 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.