



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street  
75964-7263, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## 18412 16OZ Zinc-It Instant Cold Galvanize

*CRC Industries, Inc.*

Catalog Number	18412
Manufacturer	CRC Industries, Inc.
Description	Instant Cold Galvanize Coating, 16 Oz Aerosol Can, Gray, Aromatic Odor, 0.77 to 0.85 Specific Gravity, -2.2 °F; -19 °C Flash Point, 8 to 20 H Dry Time, 28 to 32 SQ.FT Coverage, Maximum Of +130 °F (Continuous); Maximum Of +150 °F (Intermittent), 1.25 LB
Weight per unit	1.3 (lbs/each)
Product Category	Tools - Paint, Chemicals, Etc.

### Features

Container Size in gal	.125
Drying Time	15 to 30 Minute
similar brands	Zinc-It®

### Dimensions and Weight

Container Size	16 OZ
----------------	-------

### Descriptions

Additional Information	PACKAGING QUANTITY 12 UNITS PER CASE
Also Known As...	Cold Galvanize
Commodity Description	Tools - Paint, Chemicals, Etc.
Description	16OZ ZINC-IT INSTANT COLD GALVANIZE

### Manufacturer Information

GTIN	00078254184128
UPC	078254184128

### Taxonomies, Classifications, and Categories

Category Description	AEROSOLS
Type	CORROSION, RUST

### Packaging

Carton	6
Package	12
Weight Per each	1.25



# PRODUCT DATA SHEET

Zinc-It® Instant Cold Galvanize, 13 Wt Oz  
 No. 18412 | Item# 1005240 | Case# 1005239



Product Description	High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly. Outdoor protection: 1-2 years.
Applications	On threads, exposed edges, fasteners, conduit, strapping, welds, fencing, railings, grates, electrical poles, breaker panel housings, rain spouts, signs, doors, trailers, waste containers, catwalks, and guard rails. Meets ASTM 780A
Unit Package Description	16 Ounce Aerosol
Brand	CRC
Generic Description 1	Instant Cold Galvanized Coating
Net Fill	13 Wt Oz
UPC Code	078254184128
Unit Dimensions	7.75H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	8.69H x 8.44W x 11.31D in
Cases Per Pallet	75
Case Weight	14 lbs
I 2 of 5 Code	30078254184129
Appearance	Gray Viscous Liquid
Flash point (F)	-2°F
Flash point (C)	-19&#176;C
Flammability Class - CPSC	Extremely Flammable
Spec Gravity Concentrate	0.77 to 0.85
Plastic Safe	Yes
Dry Time - Fully Dry	8 Hours
Dry Time - Tack Free	20 Minutes
Recoat	Before 1 Hour or After 48 Hours
Coverage	28 to 32 Sq Ft at 3 Mil Dry

Last revised: 6/29/2018  
 Page 1 of 2



Customer Care: 800-556-5074  
 Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



# PRODUCT DATA SHEET



Working Temp (F)	130°F (Continuous) / 150°F (Intermittent)
Working Temp (C)	54.4°C (Continuous) / 65.6°C (Intermittent)
Propellant	Hydrocarbon
Aerosol Flammability Level	III
Military Specification Number	Meets requirements of Mil-P-26915, Meets requirements of Mil-P-46105, Meets requirements of Mil-P-21035B
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	45.6
VOC g/L (Consumer Product def)	555.6
VOC lbs/gal (Consumer Prod def)	4.64
VOC Category	Aerosol Coating: Metallic
MIR Limit (EPA)	1.9
MIR Limit (CA)	1.25
MIR Value	1.2
Removal (How To)	Remove with aromatic solvents, Xylene. Toluene can be used, but is not recommended.

Last revised: 6/29/2018  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.