LIST PRICE CATALOG EFFECTIVE JANUARY 2, 2015





Illustrated Price Catalog

Manufacturers of Signaling Devices, Bells and Buzzers, Transformers, Electric Door Strikes, and Electrical Specialties





Lee Electric, Inc.

309-11 51st Street West New York, NJ 07093-0238 201-866-3656 800-433-3417 Fax No.: 201-866-0735 www.leeelectric.com

CONDITIONS OF SALE DISTRIBUTORS AND OTHER COMMERCIAL CUSTOMERS

NOTE: The following Conditions of Sale are subject to change. All Sales Transactions are subject to the latest published Conditions of Sale of Lee Electric, Inc. and to any Special Conditions of Sale which may be contained in applicable Lee quotations and acknowledgments. Modified consumer product warranties are provided to consumers.

 ACCEPTANCE, GOVERNING PROVISIONS, AND CANCELLATIONS. No order for Lee equipment or services shall be binding upon Lee until accepted by a writing of an authorized official of Lee or by shipment or other performance of such order. Any such order shall be subject to these Conditions of Sale, and acceptance shall be expressly conditioned on assent to such Conditions, which assent shall be deemed given unless purchaser shall expressly notify Lee to the contrary prior to any shipment or other performance of an order by Lee and, in any event, within five (5) days after receipt of any acknowledgement or confirmation of such order.

No order accepted by Lee may be altered or modified by purchaser unless agreed to in a writing signed by an authorized official of Lee; and no such order may be cancelled or terminated except upon payment of Lee's loss, damage and expense arising from such cancellation or termination.

No modified or other conditions will be recognized by Lee unless specifically agreed to in writing and failure of Lee to object to provisions contained in any purchase order or other communication from a purchaser (including, without limitation, penalty clauses of any kind) shall not be construed as a waiver of these Conditions nor an acceptance of any such provisions.

Unless otherwise agreed in writing by a duly authorized representative of Lee, pro-ducts sold hereunder are not intended for use in or in connection with a nuclear facility or activity. If so used, Lee disclaims all liability for any nuclear damage, injury or contamination, and purchaser shall indemnify Lee against any such liability, whether as a result of breach of contract, warranty, tort (including negligence) or otherwise.

Any contract for sale and these Conditions shall be governed by and construed according to the laws of the State of New Jersey.

QUOTATIONS AND PRICES. Written quotations are conditioned upon acceptance by purchaser within thirty (30) days from date issued and shall be considered as offers by Lee to sell during such thirty (30) day period unless sooner terminated by notice. Other Lee publications are maintained as sources of general information and are not quotations or offers to sell.

All prices are subject to change without notice. In the event of a net price change, the price of equipment on order but unshipped will be adjusted to the price in effect at the time of shipment. Downward adjustment of prices shall apply only to unshipped portions of outstanding orders.

Except as may otherwise be stated in quotations, discount schedules, catalogs, or other Lee publications, orders amounting to less than \$ 50.00 net will be billed at \$ 50.00. All clerical errors are subject to correction.

3. PAYMENT TERMS. Terms of payment for Lee products to purchasers of satisfactory credit are either (1) 2% cash discount for payment by the 10th proximo and net invoice amount for payment by the 25th proximo or (2) net 30 days. Applicable terms of payment are stated in quotations or on the discount sheet for the product involved.

Lee reserves the right at any time to demand full or partial payment before proceeding with a contract of sale if, in its judgement, the financial condition of purchaser shall not justify the terms of payment specified. If delivery is delayed or deferred by purchaser beyond the scheduled date, payment shall be due in full when Lee is prepared to ship and the equipment may be stored at the risk and expense of purchaser. If purchaser defaults when any payment is due, then the whole contract price shall become due and payable upon demand, or Lee, at its option, without prejudice to other lawful remedies, may defer delivery or cancel the contract for sale.

- 4. TAXES AND OTHER CHARGES. Any manufacturer's tax, retailer's occupation tax, use tax, sales tax, excise tax (except the Federal excise tax on vehicles), duty, custom, inspection or testing fee, or other tax, fee or charge of any nature whatsoever, imposed by any governmental authority, on or measured by any transaction between Lee and purchaser, shall be paid by purchaser in addition to the prices quoted or invoiced. In the event Lee shall be required to pay any such tax, fee or charges, purchaser shall reimburse Lee therefore; or, in lieu of such payment, purchaser shall provide Lee at the time the order is submitted with an exemption certificate or other document acceptable to the authority imposing the same. Purchase orders must state the existence and amount of any such tax, fee or charges responsibility to collect from purchaser and pay.
- 5. DELIVERY. Delivery of equipment to a carrier at any Lee facility or other shipping point shall constitute delivery to purchaser; and, regardless of freight payment, title and all risk of loss or damage in transit shall pass to purchaser at that time.

Great care is taken in packing Lee equipment. Lee cannot be held responsible for breakage after having received "in good order" receipts from the transportation company. All claims for loss and damage must be made by purchaser to the carrier.

Claims for shortages or other errors must be made in writing to Lee within 15 days after receipt of shipment, and failure to give such notice shall constitute unqualified acceptance and a waiver of all such claims by purchaser.

Except as may otherwise by stated in quotations, discount schedules, catalogs, or other Lee publications, freight will be allowed to the common carrier free delivery point nearest the destination on shipments within **THE UNITED STATES EXCLUDING ALASKA AND HAWAII**, except that such freight shall be prepaid but not allowed on shipments of Lee products having a net invoice price of less than Two Hundred Dollars (\$200).

No allowance will be made in lieu of transportation if purchaser accepts shipment at factory, warehouse, freight station, or otherwise supplies its own transportation.

Method and route of shipment will be at the discretion of Lee unless purchaser shall specify otherwise, and any additional expense of the method or route of shipment specified by purchaser shall be borne by purchaser. Lee reserves the right to make delivery in installments, unless otherwise expressly stipulated in the contract for sale; and all such installments when separately invoiced shall be paid for when due per invoice, without regard to subsequent deliveries. Delay in delivery of any installment shall not relieve purchaser of its obligations to accept remaining deliveries. Lee shall not be liable for any damage as a result of any delay due to any cause beyond Lee's reasonable control, including, without limitation, an act of God; act of purchaser or Lee's supplier; embargo or other governmental act, regulation or request; fire; accident; strike; slowdown; war; riot; delay in transportation; and inability to obtain necessary labor, materials or manufacturing facilities. In the event of any such delay, the date of delivery shall be extended for a period equal to the time lost by reason of the delay.

- 6. SUBSTITUTES. Lee may furnish suitable substitutes for materials unobtainable because of priorities or regulations established by governmental authority or nonavailability of materials from suppliers, and assumes no liability for deviation from published dimensions and descriptive information not essential to proper performance of the product.
- 7. WARRANTIES TO DISTRIBUTORS AND OTHER COMMERCIAL CUS-TOMERS. Lee warrants equipment manufactured by it to be free from defects in materials and workmanship for a period of one (1) year from date of shipment by Lee. If within such period any such equipment shall be proved to Lee's satisfaction to be so defective, such equipment shall be repaired or replaced at Lee's option. This warranty shall not apply (a) to equipment not manufactured by Lee, (b) to equipment which shall have ben repaired or altered by others than Lee so as, in its judgement, to affect the same adversely, or (c) to equipment which shall have been subjected to negligence, accident or damage by circumstances beyond Lee's control, or to improper operation, maintenance or storage, or to other than normal use or service. Lee shall in all respects conform and be limited to the warranty actually extended to Lee by its supplier. The foregoing warranties do not cover reimbursement for transportation, removal, installation, or other expenses which may be incurred in connection with repair or replacement.

Except as may be expressly provided in an authorized writing by Lee, Lee shall not be subject to any other obligations or liabilities whatsoever with respect to equipment manufactured by Lee or services rendered by Lee.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS AND IMPLIED WARRANTIES EXCEPT WARRANTIES OF TITLE, IN-CLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

- 8. LIMITATION OF LIABILITY. Anything to the contrary herein contained notwithstanding. LEE ELECTRIC, INC., ITS CONTRACTORS AND SUPPLIERS OF ANY TIER, SHALL NOT BE LIABLE IN CONTRACT, IN TORT (INCLUD-ING NEGLIGENCE OR STRICT LIABILITY OR OTHERWISE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHATSOEVER. The remedies of the purchaser set forth herein are exclusive are so stated and the total cumulative liability of Lee, its contractors and suppliers of any tier, with respect to this contract or anything done in connection therewith, such as the use of any product covered by or furnished under the contract, whether in contract, in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the product or part on which such liability is based.
- 9. RETURN OF EQUIPMENT: No equipment may be returned without first obtaining Lee's written permission and a returned material identification tag. Equipment accepted for credit, not involving a Lee error, shall be subject to a minimum service charge of \$20.00 or 20% of the invoice price, whichever is greater, plus all transportation charges incurred by Lee.

Returned equipment must be securely packed to reach Lee without damage, any cost incurred by Lee to put equipment in first class condition will be charged to purchaser.

10. PATENTS. As to equipment proposed and furnished by Lee, Lee shall defend any suit or proceeding brought against purchaser so far as based on a claim that said equipment constitutes an infringement of any patent of the United States, if notified promptly in writing and given authority, information, and assistance at Lee's expense for the defense of the same In event of a final award of costs and damages, Lee shall pay such award. In event the use of said equipment by purchaser is enjoined in such a suit, Lee shall, at its own expense, either (a) procure for purchaser the right to continue using said equipment, (b) modify said equipment to render it non-infringing, (c) replace said equipment with non-infringing equipment, or (d) refund the purchase price (less depreciation) and the transportation and installation costs of said equipment. Lee will not be responsible for any compromise or settlement made without its written consent.

The foregoing states the entire liability of Lee for patent infringement, and in no event shall Lee be liable if the infringement charge is based on the use of Lee equipment for a purpose of other than that for which sold by Lee. As to any equipment furnished by Lee to purchaser and manufactured in accordance with designs proposed by purchaser, purchaser shall indemnify Lee against any award made against Lee for patent, trademark, or copyright infringements.

11. PATTERNS AND TOOLS. Notice will be given if special patterns or tools are required to complete any order. Charges for such patterns or tools do not convey title thereto or the right to remove them from Lee's plant. If patterns or tools are not used for a period of two years, Lee shall have the right to scrap them without notice.

Catalog No.

Description

BLISTER CARDED PUSH BUTTONS

*These BC (Blister Carded) items are also available boxed at same price. Omit BC when ordering. Low voltage: Lighted to 16V AC; unlighted to 24V AC.

	0					
	*BC 200	I ³ / ₄ " Round, Brass		10	I Ib.	5.16
	*BC 200 C	I ³ / ₄ " Round, Chrome		10	I Ib.	6.00
5	*BC 200 P	1 ³ / ₄ " Round, Polished Brass		10	I lb.	6.00
	BC 200 LG	I¾" Round, Gold, Lighted		10	I Ib.	10.00
	*BC 201	2 ¹ / ₄ " Round, Brass		10	I lb.	5.60
	*BC 201 C	2 ¹ / ₄ " Round, Chrome		10	I Ib.	6.35
	*BC 201 P	2 ¹ / ₄ " Round, Polished Brass		10	I lb.	6.35
	BC 202	Single Nameplate, Brass	2" x 2% ₁₆ "	10	l lb.	8.74
	BC 203	Two Gang Nameplate, Brass	I ⁵ ⁄ ₈ " x 4 ³ ⁄ ₄ "	10	2 lbs.	10.85
	BC 203 C	Two Gang Nameplate, Chrome	I ⁵ / ₈ " x 4 ³ / ₄ "	10	2 lbs.	16.60
	BC 203 P	Two Gang Nameplate, Polished Brass	I ⁵ ⁄ ₈ " x 4 ³ ⁄ ₄ "	10	2 lbs.	16.60
	BC 204 G-I	Gold Escutcheon Unlit Button for Stud	$cco 2\frac{1}{2}$ " Dia.	10	I Ib.	6.80
	BC 204 G-2	Gold Escutcheon Unlit Button for Stucc	o w/Plastic Sleeve	10	I Ib.	8.80
\bigcirc	BC 204 LG-I	Gold Escutcheon Lighted Button for S	tucco 2 ¹ ⁄ ₂ " Dia.	10	I lb.	9.15
(\bigcirc)	BC 204 LG-2	Gold Escutcheon Lighted Button for Stu	icco w/Plastic Sleeve	10	I Ib.	11.60
C	BC 204 S-I	Silver Escutcheon Unlit Button for Stu	$1 cco 2\frac{1}{2}$ " Dia.	10	I Ib.	6.80
-	BC 204 S-2	Silver Escutcheon Unlit Button for Stuce	co w/Plastic Sleeve	10	I Ib.	8.80
GD -	BC 204 LS-I	Silver Escutcheon Lighted Button for S	Stucco $2\frac{1}{2}$ " Dia.	10	I Ib.	9.15
	BC 204 LS-2	Silver Escutcheon Lighted Button for St	ucco w/Plastic Sleeve	10	I Ib.	11.60
	BC 204-PS	Plastic Wiring Sleeve for 204 G or LG	S or LS	10	I lb.	3.20
	*BC 205 B	⁵ / ₈ " Push Button, Brass		10	¼ lb.	4.35
or A	*BC 205 C	⁵ / ₈ " Push Button, Chrome		10	¼ lb.	4.35
IC	*BC 205 LB	⁵ / ₈ " Pearl Push Button, Brass, Lighted		10	¼ lb.	6.60
	*BC 205 LC	%" Pearl Push Button, Chrome, Lighte	ed	10	¼ lb.	6.60



I

Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

10

2 lbs. 21.95

BLISTER CARDED PUSH BUTTONS (Continued)

Three Gang Nameplate, Brass



BC 208 B

\bigcirc	202002	15%" x 7"		2 1001	,•
Õ	BC 208 C	Three Gang Nameplate, Chrome	10	2 lbs.	27.15
Ó	BC 208 P	Three Gang Nameplate, Polished Brass I ⁵ / ₈ " x 7"	10	2 lbs.	27.15
	BC 215 B	Oblong Escutcheon 2" x 15/8" Brass Finish	10	³ ⁄ ₄ lb.	7.05
	BC 215 C	Oblong Escutcheon 2" x 1 ⁵ / ₈ " Chrome	10	³ ⁄ ₄ lb.	7.05
\bigcirc	BC 215 LB	Oblong Escutcheon 2" x $1\frac{5}{8}$ " Brass Finish, Lighted	10	³ ⁄ ₄ lb.	10.25
	BC 215 LC	Oblong Escutcheon 2" x 1 ⁵ / ₈ " Chrome, Lighted	10	³∕₄ lb.	10.25
	BC 260 C	ا7⁄8'' Round, Chrome Finish	10	14 oz.	7.00
	BC 260 P	1 ⁷ / ₈ " Round, Brass Finish	10	14 oz.	7.00
	BC 260 LB	1%" Round, Brass Finish, Lighted	10	14 oz.	8.80
· ·	BC 260 LC	I_8^{γ} " Round, Chrome Finish, Lighted	10	14 oz.	8.80
	BC 262 P	$2\frac{7}{8}$ " x $1\frac{3}{16}$ " Rectangle, Brass Finish	10	14 oz.	7.20
	BC 262 LB	$2\frac{7}{8}$ " x $1\frac{3}{16}$ " Rectangle, Brass Finish, Lighted	10	14 oz.	10.60
٨	BC 263 C	3 ⁷ / ₈ " x 2" Star, Chrome Finish	10	I lb.	9.75
	BC 263 P	3 ⁷ / ₈ " x 2" Star, Brass Finish	10	I Ib.	9.75
	BC 263 LB	$3\frac{7}{8}$ " x 2" Star, Brass Finish, Lighted	10	I Ib.	12.85
V	BC 263 LC	$3\frac{7}{8}$ " x 2" Star, Chrome Finish, Lighted	10	I lb.	12.85
	BC 264 C	Diamond or Square, Chrome Finish, Unlighted $2\frac{1}{2}$ " x $2\frac{1}{2}$ "	10	14 oz.	7.00
	BC 264 LC	Diamond or Square, Chrome Finish, Lighted $2\frac{1}{2}$ " x $2\frac{1}{2}$ "	10	14 oz.	9.65
	BC 265 B	Slim Bar Type Metal, Gold, Unlighted $2\frac{3}{4}$ " x $1\frac{1}{16}$ "	10	I lb.	6.80
F	BC 265 C	Slim Bar Type Metal, Silver, Unlighted $2\frac{3}{4}$ " x $1\frac{1}{16}$ "	10	I Ib.	6.80
	BC 265 LG	Slim Bar Type Metal, Gold, Lighted $2\frac{3}{4}$ " x $1\frac{1}{16}$ "	10	I Ib.	8.50
	BC 265 LS	Slim Bar Type Metal, Silver, Lighted $2\frac{3}{4}$ " x $1\frac{1}{16}$ "	10	I Ib.	8.50
	BC 265 LW	Slim Bar Type Metal, White, Lighted $2\frac{3}{4}$ " x $1\frac{1}{16}$ "	10	I Ib.	8.50



	Catalog No.	Description	Std. Qty.	Pkg. Weight	Lis Pric
	BLIS	TER CARDED PUSH BUTTONS (Co	ontinued)		
(Surgerson a)	BC 266 BLK	Slim Bar Type, 2 ¹³ / ₁₆ " x ⁷ / ₈ ", Black, Unlighted	10	I lb.	6.I
		Slim Bar Type, 2 ¹³ / ₁₆ " x ⁷ / ₈ ", Brown, Unlighted	10	I Ib.	6.I
and the second se	BC 266 W	Slim Bar Type, $2^{13}/_{16}$ " x $7/_{8}$ ", White, Unlighted	10	I lb.	6.1
Service Service	BC 266 B	Slim Bar Type, $2^{13}/_{16}$ " x $7/_{8}$ ", Gold, Unlighted	10	I Ib.	6.I
	BC 266 C	Slim Bar Type, 2 ¹³ /16" x ⁷ /8", Silver, Unlighted	10	I Ib.	6.I
Contraction of the second	BC 266 LBLK	Slim Bar Type, 2 ¹³ / ₁₆ " x ⁷ / ₈ ", Black, Lighted	10	I Ib.	7.6
	BC 266 LG	Slim Bar Type, 2 ¹³ /16" x ⁷ /8", Gold, Lighted	10	I Ib.	7.6
	BC 266 LS	Slim Bar Type, 2 ¹³ / ₁₆ " x ⁷ / ₈ ", Silver, Lighted	10	I Ib.	7.6
	BC 266 LBRN	Slim Bar Type, 2 ¹³ / ₁₆ " x ⁷ / ₈ ", Brown, Lighted	10	I Ib.	7.6
	BC 266 LW	Slim Bar Type, 2 ¹³ / ₁₆ " x ⁷ / ₈ ", White, Lighted	10	I lb.	7.6
I	BC 267 LG	Single Lighted Name, 2 ⁵ /16" x1 ³ %", Gold	10	۱¼ lbs.	18.0
	BC 267 LS	Single Lighted Name, 2 ⁵ / ₁₆ " x 1 ³ / ₈ ", Silver	10	۱¼ lbs.	18.0
Ó					
	BC 268 LG	Double Lighted Name, 5 ¹ / ₄ " x 1 ³ / ₈ ", Gold	10	21/2 lbs.	22.
Ċ I	BC 268 LS	Double Lighted Name, $5\frac{1}{4}$ " x $1\frac{3}{8}$ ", Silver	10	$2\frac{1}{2}$ lbs.	22.9
0	BC 269 LG	Triple Lighted Name, $7\%_{16}$ " x 1% ", Gold,	10	3 lbs.	34.
0 0	BC 269 LS	Triple Lighted Name, $7\%_{16}$ " x $1\%_{8}$ ", Silver,	10	3 lbs.	34.
	One price app	lies regardless of finish. Indicate finish when ordering BC 270 t	hrough BC 277.		
	BC 270	Castillian 2" Diameter, Lighted White & Polished Brass White & Polished Chrome Black & Pewter	10	I ½ lbs.	12.
Ó	BC 271	Mandarin 2" x 2", Lighted Black & Polished Brass White & Gold Black & Pewter	10	I ½ lbs.	12.
6	BC 272	Medallion 2" Diameter, Lighted Black & Polished Brass Black & Gold	10	I ½ lbs.	12.
	BC 273	Versailles 5 ¹ / ₂ " x 1", Lighted White & Polished Brass White & Polished Chrome Black & Pewter	10	I ½ lbs.	12.



	Catalog No.		Description		Std. Qty.	Pkg. Weight	List Price
				JSH BUTTONS (C e finish when ordering BC 270			
*000×	BC 274	Corinthian 5" White & I Black & P	Polished Chro		10	I ½ lbs.	12.10
	BC 276	Shield 3½" x l Antique li Antique B	ron		10	I ^I ∕₂ lbs.	12.10
	BC 277	Fleur de Lis 5 Antique li Antique B Bright Go	ron Brass	ed	10	2 lbs.	13.50
Ş	BC 278	Femina 3½" x Antique C			10	2 lbs.	13.50
6				5H BUTTONS (Lighted) lished Brass or Pewter			
0	BC 285 LB	Buckingham	Brass	$4\frac{1}{2}$ x $1\frac{1}{4}$	6	3 lbs.	19.75
٩	BC 285 LC	Buckingham	Pewter	4½" x 1¼"	6	3 lbs.	19.75
	BC 286 LB	Regent	Brass	2³⁄4" x 1¹⁄4"	6	۱½ lbs.	13.30
	BC 286 LC	Regent	Pewter	2 ³ / ₄ " x 1 ¹ / ₄ "	6	I ½ lbs.	13.30
	BC 287 LB	Churchill	Brass	3" x 1¼"	6	۱½ lbs.	17.00
	BC 287 LC	Churchill	Pewter	3" x 1¼	6	$1\frac{1}{2}$ lbs.	17.00
				· · · · ·			
		Outend	Brass	3 ⁹ / ₁₆ " x ¹⁵ / ₁₆ "	6	I ½ lbs.	13.30
	BC 288 LB	Oxford	Drass	· / 10 · / 10	•	1 /2 103.	10.00

LEE ELECTRIC INC. 800-433-3417 www.leeelectric.com

Catalog No.

BLISTER CARDED PUSH BUTTONS (Continued) DECORATOR PUSH BUTTONS (Lighted) Available in Polished Brass or Pewter

• 0 •	BC 289 LB BC 289 LC	Windsor Windsor	Brass Pewter	27⁄8" x I ½ 27⁄8" x I ½	-	6 6	l ½ lbs. I ½ lbs.	17.00 17.00
	BC 290 LB BC 290 LC	Lancaster Lancaster	Brass Pewter	3¼" x I½ 3¼" x I½	-	6 6	2 lbs. 2 lbs.	18.25 18.25
T.	BC 291 L CLR		eplacement pu ough BC290 Se 9 for display info	eries	for	6	I lb.	6.70
		Mini-Estate – S	urface Mounte	ed – Lighte	d			
	BC 293 LSS	Stainless Steel		¹⁵ ⁄ ₁₆ " x 3	/4"	6	I Ib.	15.90
•	BC 293 LMBLK	Matte Black		¹⁵ / ₁₆ " x 3	4"	6	I lb.	15.90
	BC 293 LPB	Polished Brass		¹⁵ ⁄ ₁₆ " x 3	/4"	6	I Ib.	15.90
	BC 293 LPW	Pewter		¹⁵ ⁄ ₁₆ " x 3	/4"	6	I lb.	15.90
	BC 293 LRB	Rustic Brick		¹⁵ / ₁₆ " x 3	4	6	I Ib.	15.90
	BC 293 LMW	Matte White		¹⁵ / ₁₆ " x 3	-	6	I Ib.	15.90
	BC 293 LWBZ	Weathered Bro	onze	¹⁵ / ₁₆ " x 3	-	6	I Ib.	15.90
		See Page 19 for	Display inform	ation.				
	BC 601 BR	Cast Brass Pus	h Button Plate	e, 3¾" x 1½	;", Unlighted	10	1 ³ ⁄ ₄ lbs.	7.40
	BC 601 BLK	Cast Black Pus			-	10	$1\frac{3}{4}$ lbs.	7.40
	BC 601 W	Cast Push Butt	con Plate, $3\frac{3}{4}$ "	x I ½",₩h	ite, Unlighted	10	1¾ lbs.	7.40
Q	BC 601 L BR	Cast Brass Pus	h Button Plate	e, 3¾" x 1½	2", Lighted	10	1¾ lbs.	9.80
M	BC 601 L BLK	Cast Black Pus	h Button Plate	e, 3¾" x 1½	2", Lighted	10	1 ³ ⁄ ₄ lbs.	9.80
₩.	BC 601 LW	Cast Push Butt	con Plate, 3 ³ / ₄ "	x I½",₩h	ite, Lighted	10	1¾ lbs.	9.80
2	BC 666 B	Plastic Button	Black – Ivory E	Bar	2 ³ ⁄ ₄ " x ³ ⁄ ₄ "	10	I Ib.	3.65
	BC 666 P	Plastic Button	Gold Body – Iv	ory Bar	2¾" x ¾"	10	I lb.	4.65
	BC 666 W	Plastic Button	Ivory – Black E	Bar	2¾" x ¾"	10	I lb.	3.65
<u>مر</u>	BC 666 S	Plastic Button	Silver Body – E	Black Bar	2¾" x ¾"	10	I lb.	4.65



5

Catalog	Description	Std.	Pkg.	List
No.		Qty.	Weight	Price

CLAM SHELL PACKAGED TRANSFORMERS **COMPLETE WITH GROUND WIRE**

120V AC Primary

Cat. Nos. BC 323M - BC 592 available at lower cost. See Nos. 323M - 592.

Барана во	C 323 M	Chime Transformer 16 Volts, 10 "Lock nut type"	VA	5	5 lbs.	16.45
вс	C 323 M-15	Chime Transformer 16 Volts, 15 "Lock nut type"	VA	5	5 lbs.	18.30
BC	592	Heavy Duty Trivolt 8-16-24 8 & 16 Volts – 10 VA 24 Volts – 20 VA	"Lock nut type"	5	5 lbs.	26.10

BLISTER CARDED AUDIBLE SIGNALS

8-16V AC

Cat. Nos. BC 302 - BC 305 avail. boxed at lower cost. See Nos. 302 - 305.

Č	BC 302	2 coil Bell, Concealed Terminals, 2 ¹ / ₂ " Dia. Gong	6	3 lbs.	16.30
	BC 303	2 coil Bell, Concealed Terminals, 3" Dia. Gong	6	3 lbs.	19.40
	BC 304	2 coil Bell, Concealed Terminals, 4" Dia. Gong	6	4 lbs.	21.35
	BC 305	2 coil Buzzer, Concealed Terminals	6	2 lbs.	13.95



All LEE Door Chimes are packaged with complete fastening hardware, positioning templates and easy-to-follow instructions. LEE Chimes are designed to fit doors and walls up to 4-3/4" thick.

There are a variety of handsome decorator finishes to chooose from. Each finish blends attractively with a wide range of decors.



BC 1028-685 Hotel Model, One-Way Wide Angle Viewing Lens. 5" h x 2" w



BC 1028-686 **One-Way Wide** Angle Viewing Lens, Apartment Identification, Name Plate. 5" h x 2" w



BC 1028-687 Economy Model, Name Plate Only, No Viewer. $2\frac{1}{4}$ " h x 2" w

- -

. . ..

BC 1028-689 Modern, Deep Recessed, Deluxe One-Way Viewing Mirror. Apartment Identification Card, Name Card. Heavy Cast Metal Plate. 6⁵/₈" h x 3" w

7

List

BC 1028-685-BZ Non-Electric Chime Bronze	5" x 2"	30	24 lbs.	27.20
BC 1028-685-GP Non-Electric Chime Gold	5" x 2"	30	24 lbs.	27.20
BC 1028-685-SP Non-Electric Chime Silver	5" x 2"	30	24 lbs.	27.20
BC 1028-686-BZ Non-Electric Chime Bronze	5" x 2"	30	24 lbs.	27.20
BC 1028-686-GP Non-Electric Chime Gold	5" x 2"	30	24 lbs.	27.20
BC 1028-686-SP Non-Electric Chime Silver	5" x 2"	30	24 lbs.	27.20
BC 1028-687-GP Non-Electric Chime Gold	2¼" x 2"	30	24 lbs.	22.85
BC 1028-687-SP Non-Electric Chime Silver	2¼" x 2"	30	24 lbs.	22.85
BC 1028-689-GP Non-Electric Chime Gold	6 ⁵ ⁄ ₈ " x 3"	30	36 lbs.	27.20
BC 1028-689-SP Non-Electric Chime Silver	65⁄8" x 3"	30	36 lbs.	27.20
BC 1028-689-GMT Replacement Grommet		50	1/4 lb.	.30



Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

CLAM SHELL PACKAGED DECORATOR DOOR CHIMES

All Chimes 16V AC, Two Notes Front Door, One Note Rear Door, unless otherwise indicated. See Page 18 for Chime Display Information.

BC 1032	White	7¼" x 4"	3	3 lbs.	22.95
BC 1035 BC 1036	White & Gold White & Silver	7¼" x 4" 7¼" x 4"	3 3	3 lbs. 3 lbs.	26.35 26.35
BC 1039	Walnut & Gold	7 ¹ ⁄ ₄ " x 4"	3	3 lbs.	26.35
BC 1050 BC 1055	White Acrylic & Gold Tubes White Acrylic & Silver Tubes	9" x 7" 9" x 7"	3 3	3 lbs. 3 lbs.	44.35 44.35
BC 1051 BC 1056	Solid Oak & Gold Tubes Solid Oak & Silver Tubes	9" x 7" 9" x 7"	3 3	3 lbs. 3 lbs.	59.25 59.25
BC 1052	Black Acrylic & Gold Tubes	9" x 7"	3	3 lbs.	44.35
BC 1054	Walnut & Gold Tubes	9" x 7"	3	5 lbs.	44.35
FA-50-G	Glass Replacement Rod for (Cat. No. FA-50 (Packed 20 per box)	20	½ lb.	3.00



Catalog No.	Descriptio	n	Std. Qty.	Pkg. Weight	List Price
PI-12-20	Plug-in 12V AC, 20V A	For general signaling	I	I lb.	23.50
PI-16-20	Plug-in 16V AC, 20V A	For general signaling	I	I lb.	23.50
PI-24-20	Plug-in 24V AC, 20V A	For general signaling	I	I lb.	23.50
PI-12-40	Plug-in 12V AC, 40V A	For heavy duty signaling	I	2 lbs.	29.65
PI-16-40	Plug-in 16V AC, 40V A	For heavy duty signaling	I	2 lbs.	29.65
PI-24-40	Plug-in 24V AC, 40V A	For heavy duty signaling	I	2 lbs.	29.65
PI-12-50	Plug-in 12V AC, 50V A	For post lighting	I	2 lbs.	32.10
PI-24-50	Plug-in 24V AC, 50V A	For post lighting	I	2 lbs.	32.10
PS-12	DC Power Supply				
	12 DC 1000 miliamps		I	½ Ib.	29.25
PS-24	DC Power Supply				
	24 DC 1000 miliamps		I	½ Ib.	29.25

CLAM SHELL PACKAGED WIRELESS CHIMES

	WC 100	Wireless Chime	Battery Operated Receiver Battery Operated Transmitter	6	3 lbs.	30.05
0	WC 102	Wireless Chime	Plug-In Receiver Battery Operated Transmitter	6	4 lbs.	32.55
	WC 105	2-Entrance Wireless Chime –	Battery Operated Receiver Battery Operated Transmitter	6	4 lbs.	39.40
0]]	WC 106	2-Entrance Wireless Chime –	Plug-in Receiver Battery Operated Transmitter	6	4 lbs.	42.50
	WC 109	Transmitter and Battery Comb Lee Wireless Chimes	o for All	6	2 lbs.	13.10



Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

ELECTRIC DOOR STRIKES Standard Voltage 8-16V AC, unless otherwise indicated.

For Solenoid Door Openers, choose either 16V AC or 24 V AC/DC

		Tor Solehold Door Openers, choose entiter Tor AC or 24 TACIDC			
0	2	Mortise Type Flat Face	5	3 ¼ lbs.	69.15
	2 SOL	Mortise Type Flat Face Solenoid	I	I Ib.	74.10
	+2 RS	Mortise Type Flat Face, Reverse Action 24V AC/DC	I.	I Ib.	153.10
	2 R	Mortise Type Round Face	2	I Ib.	106.20
	2 R SOL	Mortise Type Round Face Solenoid	I	I lb.	113.60
	+2 R RS	Mortise Type Round Face, Reverse Action 24V AC/DC	I	I Ib.	160.50
	3	Rim Type Door Opener	5	3¾ lbs.	79.00
	4	Mortise Type Knockout	5	3¾ lbs.	83.00
	5	Mortise Type Door Opener	5	3¾ lbs.	50.00
	5 S	Mortise Type, for Schlage Type Lock Set	5	5 lbs.	63.00
	6	Rim Type Door Opener	5	5 lbs.	70.40
	7	Mortise Type Door Opener	5	5 lbs.	101.25
Þ	*12	Mortise Type ANSI Standards Brass 47/8"	I	I lb.	101.25
	*12 C	Mortise Type ANSI Standards Chrome 47/8"	I.	I lb.	105.00
	+12 RS	Mortise Type ANSI Standards 47/8", Reverse Action	I.	I lb.	158.05
	+12 C RS	Mortise Type ANSI Standards Chrome 4 ⁷ / ₈ " Reverse Action	I	I Ib.	164.20
ÎT	*I2-407B	Mortise Type Flat Face Brass 4%	I	I Ib.	88.90
L	*I2-407C	Mortise Type Flat Face Chrome 4 ⁷ / ₈ "	I	I lb.	91.35
0		*Specify 16VAC, 24VAC or 24VAC/DC			

SEE PAGES 11 AND 12 FOR MORE ELECTRIC DOOR STRIKE PRICING AND INFORMATION



	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
	SEE PAGE I) FOR ELECTRIC DOOR STRIKE PHOTOS			
	14	Mortise Type ANSI Standards 2 ³ / ₄ "	5	I_{2}^{1} lbs.	63.00
	I4 DL	Mortise Type Extra Narrow for Dead Lock	2	I lb.	67.90
		Add for Chrome No. 14 Models			4.95
9		Add for Chrome – Nos. 4, 5, 5S, 7			4.95
		Add for 24V AC – Nos. 2, 3, 4, 5, 5S, 6, 7, 14			6.20
		Add for 12V DC - Nos. 220, 2, 3, 4, 5, 5S, 6, 7, 14			6.20
		Add for 24V DC – Nos. 220, 2, 3, 4, 5, 5S, 6, 7, 14			6.20
		2 FOR NO. 220 MORTISE OPENER – OUR MOST POPULAR MODEL!			
	+Reverse Action	on means normally unlocked – power locks units (24V AC/DC only) Door Openers, choose either 16V AC or 24V AC/DC			
<u>~</u>		ELECTRICAL SPECIALTIES			
N	207	Doortrip Switch – Rings when Door Opens & Closes Low Voltage Only 24V AC Max.	5	l lb.	22.25
		Low voltage Only 244 AC Max.			
		ECONOMY DOOR LIGHT SWITCH			
		$I_{4}^{\prime\prime}$ " wide plate; 6 amp switch. I20V AC maximum.			
6	209 DN	Door Switch – 'On' when Door is Open – 50 Pack	50	20 lbs.	14.10
-	209 DN	Door Switch – 'On' when Door is Open – 100 Pack	100	40 lbs.	12.85
0		Call factory for larger quantity pricing.			
		SPECIFICATION GRADE DOOR LIGHT SWITCH $I_4^{\prime\prime}$ wide plate; 10 amp switch. 120V AC maximum.			
~ @	210 DN	Door Switch – 'On' when Door is Open (Gold Plate)	25	II lbs.	17.08
6	210 DN-W		10	4 lbs.	19.28
-	210 DN-S	Door Switch – 'On' when Door is Open (Silver Plate)	10	4 lbs.	19.28
0					
	210 SW	Switch on plate with leads	10	3 lbs.	11.63

Call factory for larger quantity pricing.



	Catalog No.	Description	Std. Qty.	Pkg. Weight	List. Price
- e		ELECTRICAL SPECIALTIES (Continued)			
		I 1/2 WIDE PLATE 10 AMP SWITCH 120 VAC MAXIMUM			
0	212 DN	Door Switch – 'On' when Door is Open	25	I 2 lbs.	16.85
		Available in Gold or Gray Faceplate - Specify color.			
		CAST BODY DOOR LIGHT SWITCH			
		1^{3}_{16} " wide plate; 6 amp switch. 120V AC maximum.			
	217 DN	Door Switch – 'On' when Door is Open – 50 Pack	50	29 lbs.	14.10
Ø	217 DN	Door Switch – 'On' when Door is Open – 100 Pack	100	57 lbs.	12.85
		50 piece minimum. Call factory for larger quantity pricing.			
		ELECTRIC DOOR OPENER			
		Standard Voltage 8-16V AC, 3-6V DC			
T	220	Mortise Door Opener	25	20 lbs.	39.75
	220 SOL	Mortise Door Opener, Solenoid type	I	I lb.	49.60
		(Specify 16V AC or 24V AC/DC)			
	220 RS	Mortise Type, Reverse Action (normally unlocked)	I	I Ib.	123.50
2		24V AC/DC only			
	220 S	Mortise Door Opener ($\frac{1}{4}$ " plate for schlage lock)	I	I Ib.	79.00
		Add for Chrome No. 220			4.95
		Add for 24V AC			6.20
	244 RB	*Roller Ball Contact for Open Circuit Use	10	^I ∕₄ lb.	11.85
	245 RB	*Roller Ball Contact for Closed Circuit Use	10	¼ lb.	11.85
0	246 RB	*Roller Ball Contact for Make & Break Circuit	10	¼ Ib.	12.40
		*Low Voltage Only 48V AC Max.			



Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
302	AUDIBLE SIGNALS 8-16V AC 2 coil Bell, Concealed Terminals, 2½" Dia. Gong, Boxed	100	38 lbs.	15.55
303	2 coil Bell, Concealed Terminals, 3" Dia. Gong, Boxed	10	5 lbs.	18.00
304	2 coil Bell, Concealed Terminals, 4" Dia. Gong, Boxed	10	8 lbs.	20.50
305	2 coil Buzzer, Concealed Terminals, Boxed	100	24 lbs.	13.10
306	2 coil Bell, Concealed Terminals, 6" Dia. Gong	6	I 2 lbs.	96.45
	TRANSFORMERS			

TRANSFORMERS

COMPLETE WITH GROUND WIRE 120V Primary, unless otherwise indicated

323 M	Chime Transformer 16 Volts, 10 VA, with "Lock Nut Type"	50	47 lbs.	15.30
323 M-15	Chime Transformer 16 Volts, 15 VA, with "Lock Nut Type"	25	23 lbs.	17.00



	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
		AUDIBLE SIGNALS			
	410	Recessed Bell 8-12V AC	5	2 lbs.	29.65
	411	Recessed Buzzer 8-12V AC	5	2 lbs.	29.6
	412	Recessed Combination Bell-Buzzer, 8-12V AC	5	2 lbs.	42.0
0	415	Recessed Bell and Push Combination, 8-12V AC	5	2 lbs.	39.50
	416	Recessed Buzzer and Push Combination, 8-12V AC	5	2 lbs.	39.50
۵ ایس ۱۹۹۱	417	Recessed Combination Bell-Buzzer & Push, 8-12V AC	5	2 lbs.	46.95



	Catalog No.	Description		Std. Qty.	Pkg. Weight	List Price
			1ERS (Continued) TH GROUND WIRE			
	592	Heavy Duty 8-16-24 Trivolt	8 & 16 Volts – 10 VA; 24 Volts – 20 VA 120V Primary	10	8 lbs.	25.30
	598	Heavy Duty 8-16-24 Trivolt 8	Volts – 20 VA; 16 & 24 Volts – 30 VA 120V Primary	10	l 6 lbs.	29.95
	599	Heavy Duty 24Volts – 40 VA	120V Primary	10	16 lbs.	30.90
A LE	599-P	Heavy Duty 24Volts – 40 VA	120V Primary with Plate	20	30 lbs.	33.85

HANGING BOXED PROJECT DOOR CHIMES

636 EMR BOX

2 Door Type – 16V AC

32 lbs. 16.80

30

HANGING BOXED PROJECT DOOR CHIME KITS

636P-EMR-16-C	2 Door Chime w/ No. 323M – 16 Volts–10 VA	24	50 lbs.	26.65
	Lighted White Bar Push Buttons. r fits over 2 Gang Box			




Contact factory for quantity pricing and special Chime Kit Packs made to your requirements.



	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
		AUDIBLE SIGNALS (Continued)			
100	*810	Brass Weatherproof Push Button	I	¹ ∕₂ lb.	76.60
	*810 X	Brass Weatherproof Push Button, with Conduit Plate	I	¹ ∕₂ lb.	82.75
		*Low Voltage to 24V AC			
	1211	Magnet Reed Switch Contact Set, Closed Circuit	5	¹ ∕₂ lb.	16.30
)	24V AC/DC Max.			
- 6 8 1	1224	Magnetic Reed Switch Contact Set, Open Circuit	5	¹ ∕₂ lb.	16.30
		24V AC/DC Max.			
- 21 8 100 -	1268	Make & Break Magnetic Switch – Surface Type	5	¹ ∕₂ lb.	19.50
	h	24V AC/DC Max.			
1	1268 cover	Protective Cover for Magnetic Switches	10	^I ∕ ₈ lb.	2.60ea.
\$0: 0\$	1268 spacer	Insulating Spacer for Magnetic Switches	10	^I ∕8 lb.	2.60ea.





Catalog	
No.	

3200+

Description

14.85

VIBRATING BELLS

+ For general signaling purposes only. Not for fire usage.

Vibrating Bells, AC (Operation, 60 Cycles. Note: Specify Gor	ng Size & Voltage.		
4" Gong Size –	12 V AC *	5	5 lbs.	126.00
	24 V AC	5	5 lbs.	126.00
	120V AC	5	5 lbs.	126.00
	240V AC	5	5 lbs.	126.00
6" Gong Size –	12 V AC *	5	I 5 Ibs.	142.00
	24 V AC	5	15 lbs.	142.00
	120V AC	5	I 5 lbs.	142.00
	240V AC	5	I 5 Ibs.	142.00
Use prefix WP for Weatherproofing–Model 3200, Add				
(Not Available Separately)				ea.
*Requires minimum o	of 25 VA.			

INDOOR OPERATION ONLY. Note: Specify Gong Size & Voltage.

3600+




Economy Line, Vibrating Bells, AC Operation

4" Gong Size –	12V AC*	5	5 lbs.	86.50
	24 V AC	5	5 lbs.	86.50
	120V AC	5	5 lbs.	86.50
6" Gong Size –	12 V AC *	5	15 lbs.	89.00
	24 V AC	5	I 5 lbs.	89.00
	120V AC	5	I 5 lbs.	89.00
No Back Box Furnished.				

For Red Gong-Models 3200, 3600, Add *Requires minimum of 25 VA.



Display for BC285LB - BC290LB



Get this push button display FREE with your order of (6) six each Catalog Nos. BC 285LB through BC 290LB, featured on pages 4 and 5.

Ask for a FREE Push Button Display Board and Hooks. Holds 12 styles of blister carded push buttons. Size: 15" x 26". (Push buttons not included.)



Size: 2' x 4'; 2 Sections

Get this display FREE with your order of (3) each of Catalog Numbers: BC 1032, BC 1035, BC 1036, BC 1050, BC 1051, BC 1054, BC 1055, and BC 1056. This colorful working display is the perfect way to show potential customers the LEE chimes that are available for purchase.



Display for BC293LSS - BC293LWBZ



Get this push button display FREE with your order of (6) six each Catalog Nos. BC 293LSS through BC 293LWBZ, featured on page 5.



Notes

Notes



Quality Electrical Devices