

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Type

3BR2442L150 3PH 150A MIo 24/42 Cir. Al Bus Nema 1 Eaton Corp

Manufacturer Eaton Corp Description Main Lug Load Center, 24 Spaces, 42 Circuits, 150 A, 120/208/240 V Ac, #4 Awg to 300 Kcmil Wire Size, Metallic (Enclosure) Material, Aluminum Bus Material, 53.3400 CM Overall Length, 36.3474 CM Overall Width, 98.5520 CM Overall Height Weight per unit 28.2 (Ibs/each) Product Category Three Phase Main Lug Load Cent Features amperage rating 150 Cover Type Cover included dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces 24 Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main	Catalog Number	3BR2442L150
Description Main Lug Load Center, 24 Spaces, 42 Circuits, 150 A, 120/208/240 V Ac, #4 Awg to 300 Kcmil Wire Size, Metallic (Enclosure) Material, Aluminum Bus Material, 53.3400 CM Overall Length, 36.3474 CM Overall Width, 98.5520 CM Overall Height Weight per unit 28.2 (lbs/each) Product Category Three Phase Main Lug Load Cent Features amperage rating 150 Cover Type Cover included dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces 24 Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description Pescription 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 Extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	S .	
Weight per unit Product Category Three Phase Main Lug Load Cent Features amperage rating 150 Cover Type Cover included dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces 24 Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Description	Main Lug Load Center, 24 Spaces, 42 Circuits, 150 A, 120/208/240 V Ac, #4 Awg to 300 Kcmil Wire Size, Metallic (Enclosure) Material, Aluminum Bus Material, 53.3400 CM Overall Length, 36.3474 CM Overall Width, 98.5520 CM Overall
Features amperage rating 150 Cover Type Cover included dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces 24 Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description SPeatures Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Weight per unit	
amperage rating Cover Type Cover included dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces Phase 3 Dimensions and Weight Depth Beight Depth Size D1 Width Descriptions Descriptions Description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Wanufacturer Information GTIN 00786676441704		
amperage rating Cover Type Cover included dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces 24 Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Wanufacturer Information GTIN 00786676441704	eatures	
Cover Type dimensions 3.8800 IN X 14.5000 IN X 29.1200 IN number of spaces 24 Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Wanufacturer Information GTIN O0786676441704		150
dimensions number of spaces 24 Phase 3 Dimensions and Weight Depth Depth Size D1 Width Descriptions Descriptions Description Extra long description Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Wanufacturer Information GTIN 00786676441704		
Phase 3 Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704		3.8800 IN X 14.5000 IN X 29.1200 IN
Dimensions and Weight Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	number of spaces	24
Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Phase	3
Depth 3.8800 Height 29.1200 Size D1 Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Dimensions and Weight	
Size D1 Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704		3.8800
Width 14.5000 Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Height	29.1200
Descriptions Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Size	D1
Description 3PH 150A MLO 24/42 CIR. AL BUS NEMA 1 extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704	Width	14.5000
Description extra long description ETN 3BR2442L150 3 Ph/BR LC 150A MLO Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuit to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN O0786676441704	Descriptions	
Features Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circui to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. Manufacturer Information GTIN 00786676441704		3PH 150A MLO 24/42 CIR. AL BUS NEMA 1
centers house the branch circuit breakers and the wiring requir to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circui to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets. ### Manufacturer Information GTIN 00786676441704	extra long description	ETN 3BR2442L150 3 Ph/BR LC 150A MLO
GTIN 00786676441704	Features	centers house the branch circuit breakers and the wiring require to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuits to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as
UPC 786676441704	1.3	
	UPC	786676441704
	Category Description	LOADCENTERS & COVERS

Main lug loadcenter



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging		
Carton	1	
Weight Per each	28.2	
Uses, Certifications, and Standa	ards	
Mounting	Combination Mount	
standard	UL 50,UL 67	