

# Specifications

## Eaton 3TA400K

Eaton molded case circuit breaker accessory terminal, Terminal, 400 A, Three-pole, (2) #3/0 AWG-250 kcmil Cu/Al, Frame J-K, Series C, Pressure type line and load



Photo is representative



### General specifications

|                             |                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton molded case circuit breaker accessory terminal                                                                                                                             |
| <b>CATALOG NUMBER</b>       | 3TA400K                                                                                                                                                                          |
| <b>UPC</b>                  | 786679149416                                                                                                                                                                     |
| <b>PRODUCT LENGTH/DEPTH</b> | 6.4 in                                                                                                                                                                           |
| <b>PRODUCT HEIGHT</b>       | 4.7 in                                                                                                                                                                           |
| <b>PRODUCT WIDTH</b>        | 4 in                                                                                                                                                                             |
| <b>PRODUCT WEIGHT</b>       | 1.1 lb                                                                                                                                                                           |
| <b>WARRANTY</b>             | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| <b>CERTIFICATIONS</b>       | UL Listed                                                                                                                                                                        |
| <b>GLOBAL CATALOG</b>       | 3TA400K                                                                                                                                                                          |
| <b>PRODUCT TYPE</b>         | Molded case circuit breaker accessory                                                                                                                                            |

## Product specifications

|                 |                                 |
|-----------------|---------------------------------|
| AMPERAGE RATING | 400 A                           |
| FRAME SIZE      | Frame J-K                       |
| SERIES          | Series C                        |
| TERMINALS       | Pressure type line and load     |
| WIRE SIZE       | (2) #3/0 AWG-250 kcmil<br>Cu/Al |
| NUMBER OF POLES | Three-pole                      |
| TYPE            | Terminal                        |

## Resources

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               | <a href="#">Application of Multi-Wire Terminals for Molded Case Circuit Breakers</a>                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| APPLICATION NOTES             | <a href="#">Application of Tap Rules to Molded Case Breaker Terminals</a><br><a href="#">UL listed 100%-rated molded case circuit breakers</a>                                                                                                                                                                                                                                                                                                                                                                                 |
| BROCHURES                     | <a href="#">Current limiting Series C molded case circuit breakers product aid</a><br><a href="#">StrandAble terminals product aid</a><br><a href="#">Multi-wire lugs product aid</a><br><a href="#">Motor protection circuit breakers product aid</a><br><a href="#">Circuit breaker motor operators product aid</a><br><a href="#">Plug-in adapters for molded case circuit breakers product aid</a><br><a href="#">Power metering and monitoring with Modbus RTU product aid</a><br><a href="#">Breaker service centers</a> |
| CATALOGS                      | <a href="#">Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2</a>                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| MULTIMEDIA                    | <a href="#">Flex shaft handle installation tutorial</a><br><a href="#">MOEM MCCB product selection guide</a><br><a href="#">Series C J-Frame molded case circuit breakers time current curves</a>                                                                                                                                                                                                                                                                                                                              |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Series C F-Frame molded case circuit breakers</a><br><a href="#">Series C G-Frame molded case circuit breakers time current curves</a><br><a href="#">Eaton Specification Sheet - 3TA400K</a>                                                                                                                                                                                                                                                                                                                      |

|                 |
|-----------------|
| PROJECT NAME:   |
| PROJECT NUMBER: |
| PREPARED BY:    |
| DATE:           |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

