
ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685



5000B NM RACEWAY BASE 5000

WIREMOLD/LEGRAND

Catalog Number	5000B
Manufacturer	WIREMOLD/LEGRAND
Description	Wiremod Access 5000 Series raceway is an attractive raceway conceals and organizes electrical wiring and low-voltage cabling in a sleek, handsome molding. Access Raceway is divided and the low-profile device plates deliver combinations of power and communications cabling. Access 5000 Raceway System saves time and money because it installs faster and neater than conventional in-wall wiring. It is more energy efficient because walls, vapor barriers and insulation remain intact. And it's a snap to reconfigure
Weight per unit	0.3600 (lbs/each)
Product Category	Non-Metallic Raceway & Accy.

Features

Material	Plastic
Number Of Channels	1.0
Voltage	600.0 V
Indoor/Outdoor	Indoor

Material, Color, and Finish

Color	Ivory

Dimensions and Weight

Depth	0.75 in
Width	95.88

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685

Descriptions

Description	NM RACEWAY BASE 5000
Features	Wiremod Access 5000 Series raceway is an attractive raceway conceals and organizes electrical wiring and low-voltage cabling in a sleek, handsome molding. Access Raceway is divided and the low-profile device plates deliver combinations of power and communications cabling. Access 5000 Raceway System saves time and money because it installs faster and neater than conventional in-wall wiring. It is more energy efficient because walls, vapor barriers and insulation remain intact. And it's a snap to reconfigure
Long Description	Wiremod Access 5000 Series raceway is an attractive raceway conceals and organizes electrical wiring and low-voltage cabling in a sleek, handsome molding. Access Raceway is divided and the low-profile device plates deliver combinations of power and communications cabling. Access 5000 Raceway System saves time and money because it installs faster and neater than conventional in-wall wiring. It is more energy efficient because walls, vapor barriers and insulation remain intact. And it's a snap to reconfigure
Product Type	NM Raceway Base 5000
Special Features	Dual Channel, full line of accessories, Low profile, Multiple Datacomm connectivity options, Durable plastic material, UL and CUL Listed raceway
Extra Long Description	WMD 5000B NM RACEWAY BASE 5000

Manufacturer Information

Brand	WIREMOLD
	LEGRAND-WIREMOLD
GTIN	00786776050028
Manufacturers Part Number	5000B
UPC	786776

Taxonomies, Classifications, and Categories

Category Description	PLASTIC BOXES
Type	Raceway Base

Packaging

Carton	80
Weight Per Each	0.3600 (lbs/each)

Uses, Certifications, and Standards

Standard	USMCA, ROHS, CULUS, cULus Listed Surface Nonmetallic Raceway: File E90377 Guide RJYT/RJYT7

WIREMOLD®
Access® 5000 Series Raceway

Aesthetically Pleasing, Nonmetallic, Low-Profile, Multiple Channel Raceway System

Access® 5000 Series Raceway conceals and organizes electrical wiring and low-voltage cabling in low-profile, decorative molding. The dual channels and low-profile device plates of this attractive raceway provide multiple options for power and communications cabling.

Access 5000 Series Raceway also saves time and money because it installs faster and cleaner than conventional in-wall wiring. It's also more energy efficient because walls, vapor barriers and insulation remain intact. And it's a snap to reconfigure when adding wiring or cabling to homes, offices, classrooms or hotels.



Access 5000 Series Raceway installed as baseboard.

FEATURES & BENEFITS

- **Dual channel raceway.** Power and low-voltage can be run in same raceway.
- **Modular device brackets and faceplates.** New and emerging power or communications technologies can be integrated into existing installations reducing overall life cycle costs.
- **Patented safety interlock system on covers.** Offers additional safety for home or high traffic applications.
- **Full line of fittings and accessories.** Fittings snap onto base and overlap to cover seams for quick and easy installation.
- **Eight-foot lengths.** Easy installation by one person with fewer joints to cover. Custom lengths are also available. Consult factory for more information.
- **Low-profile design.** Raceway can be installed as architectural molding to eliminate the need for additional finish work.
- **Aesthetic finish options.** Variety of PVC finishes available to enhance any decor.
- **Durable PVC material.** Lightweight and easy to cut and install. Meets UL flammability requirements and is UL Listed and CSA Approved for up to 600 volts.
- **Datacom connectivity options.** Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point of use.
- **UL and cUL Listed component raceways.** File E90378 Guide RJTX, Fittings: File E90377 Guide RJYT. Meets Article 386 of NEC and meets Section 12-600 of CEC.

Access 5000 Series Raceway can be installed as baseboard, chair rail or crown molding.








Access 5000 Series Raceway System Layout

NOTE: Illustration is for showing product applications only.



A – 5010A Entrance End Feed
B – 5007C-2A Deep Device Bracket
C – 2A Activate Connectivity Insert
D – 5017B, 5017C Internal Base Elbow, Internal Cover Elbow
E – 5007C-1A Device Bracket
F – 5010R Right End Cap
G – 5010L Left End Cap
H – 5018B, 5018C External Base Elbow, External Cover Elbow


Access 5000 Series Raceway Wire Fill Capacity Charts

ACCESS 5000 RACEWAY WIRE CAPACITIES FOR POWER/TOP COMPARTMENT

WIRE SIZE	THHN, THWN
10 AWG	12
12 AWG	20
14 AWG	24

ACCESS 5000 RACEWAY CABLE FILL CAPACITIES FOR DATA/COMMUNICATION

	CABLE/WIRE SIZE	O.D.		Bottom Compartment		Top Compartment	
		Inches	(mm)	20% Fill	40% Fill	20% Fill	40%Fill
UNSHIELDED TWISTED PAIR	4-pair, 24 AWG Cat 5 UTP	0.220	5.5	7	14	10	20
	4-pair, 24 AWG Cat 3 UTP	0.190	4.8	9	19	13	27
TELEPHONE	2-pair, 24 AWG	0.140	3.5	18	36	25	50
	3-pair, 24 AWG	0.150	3.8	15	31	21	43
	4-pair, 24 AWG	0.190	4.8	9	19	13	27
	25-pair, 24 AWG	0.410	10.3	2	4	2	5
COAXIAL	RG58/U	0.195	4.7	9	18	13	26
	RG59/U	0.242	6.1	6	12	8	16
	RG62/U	0.242	6.1	6	12	8	16
	RG6/U	0.270	6.8	4	9	6	13
TWINAXIAL	100 Ohm	0.330	8.3	3	6	4	9
SHIELDED TWISTED PAIR	TYPE 1	0.390	9.8	2	4	3	6
	TYPE 2	0.465	11.6	1	3	2	4
	TYPE 3	0.245	6.1	5	11	8	16
FIBER OPTIC	Two Strand (Duplex) Multimode, 62.5/125 ¨µm	0.19	4.8	9	19	13	27





Without Device Plate


*** 20% cable fill is calculated to approximate reduction in cable capacity due to connectors mounted within raceway and fittings that may restrict cross sectional area.**
**** 40% cable fill is the maximum designed cable fill based on a proposal revision to TIA/EIA-569-A.**

PEP ecopassport®


Download this product's PEP ecopasport® environmental product declaration at www.legrand.us/resources-and-downloads. This declaration conforms with ISO 14025 and 14040 and is in alignment with EN 15804.

Access 5000 Series Raceway Base & Cover

Catalog No./Item	Description/Specifications
5000B 	**Base** – Integral divider forms two channels for power and low-voltage separation. Base supplied in 8' (240m) lengths.
5000C*† 	**Cover** – Covers supplied in 8' (240m) lengths.








Catalog No./Item	Description/Specifications
5000T*† 	**Quarter Round Trim** – Trim covers supplied in 8' (240m) lengths.







*** Add suffix "WH" for white, "BK" for black, and "GY" for gray.**



Access 5000 Series Raceway's Base, Cover, and Trim Cover are sold separately and are available in white, black, or gray vinyl finishes.




Access 5000 Series Raceway Fittings





Catalog No./Item	Description/Specifications
5005* 	**Low-Voltage Blank Plate** – Covers entire low-voltage recess in device plate.
5007C 	**Device Bracket** – Mounts standard devices. Snaps into top section of base wherever an outlet is needed.
5007C-1A* 	**External Device Cover Plate** – Mounts one standard device and up to two voice/data connectors. Accepts 5507 Series Faceplates and Pass & Seymour® Activate Keystone Jacks and Inserts.
5007C-2AB* 	**Deep Device Plate** – Mounts deeper devices such as surge protection, GFCI devices, and Pass & Seymour® Activate communications inserts. Accepts 5507 Series Faceplates, 2A size Activate inserts, and Wiremold CM2 Series Open System Communication Modules.
5007C-2RT* 	**Deep Device Plate** – Mounts deeper devices such as surge protection, GFCI devices and Ortronics® communications inserts. Accepts 5507 Series Faceplates, Ortronics® Tracjack and Series II Inserts.
5001 	**Base Coupling** – Aligns base sections of Access 5000 Series Raceway.
5006* 	**Cover Clip** – Covers seam between butted sections of 5000C Raceway Cover.

Catalog No./Item	Description/Specifications
5006A 	**Internal Wire Guard** – Protects wire and cables from gap behind butted sections of 5000C Raceway Cover. Installed when the 5006 Cover Clips are not used.
5010A* 	**Entrance End Fitting** – Connects 1/2" or 3/4" conduit to Access 5000 Series Raceway. Has one concentric 1/2" or 3/4" KO for each channel.
5010R* 	**Right End Cap** – Closes off open right end of run of 5000B Access 5000 Series Raceway Base.
5010L* 	**Left End Cap** – Closes off open left end of run of 5000B Access 5000 Series Raceway Base.
5017B 	**Internal Base Elbow** – Mounts sections of 5000B Access 5000 Series Raceway Base at 90° internal corners.
5017C* 	**Internal Cover Elbow** – Mounts sections of 5000C Cover and 5000T Raceway Quarter Round Trim at 90° internal corners.


*** Add suffix "WH" for white, "BK" for black, and "GY" for gray finish.**

Access 5000 Series Raceway Fittings (continued)

Catalog No./Item	Description/Specifications
5017WG 	**Internal Elbow Wire Guard** – Protects wiring at mitered internal cover; snaps into 5017B Internal Base Elbow. Not needed when 5017C Internal Cover Elbow is used.
5018B 	**External Base Elbow** – For mounting 5000B Raceway Base at 90° external corners.
5018C* 	**External Cover Elbow** – For mounting 5000C Raceway Cover and 5000T Quarter Round Trim at 90° external corners.






Catalog No./Item	Description/Specifications
5018WG 	**External Elbow Wire Guard** – Installs at a mitered external elbow joint behind the covers to protect from sharp objects being inserted. Not needed when 5018C external cover elbow is used.
2700WC **2800WC** **2900WC**   	**Wire Clips** – Holds and secures wiring and cabling inside raceway. Mounts with adhesive backing.





*** Add suffix "WH" for white finish, "BK" for black, and "GY" for gray.**



A full line of molded fittings are available.

55507 Series Face Plates

Catalog No./Item		Description/Specifications
55007AD		**Modular Furniture Adapter** – Mounts Activate modular furniture bezel, and other modular furniture adapters.
5507B		**Blank Faceplate** – Covers unused compartments in the device bracket.
5507D		**Duplex Faceplate** – Covers duplex style devices. Accepts 106 Frame.
5507R		**Rectangular Faceplate** – Covers rectangular style devices.
5507FRJ		**Flush Dual RJ11/ RJ45 Faceplate** – Flush mounts one or two RJ keystone type connectors. Has one opening and a KO for the other.

Catalog No./Item		Description/Specifications
5507RJ		**Dual RJ11/RJ45 Connector Faceplate** – Mounts one or two RJ Keystone type connectors. Has one opening and a KO for the other.
5507SW		**Switch Faceplate** – Covers standard toggle switches.
5507T1		**Single Receptacle Faceplate** – Covers single receptacles – 1.59"(40mm) diameter.
5507T2		**Single Receptacle Faceplate** – Covers single receptacles – 1.41" (35mm) diameter.

NOTE: All faceplates are 4 1/4" x 1 7/8" (108mm x 47mm). Add suffix "WH" for white finish, "BK" for black, and "GY" for gray.



Adding or relocating an outlet is easy with Access 5000 Series Raceway. Wire clips support cables without obstructing access to wiring.

NOTES

NOTES

NOTE: All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.

NOTE: The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

Electrical Wiring Systems
60 Woodlawn Street
West Hartford, CT 06110
Phone: 1.877.BY.LEGRAND (295-3472)
www.legrand.us

Canada
Phone:905.738.9195
www.legrand.ca

ED285R10 – Updated June 2018 – For latest specs visit www.legrand.us/wiremold

© Copyright 2018 Legrand All Rights Reserved