# Pain-Free Wire Pulling



## **Fish & Glow Rods**

New Splinter Guard<sup>™</sup> fiberglass fish and glow rods from Klein Tools<sup>®</sup> now include a proprietary protective coating to safeguard your hands from splinters when wire pulling.





IN TUDI S SPLINTER GUARDT\* LD-FLEX 1/

4

6" DIAMETE

MADE IN USA

25/32

### KLEIN TOOLS SPLINTER GUARDTM

Protective coating keeps hands free of fiberglass splinters

Luminescent glow rods provide added visibility in dark workspaces. Improved glow shines 2X brighter and lasts 2X longer



Thread sections together to customize the length needed for your job - no tools needed



Sets include bullet nose and hook attachments to attach and grab wires



Splinter Guard allows you to work pain-free and glove-free. Maintain complete dexterity whether installing wires above ceilings, in attics, through walls, in crawl spaces, under carpets or raised floors. Available in a variety of flexibilities and lengths to meet any application.

Cat. No.	UPC Code 0-92644+	Description	Set Contains	<b>Overall Length</b>	Diameter	Weight Ibs (kg)
Fish Rods						
56312	56312-6	12' Lo-Flex Fish Rod Set	(3) 1/4 "diameter 4' fish rods with bullet nose and hook attachments	12' (3.7 m)	1/4"(6.4 mm)	1.2 lbs. (0.54 kg)
56324	56324-9	24' Lo-Flex Fish Rod Set	(4) 1/4 "diameter 6' fish rods with bullet nose and hook attachments	24' (7.3 m)	1/4"(6.4 mm)	2.2 lbs. (1.0 kg)
56325	56325-6	25' Fish and Glow Rod Set	(5) 1/4 diameter 4' fish rods, (1) 3/16 diameter 5' glow rod with bullet nose and hook attachments	25' (7.6 m)	1/4" and 3/16" (6.4 and 5 mm)	1.7 lbs. (0.77 kg)
56304	56304-1	4' Lo-Flex Fish Rod		4' (1.2 m)	1/4"(6.4 mm)	0.20 lbs. (0.09 kg)
56306	56306-5	6' Lo-Flex Fish Rod		6' (1.8 m)	1/4"(6.4 mm)	0.36 lbs. (0.16 kg)
Glow Rods						
56409	56409-3	9' Mid-Flex Glow Rod Set	(6) 3/16"diameter 18"glow rods with bullet nose and hook attachments	9' (2.7 m)	3/16"(5 mm)	0.51 lbs. (0.23 kg)
56415	56415-4	15' Mid-Flex Glow Rod Set	(3) 3/16" diameter 5 glow rods with bullet nose and hook attachments	15' (4.6 m)	3/16"(5 mm)	0.78 lbs. (0.35 kg)
56418	56418-5	18' Hi-Flex Glow Rod Set	(3) 5/32 diameter 6 glow rods with bullet nose and hook attachments	18' (5.5 m)	5/32" (3mm)	0.84 lbs. (0.38 kg)
56405	56405-5	5' Mid-Flex Glow Rod		5' (1.5 m)	3/16"(5 mm)	0.18 lbs. (0.08 kg)
56406	56406-2	6' Hi-Flex Glow Rod		6' (1.8 m)	5/32"(3 mm)	0.20 lbs. (0.09 kg)



See our complete line of Wire Pulling Products at

www.kleintools.com 800-553-4676





© 2013 Klein Tools, Inc. Lincolnshire, IL. 60069-1418 Printed in U.S.A. 96208

# Pain-Free Wire Pulling



## **Fish & Glow Rods**

New Splinter Guard<sup>™</sup> fiberglass fish and glow rods from Klein Tools<sup>®</sup> now include a proprietary protective coating to safeguard your hands from splinters when wire pulling.





IN TUDI S SPLINTER GUARDT\* LD-FLEX 1/

4

6" DIAMETE

MADE IN USA

25/32

### KLEIN TOOLS SPLINTER GUARDTM

Protective coating keeps hands free of fiberglass splinters

Luminescent glow rods provide added visibility in dark workspaces. Improved glow shines 2X brighter and lasts 2X longer



Thread sections together to customize the length needed for your job - no tools needed



Sets include bullet nose and hook attachments to attach and grab wires



Splinter Guard allows you to work pain-free and glove-free. Maintain complete dexterity whether installing wires above ceilings, in attics, through walls, in crawl spaces, under carpets or raised floors. Available in a variety of flexibilities and lengths to meet any application.

Cat. No.	UPC Code 0-92644+	Description	Set Contains	<b>Overall Length</b>	Diameter	Weight Ibs (kg)
Fish Rods						
56312	56312-6	12' Lo-Flex Fish Rod Set	(3) 1/4 "diameter 4' fish rods with bullet nose and hook attachments	12' (3.7 m)	1/4"(6.4 mm)	1.2 lbs. (0.54 kg)
56324	56324-9	24' Lo-Flex Fish Rod Set	(4) 1/4 "diameter 6' fish rods with bullet nose and hook attachments	24' (7.3 m)	1/4"(6.4 mm)	2.2 lbs. (1.0 kg)
56325	56325-6	25' Fish and Glow Rod Set	(5) 1/4 diameter 4' fish rods, (1) 3/16 diameter 5' glow rod with bullet nose and hook attachments	25' (7.6 m)	1/4" and 3/16" (6.4 and 5 mm)	1.7 lbs. (0.77 kg)
56304	56304-1	4' Lo-Flex Fish Rod		4' (1.2 m)	1/4"(6.4 mm)	0.20 lbs. (0.09 kg)
56306	56306-5	6' Lo-Flex Fish Rod		6' (1.8 m)	1/4"(6.4 mm)	0.36 lbs. (0.16 kg)
Glow Rods						
56409	56409-3	9' Mid-Flex Glow Rod Set	(6) 3/16"diameter 18"glow rods with bullet nose and hook attachments	9' (2.7 m)	3/16"(5 mm)	0.51 lbs. (0.23 kg)
56415	56415-4	15' Mid-Flex Glow Rod Set	(3) 3/16" diameter 5 glow rods with bullet nose and hook attachments	15' (4.6 m)	3/16"(5 mm)	0.78 lbs. (0.35 kg)
56418	56418-5	18' Hi-Flex Glow Rod Set	(3) 5/32 diameter 6 glow rods with bullet nose and hook attachments	18' (5.5 m)	5/32" (3mm)	0.84 lbs. (0.38 kg)
56405	56405-5	5' Mid-Flex Glow Rod		5' (1.5 m)	3/16"(5 mm)	0.18 lbs. (0.08 kg)
56406	56406-2	6' Hi-Flex Glow Rod		6' (1.8 m)	5/32"(3 mm)	0.20 lbs. (0.09 kg)



See our complete line of Wire Pulling Products at

www.kleintools.com 800-553-4676





© 2013 Klein Tools, Inc. Lincolnshire, IL. 60069-1418 Printed in U.S.A. 96208