

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

5P550R 7121 Eaton Us 550VA 120/120VAC Rack

Eaton Power Quality

Catalog Number	5P550R
Manufacturer	Eaton Power Quality
Description	Eaton 5P Ups, 1U, 550 Va, 420 W, 5-15P Input, Outputs: (5) 5-15R, 120V
Weight per unit	23.8 (lbs/each)
Product Category	Uninterruptible Power Supplies

Features

accessories	Quick Start Guide
battery	Sealed, lead-acid
Battery Type	VRLA
dimensions	14.3000 IN X 17.4000 IN X 1.7000 IN
Phase	1 PH
Voltage Rating	151/153 V
Wattage	420 W

Dimensions and Weight

Height	3.4 in
	HK 403
Width	3010-2

Descriptions

Description	7121 EATON US 550VA 120/120VAC RACK
extra long description	ETN 5P550R EATON 5P RACKMOUNT 1U UP
Features	The Eaton 5P UPS delivers reliable backup power in tower and various rackmount form factors for enterprise and distributed IT applications. As the first in the UPS industry to comply with the UL 2900-2-2 cybersecurity standard, Eaton's optional gigabit network card (NETWORK-M2) provides remote monitoring and management for the 5P family of products. When paired with Eaton Intelligent Power Manager (IPM) software, IT professionals can seamlessly manage their connected equipment install base, even in virtual
Long Description	Eaton 5P UPS, 1U, 550 VA, 420 W, 5-15P input, Outputs: (5) 5-15R, 120V
Product Type	Eaton 5P Rackmount 1U Ups
Special Features	ROO/RPO: Rear terminal block connector for remote on/off and power off



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Brand	Eaton	
GTIN	00743172043030	
Manufacturers Part Number	5P550R	
UPC	743172043030	

Taxonomies, Classifications, and Categories

Category Description	SURGE SUPRESSION PRODUCTS
Type	UPS

Packaging

onaging	
Carton	1
Weight Per each	23.8

Uses, Certifications, and Standards

Application	Backup Power and Electronic Power Conversion
Frequency Rating	40/50/60
standard	UL 497A ,cULus Listed ,cUL Listed ,IEC 62040-2 C1-C2 / EN 55024
	/ CISPR22 Class B / FCC part 15 Class B ,UL 1778,FCC Part 15 Class
	A Subpart B Sections 15.107b , 15.109b ,RoHS Compliant ,CE
	Marked