



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street
75964-7263, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



6000 Port Outlt BX-2 DPLX Recs

Ericson MFG

Catalog Number	6000
Manufacturer	Ericson MFG
Description	Portable Outlet Box, Molded Thermoplastic Elastomer Box, Molded Polybutylene Terephthalate Thermoplastic Cover Plate; Cover Configuration (2) Duplex Receptacle; 1 Gang; No; Depth 3-3/16 Inch; Approval UI, Csa; Ericson[R] Brand; 6000 Model
Weight per unit	0.7000 (lbs/each)
Product Category	Non-Metallic

Features

Cover Configuration	(2) DUPLEX RECEPTACLE
Lid Type	NO
Material	MOLDED THERMOPLASTIC ELASTOMER BOX, MOLDED POLYBUTYLENE TEREPHTHALATE THERMOPLASTIC COVER PLATE
Number of Gangs	1 PH

Dimensions and Weight

Depth	3-3/16 INCH
-------	-------------

Descriptions

Additional Information	APPLICABLE STANDARD NEC, OSHA
Commodity Description	Outlet Boxes, Etc. - Non-Metallic
Description	PORT OUTLT BX-2 DPLX RECS
Long Description	PORTABLE OUTLET BOX, MOLDED THERMOPLASTIC ELASTOMER BOX, MOLDED POLYBUTYLENE TEREPHTHALATE THERMOPLASTIC COVER PLATE; COVER CONFIGURATION (2) DUPLEX RECEPTACLE; 1 GANG; NO; DEPTH 3-3/16 INCH; APPROVAL UL, CSA; ERICSON[R] BRAND; 6000 MODEL
Product Type	Portable Outlet Box

Manufacturer Information

Brand	Ericson MFG
GTIN	00782862562000
Manufacturers Part Number	6000
Model	6000 HR
UPC	782862562000

Taxonomies, Classifications, and Categories

Category Description	SAFETY WIRING DEVICES
----------------------	-----------------------

Packaging

Carton	1
Weight Per each	0.7



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street
75964-7263, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Uses, Certifications, and Standards

Approval

UL, CSA



FEATURES:

- Rugged and durable, these outlet boxes are engineered to provide protection against electric shock while using portable power cords
- Molded of thermoplastic elastomer (TPE) these non-conductive boxes are crush proof and resistant to jobsite oils
- High-visibility dual-color safety system for easy identification on the jobsite
- Cover plates and clamps are molded of impact resistant nylon and resistant to jobsite oils
- Built-in TPE cord entrance seals out dirt, dust and other contaminants
- Accommodates wide range of devices
- Extra-deep box provides additional wiring space - perfect for use with #12/3 cord and larger
- Available as pendant and feed-through boxes
- Available with a wide range of cover plates and a full range of replacement parts
- Available with Ericson's in-line type GFCIs for added protection and code compliance

NOTICE:
The NEC restricts the use of metal job boxes as temporary power cords

6000 Series Portable Outlet Boxes Selection Guide

Cord Clamp* Style Box With Open Covers						
	For (2) Duplex Receptacles		For (2) Single Receptacles: 1.390" dia. Hole		For (2) Single Receptacles: 1.572" dia. Hole	
	Standard Depth	Extra Deep	Standard Depth	Extra Deep	Standard Depth	Extra Deep
Pendant	6000	6002	6005	6006	6010	6011

Note: * No feed thru box available with cord clamp style

6000 Series Portable Outlet Boxes Selection Guide

Cord Grip Feed Thru * Style Box With Open Covers						
	For (2) Duplex Receptacles		For (2) Single Receptacles: 1.390" dia. Hole		For (2) Single Receptacles: 1.572" dia. Hole	
	Standard Depth	Extra Deep	Standard Depth	Extra Deep	Standard Depth	Extra Deep
*Feed-Through	6000-F	6002-F	6005-F	6006-F	6010-F	6011-F

Notes:
Standard depth box = 3-3/16"
Extra deep box = 4-5/32"
* All 6000 Series feed-throughs have cord grip nuts and grommets (see photo of 6000-F above)

