ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685



691I COMBO 15A 1 SW 1P-120V 1RECP-125V IV

PASS & SEYMOUR/LEGRAND

Catalog Number	691I
Manufacturer	PASS & SEYMOUR/LEGRAND
Description	Our standard Pass and Seymour combination switches allow you to add lights to any room in your home without having to add or replace wall boxes.
Weight per unit	0.2171 (lbs/each)
Product Category	Combination Devices

Features

Connection Type	Wired
Contact Rating	15 Amp, 120/125 VAC
Load Rating	15 A @ 120/125 VAC
Load Type	LED, Incandescent, Xenon, Universal, Fluorescent, Halogen, CFL
Material	Thermoplastic
Mounting Type	Wall Box
Number Of Gangs	1
Number Of Switches	1.0
Number Of Wires	3
Outlet Type	Indoor
Poles	1
Switch Type	Toggle
Voltage	120 VAC, 125 VAC
Voltage Rating	120/125
Wall Plate Included	NO
Wire Size	4
Actuator	Toggle
Amperage Rating	15
Connection	Side wire
Indoor/Outdoor	Indoor
Package Quantity	1.0
Supply Voltage	120 V
Throw Type	Single Throw

Material, Color, and Finish

Finish	SATIN

Dimensions and Weight

Size	3.3 in

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685

Descriptions

Description	COMBO 15A 1 SW 1P-120V 1RECP-125V IV
Features	Combination
	Our standard Pass and Seymour combination switches allow you to add lights to any room in your home without having to add or replace wall boxes.
Long Description	Our standard Pass and Seymour combination switches allow you to add lights to any room in your home without having to add or replace wall boxes.
Product Type	Combo 15A 1 SW 1P-120V 1RECP-125V I
Special Features	Two devices fits in one space, side wire
Extra Long Description	PAS 691I COMBO 15A 1 SW 1P-120V 1RE

Manufacturer Information

Brand	LEGRAND-PASS & SEYMOUR
	Pass and Seymour
GTIN	00785007691016
Manufacturers Part Number	691-I
	691I
UPC	785007

Taxonomies, Classifications, and Categories

Category Description	Residential Switches
Type	Switch, Combination, Outlet

Trade Size

Amperage	15.0

Packaging

Carton	1
Package	50
Weight Per Each	0.2171 (lbs/each)

Uses, Certifications, and Standards

Application	Residential/Commercial
Mounting	WALL
Environmental Conditions	Flammability: UL94 V2
Nema Rating	5-15R
Standard	CULUS, UL 498

Pass and Seymour

15A 120V/125V Combination Single-Pole Toggle Switch and Single Receptacle, Ivory

Part No. 691I



Our standard Pass and Seymour combination switches allow you to add lights to any room in your home without having to add or replace wall boxes.

Features & Benefits

Easily accessible break-off separate or common feed.

Two devices fit into the space of one.

Tamper-resistant version features dual mechanical shutter system to help prevent insertion of foreign objects.

One-piece heat-treated triple-wipe brass power contacts.

Grounding combination devices meet NEC Requirements.

Specifications

General Info

Product Line	Pass & Seymour	Color	Ivory
Finish	Satin	UPC Number	785007691016
Country Of Origin	Mexico	Material	Thermoplastic
Features	Combination	Switch Type	Toggle
Number of Switches	1	Application Sector	Hospitality, Residential
Wall Plate Included	No	Standard	UL 498
Warranty Type	1-Year Limited Warranty	Type	Combination, Outlet, Switch

Dimensions

Product Width US	1.32 in	Product Depth US	0.94 in
Product Height US	4.06 in		

Listing Agencies / 3rd Party Agencies

cULus ListingNumber	140597	cULus Listed	Yes

Technical Information

Load Rating	15 A @ 120/125 VAC	Seismic Tested	No
Connection Location	Side Only	Terminal Accommodation	#14 AWG - #12 AWG
Number of Gangs	1	Throw Type	Single Throw
Amperage	15 A	Number of Poles	Single Pole
Requires Neutral Wire	Yes	Indoor/Outdoor	Indoor
Mounting Type	Wall Box	Supply Voltage	120
Wire Connection Type	Screw Terminals	Voltage	120 VAC, 125 VAC
Load Type	CFL, Fluorescent, Halogen, Incandescent, LED, Universal, Xenon	Environmental Conditions	Flammability: UL94 V2