



3M™ DISPOSABLE RESPIRATORS AND MASKS




WORK HARD. BREATHE EASY.



3M™ DISPOSABLE RESPIRATORS

Our extensive family of disposable respirators is designed to provide quality, reliable protection, with a full range of products offering convenience and value. So you can breathe a sigh of relief knowing we have your comfort in mind.



3M™ RESPIRATOR WITH COOL FLOW™ VALVE 8511

- ▶ 10°F cooler*
- ▶ Breathe 30% easier**
- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable M-noseclip reduces potential for eyewear fogging
- ▶ Designed for increased comfort and wearability
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for relief from non-harmful exposures to dusts from sanding, drywall sanding, grinding, sawing and insulating particles

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963170	8511PA1-A-PS	1	Paint Sanding Valved Respirator
▲	70006963121	8511PA1-2A-PS	2	Paint Sanding Valved Respirator
▲	70006963188	8511PA1-B-PS	1	Paint Sanding Valved Respirator
▲	70006963311	8511PB6-B-PS	5	Paint Sanding Valved Respirator
▲	70006963196	8511PB1-A-PS	10	Paint Sanding Valved Respirator
▲	70006963113	8511HA1-C-PS	1	Sanding and Fiberglass Valved Respirator
▲	70006963162	8511HA1-2C-PS	2	Sanding and Fiberglass Valved Respirator
▲	70006963139	8511HB2-C-PS	5	Sanding and Fiberglass Valved Respirator
▲	70006963154	8511HB1-C-PS	10	Sanding and Fiberglass Valved Respirator
▲	70006963147	8511HB1-C15-PS	15	Sanding and Fiberglass Valved Respirator
▲	70006963097	8511DA1-2A-PS	2	Drywall Sanding Valved Respirator
▲	70006963105	8511DB1-A-PS	10	Drywall Sanding Valved Respirator
▲	70006969037	8511GA1-2C-PS	2	Lawn and Garden Valved Respirator

▲ Paint

▲ Hardware

▲ Drywall

▲ Lawn & Garden

*Compared to 3M 8210 inside respirator temperature.

**Compared to 3M 8200, breathe easier is defined as initial pressure drop.

3M™ RESPIRATOR WITH COOL FLOW™ VALVE ODOR REDUCTION 8577



Carbon layer helps reduce exposure to nuisance levels of organic vapors

- ▶ Features 3M™ Cool Flow™ Valve to help reduce heat and moisture inside the respirator; provides comfort and easier breathing
- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable M-noseclip reduces potential for eyewear fogging
- ▶ Braided headbands help provide a secure seal
- ▶ N95 NIOSH approved for at least 95% filtration against certain oil- and non-oil-based particles
- ▶ Use for non-harmful, nuisance-level latex paint, stain and solvent odors



Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963378	8577PA1-B-PS	1	Paint Odor Valved Respirator
▲	70006963428	8577PA1-A-PS	2	Paint Odor Valved Respirator
▲	70006963360	8577CA1-C-PS	2	Chemical Odor Valved Respirator

COOL FLOW™ VALVE



Fully adjustable head straps help provide a secure fit



3M™ RESPIRATOR WITH COOL FLOW™ VALVE LEAD PAINT REMOVAL **8233**

- ▶ For workplace/occupational applications only
- ▶ Features 3M™ Cool Flow™ Valve to help reduce heat and moisture inside the respirator; provides comfort and easier breathing
- ▶ Adjustable noseclip reduces potential for eyewear fogging
- ▶ Comfortable foam face seal
- ▶ N100 NIOSH approved (highest-rated filtration efficiency in a disposable respirator)
- ▶ Use for removal, sanding and scraping certain lead-based paint in accordance with US EPA Guidelines

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963345	8233PA1-A-PS	1	Lead Paint Removal Valved Respirator
▲	70006963329	8233PA1-B-PS	1	Lead Paint Removal Valved Respirator
▲	70006963337	8233PA7-B-PS	1	Lead Paint Removal Valved Respirator



3M™ RESPIRATOR WITH COOL FLOW™ VALVE WELDING **8515**

- ▶ For workplace/occupational applications only
- ▶ Features 3M™ Cool Flow™ Valve to help reduce heat and moisture inside the respirator; provides comfort and easier breathing
- ▶ Braided headbands help provide a secure seal
- ▶ Flame-resistant per modified ASTM D2859 (not a substitute for face shield)
- ▶ Use for welding, soldering, metal sanding and grinding
- ▶ N95 NIOSH approved

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963352	8515HA1-A-PS	1	Welding Valved Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden

3M™ PARTICULATE RESPIRATOR 8210+



Braided headbands help provide
a custom and secure seal

- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable noseclip helps provide a custom fit and secure seal
- ▶ Two-strap design with welded dual-point attachment helps provide a secure seal
- ▶ Cushioning nose foam
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006953353	8210PPB6-B-NA	10	Paint Sanding Particulate Respirator
▲	70006953338	8210PPB1-A-NA	20	Paint Sanding Particulate Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden





3M™ PARTICULATE RESPIRATOR 8210



- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable noseclip helps provide a custom fit and secure seal
- ▶ Cushioning nose foam
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Two-strap design with welded dual-point attachment helps provide a secure seal

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006953288	8210PA1-A	2	Paint Sanding Respirator
▲	70006953445	8210PA3-A	3	Paint Sanding Respirator
▲	70006953270	8210DA1-A	2	Drywall Sanding Respirator
▲	70006953411	8210DB1-A	20	Drywall Sanding Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden

3M™ SANDING AND FIBERGLASS RESPIRATOR 8200



- ▶ Two-strap design with four-point staple attachment helps provide a secure seal
- ▶ Cushioning nose foam
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006933983	8200HC1-B	1	Sanding and Fiberglass Respirator
▲	70006921947	8200XC1-C	1	Particulate Respirator
▲	70006921368	8200HC3-C	2	Sanding and Fiberglass Respirator
▲	70006921400	8200HA1-A	3	Sanding and Fiberglass Respirator
▲	70006921350	8200HC2-C	3	Sanding and Fiberglass Respirator
▲	70006951373	8200HC1-C6	6	Sanding and Fiberglass Respirator
▲	70006921749	8200HB5-A	10	Sanding and Fiberglass Respirator
▲	70006921178	8200HB1-C	20	Sanding and Fiberglass Respirator
▲	70006928504	8200HB2-C40	40	Sanding and Fiberglass Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden





3M™ VFLEX™ RESPIRATOR 9105

- ▶ Flat-fold design allows for convenient storage prior to use
- ▶ Uniquely designed tabs for respirator positioning on the face
- ▶ Pleats flex with mouth movement while talking
- ▶ N95 NIOSH approved
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Spacious inside with comfortable inner layer

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006921897	9105PC1-B	2	Particulate Respirator
▲	70006940897	9105PB1-A-NA	20	Particulate Respirator



3M™ WORKSHOP ODOR RESPIRATOR 8247

- ▶ Advanced electrostatic media for easier breathing
- ▶ Carbon layer for odor reduction
- ▶ Collapse-resistant shell
- ▶ R95 NIOSH approved
- ▶ Use in non-harmful oil and non-oil environments

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006942067	8247PA1-A-NA	1	Paint Odor Respirator
▲	70006921988	8247HA1-C	1	Workshop Odor Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden



3M™ BLEACH ODOR RESPIRATOR 8246

- ▶ Carbon layer for nuisance levels of acid gas
- ▶ Collapse-resistant shell
- ▶ R95 NIOSH approved
- ▶ Use to help provide relief from annoying odors of non-harmful household cleaners and disinfectants, such as chlorine bleach

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006921541	8246PA1-A	2	Household Cleaner Odor Respirator
▲	70006921970	8246PA1-B	2	Household Cleaner Odor Respirator
▲	70006922150	8246HA1-A	1	Bleach Odor Respirator



3M™ HOME DUST MASK 8661

- ▶ Not NIOSH approved — do not use for respiratory protection
- ▶ Contour-fit, soft metal nosepiece adjusts closely over bridge of nose
- ▶ Use for relief from non-harmful household dust

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006938297	8661PC4-A	4	Home Dust Mask
▲	70006921269	8661PC1-A	5	Home Dust Mask
▲	70006922051	8661PC1-B	5	Home Dust Mask
▲	70006922044	8661PC1-15A	15	Home Dust Mask
▲	70006922036	8661HA1-A	5	Home Dust Mask

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden





3M Construction and Home Improvement
Markets Division
3M Center, Building 223-45-02
St. Paul, MN 55144-1000
Phone 1-800-494-3552
Web 3Msafety.com

© 3M 2017. All rights reserved. 3M, Cool Flow and VFlex are trademarks of 3M. Used under license in Canada. Please recycle. Printed in U.S.A. 70-0717-2249-3A

DIY/HOME USE: Use ONLY in non-harmful environments.

OCCUPATIONAL/HAZARDOUS USE: Use under an OSHA regulated respiratory protection program.

WARNING: Limitations apply; **MISUSE MAY RESULT IN SICKNESS OR DEATH.** See product packaging and insert, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.



3M™ DISPOSABLE RESPIRATORS AND MASKS




WORK HARD. BREATHE EASY.



3M™ DISPOSABLE RESPIRATORS

Our extensive family of disposable respirators is designed to provide quality, reliable protection, with a full range of products offering convenience and value. So you can breathe a sigh of relief knowing we have your comfort in mind.



3M™ RESPIRATOR WITH COOL FLOW™ VALVE 8511

- ▶ 10°F cooler*
- ▶ Breathe 30% easier**
- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable M-noseclip reduces potential for eyewear fogging
- ▶ Designed for increased comfort and wearability
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for relief from non-harmful exposures to dusts from sanding, drywall sanding, grinding, sawing and insulating particles

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963170	8511PA1-A-PS	1	Paint Sanding Valved Respirator
▲	70006963121	8511PA1-2A-PS	2	Paint Sanding Valved Respirator
▲	70006963188	8511PA1-B-PS	1	Paint Sanding Valved Respirator
▲	70006963311	8511PB6-B-PS	5	Paint Sanding Valved Respirator
▲	70006963196	8511PB1-A-PS	10	Paint Sanding Valved Respirator
▲	70006963113	8511HA1-C-PS	1	Sanding and Fiberglass Valved Respirator
▲	70006963162	8511HA1-2C-PS	2	Sanding and Fiberglass Valved Respirator
▲	70006963139	8511HB2-C-PS	5	Sanding and Fiberglass Valved Respirator
▲	70006963154	8511HB1-C-PS	10	Sanding and Fiberglass Valved Respirator
▲	70006963147	8511HB1-C15-PS	15	Sanding and Fiberglass Valved Respirator
▲	70006963097	8511DA1-2A-PS	2	Drywall Sanding Valved Respirator
▲	70006963105	8511DB1-A-PS	10	Drywall Sanding Valved Respirator
▲	70006969037	8511GA1-2C-PS	2	Lawn and Garden Valved Respirator

▲ Paint

▲ Hardware

▲ Drywall

▲ Lawn & Garden

*Compared to 3M 8210 inside respirator temperature.

**Compared to 3M 8200, breathe easier is defined as initial pressure drop.

3M™ RESPIRATOR WITH COOL FLOW™ VALVE ODOR REDUCTION 8577



Carbon layer helps reduce exposure to nuisance levels of organic vapors

- ▶ Features 3M™ Cool Flow™ Valve to help reduce heat and moisture inside the respirator; provides comfort and easier breathing
- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable M-noseclip reduces potential for eyewear fogging
- ▶ Braided headbands help provide a secure seal
- ▶ N95 NIOSH approved for at least 95% filtration against certain oil- and non-oil-based particles
- ▶ Use for non-harmful, nuisance-level latex paint, stain and solvent odors



Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963378	8577PA1-B-PS	1	Paint Odor Valved Respirator
▲	70006963428	8577PA1-A-PS	2	Paint Odor Valved Respirator
▲	70006963360	8577CA1-C-PS	2	Chemical Odor Valved Respirator

COOL FLOW™ VALVE



Fully adjustable head straps help provide a secure fit



3M™ RESPIRATOR WITH COOL FLOW™ VALVE LEAD PAINT REMOVAL **8233**

- ▶ For workplace/occupational applications only
- ▶ Features 3M™ Cool Flow™ Valve to help reduce heat and moisture inside the respirator; provides comfort and easier breathing
- ▶ Adjustable noseclip reduces potential for eyewear fogging
- ▶ Comfortable foam face seal
- ▶ N100 NIOSH approved (highest-rated filtration efficiency in a disposable respirator)
- ▶ Use for removal, sanding and scraping certain lead-based paint in accordance with US EPA Guidelines

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963345	8233PA1-A-PS	1	Lead Paint Removal Valved Respirator
▲	70006963329	8233PA1-B-PS	1	Lead Paint Removal Valved Respirator
▲	70006963337	8233PA7-B-PS	1	Lead Paint Removal Valved Respirator



3M™ RESPIRATOR WITH COOL FLOW™ VALVE WELDING **8515**

- ▶ For workplace/occupational applications only
- ▶ Features 3M™ Cool Flow™ Valve to help reduce heat and moisture inside the respirator; provides comfort and easier breathing
- ▶ Braided headbands help provide a secure seal
- ▶ Flame-resistant per modified ASTM D2859 (not a substitute for face shield)
- ▶ Use for welding, soldering, metal sanding and grinding
- ▶ N95 NIOSH approved

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006963352	8515HA1-A-PS	1	Welding Valved Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden

3M™ PARTICULATE RESPIRATOR 8210+



Braided headbands help provide a custom and secure seal

- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable noseclip helps provide a custom fit and secure seal
- ▶ Two-strap design with welded dual-point attachment helps provide a secure seal
- ▶ Cushioning nose foam
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006953353	8210PPB6-B-NA	10	Paint Sanding Particulate Respirator
▲	70006953338	8210PPB1-A-NA	20	Paint Sanding Particulate Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden





3M™ PARTICULATE RESPIRATOR 8210



- ▶ Advanced electrostatic media for easier breathing
- ▶ Adjustable noseclip helps provide a custom fit and secure seal
- ▶ Cushioning nose foam
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Two-strap design with welded dual-point attachment helps provide a secure seal

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006953288	8210PA1-A	2	Paint Sanding Respirator
▲	70006953445	8210PA3-A	3	Paint Sanding Respirator
▲	70006953270	8210DA1-A	2	Drywall Sanding Respirator
▲	70006953411	8210DB1-A	20	Drywall Sanding Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden

3M™ SANDING AND FIBERGLASS RESPIRATOR 8200



- ▶ Two-strap design with four-point staple attachment helps provide a secure seal
- ▶ Cushioning nose foam
- ▶ N95 NIOSH approved for at least 95% filtration against certain non-oil-based particles
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006933983	8200HC1-B	1	Sanding and Fiberglass Respirator
▲	70006921947	8200XC1-C	1	Particulate Respirator
▲	70006921368	8200HC3-C	2	Sanding and Fiberglass Respirator
▲	70006921400	8200HA1-A	3	Sanding and Fiberglass Respirator
▲	70006921350	8200HC2-C	3	Sanding and Fiberglass Respirator
▲	70006951373	8200HC1-C6	6	Sanding and Fiberglass Respirator
▲	70006921749	8200HB5-A	10	Sanding and Fiberglass Respirator
▲	70006921178	8200HB1-C	20	Sanding and Fiberglass Respirator
▲	70006928504	8200HB2-C40	40	Sanding and Fiberglass Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden





3M™ VFLEX™ RESPIRATOR 9105

- ▶ Flat-fold design allows for convenient storage prior to use
- ▶ Uniquely designed tabs for respirator positioning on the face
- ▶ Pleats flex with mouth movement while talking
- ▶ N95 NIOSH approved
- ▶ Use for non-harmful exposures to dusts from sanding, grinding, sawing and insulating particles

Spacious inside with comfortable inner layer

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006921897	9105PC1-B	2	Particulate Respirator
▲	70006940897	9105PB1-A-NA	20	Particulate Respirator



3M™ WORKSHOP ODOR RESPIRATOR 8247

- ▶ Advanced electrostatic media for easier breathing
- ▶ Carbon layer for odor reduction
- ▶ Collapse-resistant shell
- ▶ R95 NIOSH approved
- ▶ Use in non-harmful oil and non-oil environments

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006942067	8247PA1-A-NA	1	Paint Odor Respirator
▲	70006921988	8247HA1-C	1	Workshop Odor Respirator

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden



3M™ BLEACH ODOR RESPIRATOR 8246

- ▶ Carbon layer for nuisance levels of acid gas
- ▶ Collapse-resistant shell
- ▶ R95 NIOSH approved
- ▶ Use to help provide relief from annoying odors of non-harmful household cleaners and disinfectants, such as chlorine bleach

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006921541	8246PA1-A	2	Household Cleaner Odor Respirator
▲	70006921970	8246PA1-B	2	Household Cleaner Odor Respirator
▲	70006922150	8246HA1-A	1	Bleach Odor Respirator



3M™ HOME DUST MASK 8661

- ▶ Not NIOSH approved — do not use for respiratory protection
- ▶ Contour-fit, soft metal nosepiece adjusts closely over bridge of nose
- ▶ Use for relief from non-harmful household dust

Use	70#	CAT#	EA./PK.	DESCRIPTION
▲	70006938297	8661PC4-A	4	Home Dust Mask
▲	70006921269	8661PC1-A	5	Home Dust Mask
▲	70006922051	8661PC1-B	5	Home Dust Mask
▲	70006922044	8661PC1-15A	15	Home Dust Mask
▲	70006922036	8661HA1-A	5	Home Dust Mask

▲ Paint ▲ Hardware ▲ Drywall ▲ Lawn & Garden





3M Construction and Home Improvement
Markets Division
3M Center, Building 223-45-02
St. Paul, MN 55144-1000
Phone 1-800-494-3552
Web 3Msafety.com

© 3M 2017. All rights reserved. 3M, Cool Flow and VFlex are trademarks of 3M. Used under license in Canada. Please recycle. Printed in U.S.A. 70-0717-2249-3A

DIY/HOME USE: Use ONLY in non-harmful environments.

OCCUPATIONAL/HAZARDOUS USE: Use under an OSHA regulated respiratory protection program.

WARNING: Limitations apply; **MISUSE MAY RESULT IN SICKNESS OR DEATH.** See product packaging and insert, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.