Meter Mounting Equipment

Texas Deregulated Utilities

TXU/Oncor Area

Description	Service Feed	Catalog Number
150-200 amp | 4 Terminal		
150A 4T	OH	U7262-RL-TG
200A 4T	OH/UG	U7040-XL-TG
200A .....4T ..... HD.....	OH/UG	U9801-RXL
200 amp | 5 & 7 Terminal		
200A .....5T ..... HD.....	OH/UG	U9581-RL-QG
200A .....7T ..... HD.....	OH/UG	U9701-RXL
320 amp | 4 & 7 Terminal		
320A .....4T ..... HD.....	OH (w/o lugs)	U4363-R
320A .....4T ..... SWY	UG (w/ lugs).....	U1797-O-K3L-K2L
320A .....7T ..... SWY	OH/UG (w/o lugs).....	U4013-X
150 amp | 4 Terminal | Horizontal Gang		
150A .....3 Pos.....	OH/UG	U9353-XL
150A .....4 Pos.....	OH/UG	U9354-XL
200 amp | 4 Terminal | Horizontal Gang		
200A .....2 Pos.....	OH/UG	U1252-X-K1
200A .....3 Pos.....	OH/UG	U1253-X
200A .....4 Pos.....	OH/UG	U1254-X
200A .....5 Pos.....	OH/UG	U1255-X
200A .....6 Pos.....	OH/UG	U1256-X
200 amp | 4 Terminal | Mobile Home Pedestal		
200A .....1 Pos.....	UG Ped	U8567-O-200
200A .....2 Pos.....	UG Ped (twin)	U8667-O-2/200

U1797-O-K3L-K2L

U9701-RXL

Accessories

Closing Plates	Suffix	Catalog #
Sml. Closing Plate	-XL*	A7551
Lg. Closing Plate	-X	A9064
Adapter Plate	-RRL	S8324
Hubs for Standard "RL" Opening		
1" Hub	-WL	A7514
1¼" Hub	-YL	A7515
1½" Hub	-ZL	A7516
2" Hub	-DL	A7517
2½" Hub	-EL	A7518
Hubs for Large "R" Opening		
3" Hub	-F	A8110
3½" Hub	-G	A8111
4" Hub	-H	A8112
Fifth Terminals		
Fifth Terminal	Square Hole	K5T
Fifth Terminal	Round Hole	5T8K2

Lug Kits	Suffix	Catalog #
350 Kcmil	1Ø	(3 per set)
Single Lug Kit	-K1	K1539
Twin Lug Kit	-K2	K1350
Twin Lug Kit non-rotating K1350L		-K2L
600 Kcmil	1Ø	(3 per set)
Single Lug Kit	-K3	K1540
Single Lug Kit non-rotating K1540L		-K3L
Twin Lug Kit	-K4	K1541
350 Kcmil	3Ø	(4 per set)
Single Lug Kit	-K5	K3082
Twin Lug Kit	-K6	K3442
600 Kcmil	3Ø	(4 per set)
Single Lug Kit	-K7	K3441
Twin Lug Kit	-K8	K3083

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

Texas / New Mexico Power - TNP & CVEC Area

Description	Service Feed	Catalog Number
125 amp | 4 &7 Terminal		
125A 4T	OH	U8435-RL-TG
125A 4T	UG	U7588-XL
125A 7T	OH (1½" hub included)	U8100-ZL
200 amp | 4 & 5 Terminal		
200A 4T	OH	U7021-RL-TG
200A 4T SWY	UG	U1980-O
200A 5T	OH	U9580-RXL
320 amp | 4 Terminal		
320A 4T	OH	U1079-R
320A 4T	OH/UG	U2448-X
200/320 amp | 7 Terminal | Medium & Heavy Duty		
200A 7T MD	OH/UG (Lever bypass - non jaw clamping)	U7423-XL
200A 7T HD	OH/UG	U9701-RRL
320A 7T HD	OH/UG	U2594-X

U1980-O

150/200 amp | 4 & 7 Terminal | Horizontal Gangs	**150A**	**200A**
2 Pos 4T	OH/UG U1232-X	U1252-X-K1
3 Pos 4T	OH/UG U1233-RXL	U1253-X-K3
4 Pos 4T	OH/UG U1234-RXL	U1254-X-K3
5 Pos 4T	OH/UG U1235-RXL	U1255-X-K4
6 Pos 4T	OH/UG U1236-RXL	U1256-X-K4
4 Pos 7T	OH/UG	U2734-XT

U7423-XL

CoServ Area

Description	Service Feed	Catalog Number
200 amp | 4 Terminal		
200A 4T	OH/UG	U7040-XL-TG
320 amp | 4 Terminal		
320A 4T	OH/UG (Lugs included)	U4257-X-2/K2
200 amp | 7 Terminal | Medium & Heavy Duty		
200A 7T HD	OH (2" Hub included)	U9700-DL-QG
200A 7T MD	OH/UG (Lever bypass - non jaw clamping)	U3786-X-QG
320 amp | 7 Terminal | Heavy Duty		
320A 7T HD	OH/UG (Lugs included)	U4487-X-2/K6

U7021-DL-TG

Pedernales Electric Cooperative (PEC)

Description	Service Feed	Catalog Number
200 amp | 4 Terminal		
200A 4T	OH	U7021-DL-TG
200A 4T	UG	U7040-XL-TG
320A 4T	OH	U1079-F-2/K3L-PEC
320A 4T	UG	U1797-O-2/K3L-PEC

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

AEP—West Area

Description	Service Feed	Catalog Number

125-200 amp | 4 Terminal

200A	4T	OH	U7040-RL-TG-KK-BLG-AEP
200A	4T	OH	U7021-RL-TG-KK-BLG
200A	4T	UG	U1980-O-KK-BLG-AEP
200A	4T	OH	Alum*UAP7040-RL-TG-KK-BLG-AEP
200A	4T	UG	Alum *UAP1980-O-KK-BLG-AEP
200A	4T	OH/UG	U9801-RXL-QG-BLG-AEP
200A	4T	OH/UG	Alum*UAP9801-RXL-QG-BLG-AEP

200 amp | 5 & 7 Terminal | 3Ø | Heavy Duty

200A	5T	3Ø3W	OH/UG	U9581-RL-QG-BLG-AEP
200A	7T	3Ø4W	OH/UG	U9701-X-QG-BLG-AEP
200A	5T	3Ø3W	OH/UG	Alum *UAP9581-RL-BLG-AEP
200A	7T	3Ø4W	OH/UG	Alum *UAP9701-X-QG-BLG-AEP

320 amp | 4, 5 & 7 Terminal | Lugs Included

320A	4T	1Ø3W	OH/UG		U5161-X-K3L-K2L-BLG
320A	4T	1Ø3W	UG	SWY	U1797-O-K3L-K2L-BLG
320A	4T	1Ø3W	OH/UG	SWY	U4905-X-K3-K2-BLG
320A	4T	1Ø3W	UG	Alum	UAP1797-O-K3L-K2L-BLG
320A	5T	1Ø	OH/UG		UAP4362-R-K3-K2-BLG
320A	5T	1Ø	OH/UG	Alum	*UAP4362-R-K3-K2-BLG
320A	7T	3Ø4W	OH/UG		U4342-R-K7-K6-BLG
320A	7T	3Ø4W	OH/UG	Alum	*UAP4342-R-K7-K6-BLG
320A	7T	3Ø4W	OH/UG	SWY	U2594-X-K7-K6-BLG
320A	7T	3Ø4W	OH/UG	Alum	UAP2594-X-K7-K6-BLG

200 amp | 4 Terminal | Horizontal Gang

200A	2 Pos	OH/UG	(Lugs included)	U1252-RRL-KK-K1-BLG-SLVG
200A	3 Pos	OH/UG		U1253-RRL-KK-K1-BLG-SLVG
200A	4 Pos	OH/UG		U1254-RRL-KK-K1-BLG-SLVG
200A	5 Pos	OH/UG		U1255-RRL-KK-K1-BLG-SLVG
200A	6 Pos	OH/UG		U1256-RRL-KK-K1-BLG-SLVG

*UAP for Coastal Area (Aluminum)

400 amp | 4 & 7 Terminal | Lugs Included | 400A Main Breaker

4T	OH/UG	1Ø3W	U6227-X-400-K3L-BLG
7T	OH/UG	3Ø4W	U6229-X-400-K7L-BLG

400 amp | 7 Terminal | Lugs Included | 2/200 Main Breakers

4T	OH/UG	1Ø3W	U6115-X-2/200-K7L-BLG

U4342-R-K7-K6

U4801-XL-5T9



U2872-XT-5T9

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

XCEL Energy

Description	Service Feed	Catalog Number
200 amp | 5 & 7 Terminal | Heavy Duty		
200A ..... 5T ..... HD	OH/UG	U4801-XL-5T9
200A ..... 7T ..... HD	OH/UG	U9701-RRL
200A ..... 7T ..... HD	OH/UG	U4184-X
320 amp | 5 Terminal | Heavy Duty		
320A ..... 5T ..... HD	OH/UG	U1779-R-5T9
320A ..... 5T ..... HD	UG ..... SWY	U3000-O-5T9-K3L-K2L
320 amp | 7 Terminal | Heavy Duty		
320A ..... 7T ..... HD	UG ..... SWY	U2120-X
320A ..... 7T ..... HD	OH/UG ..... SWY	U2594-X
200 amp | 5 Terminal | Horizontal Gangs		
2 Pos. ..... 5T ..... HD	OH/UG	U2872-XT-5T9
3 Pos. ..... 5T ..... HD	OH/UG	U2873-XT-5T9
4 Pos. ..... 5T ..... HD	OH/UG	U2874-XT-5T9
5 Pos. ..... 5T ..... HD	OH/UG	U2875-XT-5T9
6 Pos. ..... 5T ..... HD	OH/UG	U2876-XT-5T9



U7487-RL-TG

CenterPoint Energy

Description	Service Feed	Catalog Number
125-200 amp | 4 Terminal | Ring Type		
125A 4T	OH/UG	U8874-RL-LR
200A 4T	OH	U5009-RL-LR
200A 4T	OH/UG	U8878-RL-LR
200A 4T	UG	U8878-O-LR
200 amp | 5 & 7 Terminal | Ring Type		
200A ..... 5T ..... 3Ø3W ...	OH/UG ..... (2½" Hub included)	U1973-EL
200A ..... 7T ..... HD	OH/UG	U3328-RXL-LR
320 amp | 4, 5 & 7 Terminal - Residential/Light Commercial		
320A ..... 4T ..... HDLVR...	UG ..... (Lugs included)	U1797-O-K3L-K2L
320A ..... 4T ..... HDLVR...	OH/UG	U2448-X
320A ..... 5T ..... HDLVR...	OH/UG	U1079-R-5T9
320A ..... 7T ..... HDLVR...	OH/UG	U2594-X
320A ..... 7T ..... HDLVR...	OH/UG	U2594-X-BLG

Gang sockets are approved by CenterPoint Energy on a case-by-case basis

U8874-RL-TG

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

Entergy

Description	Service Feed	Catalog Number
125 amp | 4 Terminal		
125A 4T	OH hexhead connectors	U8435-RL-TG
125A 4T	OH screwhead connectors	U7487-RL-TG
200 amp | 4, 5 & 7 Terminal		
200A 4T	OH	U7021-RL-TG (or DL-TG)
200A 4T	OH	U7040-RL-TG
200A 4T	UG	U1980-O
200A 5T HD	OH	U4581-RL
200A 7T HD	OH	U4701-RL
200A 7T HD	UG	U4184-X
320 amp | 4, 5 & 7 Terminal | Heavy Duty		
320A 4T HD	UG*	U1797-O-K3L-K2L
320A 4T HD	UG	U4257-X
320A 5T HD	OH Ctr. Disconnect	U4419-X
320A 5T HD	OH*	U4505-X-2/K3
320A 7T HD	OH*	U4487-X-2/K6 or K7
320A 7T HD	UG* SWY	U2120-X-2/K7
150/200 amp | 4 Terminal | Horizontal Gangs		
2 Pos. 4T	OH/UG*	U1252-X-K1
3 Pos. 4T	OH/UG	U1253-X
4 Pos. 4T	OH/UG	U1254-X
5 Pos. 4T	OH/UG	U1255-X
6 Pos. 4T	OH/UG	U1256-X
C.T. Cabinets		
400-600A		403214-TC3R-SP1
800A		543214-TC3R-SP1

* Lugs included

403214-TC3R-SP1

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

Meter Mounting Equipment

Texas Deregulated Utilities

TXU/Oncor Area

Description	Service Feed	Catalog Number
150-200 amp | 4 Terminal		
150A 4T	OH	U7262-RL-TG
200A 4T	OH/UG	U7040-XL-TG
200A .....4T ..... HD.....	OH/UG	U9801-RXL
200 amp | 5 & 7 Terminal		
200A .....5T ..... HD.....	OH/UG	U9581-RL-QG
200A .....7T ..... HD.....	OH/UG	U9701-RXL
320 amp | 4 & 7 Terminal		
320A .....4T ..... HD.....	OH (w/o lugs)	U4363-R
320A .....4T ..... SWY	UG (w/ lugs).....	U1797-O-K3L-K2L
320A .....7T ..... SWY	OH/UG (w/o lugs).....	U4013-X
150 amp | 4 Terminal | Horizontal Gang		
150A .....3 Pos.....	OH/UG	U9353-XL
150A .....4 Pos.....	OH/UG	U9354-XL
200 amp | 4 Terminal | Horizontal Gang		
200A .....2 Pos.....	OH/UG	U1252-X-K1
200A .....3 Pos.....	OH/UG	U1253-X
200A .....4 Pos.....	OH/UG	U1254-X
200A .....5 Pos.....	OH/UG	U1255-X
200A .....6 Pos.....	OH/UG	U1256-X
200 amp | 4 Terminal | Mobile Home Pedestal		
200A .....1 Pos.....	UG Ped	U8567-O-200
200A .....2 Pos.....	UG Ped (twin)	U8667-O-2/200

U1797-O-K3L-K2L

U9701-RXL

Accessories

Closing Plates	Suffix	Catalog #
Sml. Closing Plate	-XL*	A7551
Lg. Closing Plate	-X	A9064
Adapter Plate	-RRL	S8324
Hubs for Standard "RL" Opening		
1" Hub	-WL	A7514
1¼" Hub	-YL	A7515
1½" Hub	-ZL	A7516
2" Hub	-DL	A7517
2½" Hub	-EL	A7518
Hubs for Large "R" Opening		
3" Hub	-F	A8110
3½" Hub	-G	A8111
4" Hub	-H	A8112
Fifth Terminals		
Fifth Terminal	Square Hole	K5T
Fifth Terminal	Round Hole	5T8K2

Lug Kits	Suffix	Catalog #
350 Kcmil	1Ø	(3 per set)
Single Lug Kit	-K1	K1539
Twin Lug Kit	-K2	K1350
Twin Lug Kit non-rotating K1350L		-K2L
600 Kcmil	1Ø	(3 per set)
Single Lug Kit	-K3	K1540
Single Lug Kit non-rotating K1540L		-K3L
Twin Lug Kit	-K4	K1541
350 Kcmil	3Ø	(4 per set)
Single Lug Kit	-K5	K3082
Twin Lug Kit	-K6	K3442
600 Kcmil	3Ø	(4 per set)
Single Lug Kit	-K7	K3441
Twin Lug Kit	-K8	K3083

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

Texas / New Mexico Power - TNP & CVEC Area

Description	Service Feed	Catalog Number
125 amp | 4 &7 Terminal		
125A 4T	OH	U8435-RL-TG
125A 4T	UG	U7588-XL
125A 7T	OH (1½" hub included)	U8100-ZL
200 amp | 4 & 5 Terminal		
200A 4T	OH	U7021-RL-TG
200A 4T SWY	UG	U1980-O
200A 5T	OH	U9580-RXL
320 amp | 4 Terminal		
320A 4T	OH	U1079-R
320A 4T	OH/UG	U2448-X
200/320 amp | 7 Terminal | Medium & Heavy Duty		
200A 7T MD	OH/UG (Lever bypass - non jaw clamping)	U7423-XL
200A 7T HD	OH/UG	U9701-RRL
320A 7T HD	OH/UG	U2594-X

U1980-O

150/200 amp | 4 & 7 Terminal | Horizontal Gangs	**150A**	**200A**
2 Pos 4T	OH/UG U1232-X	U1252-X-K1
3 Pos 4T	OH/UG U1233-RXL	U1253-X-K3
4 Pos 4T	OH/UG U1234-RXL	U1254-X-K3
5 Pos 4T	OH/UG U1235-RXL	U1255-X-K4
6 Pos 4T	OH/UG U1236-RXL	U1256-X-K4
4 Pos 7T	OH/UG	U2734-XT

U7423-XL

CoServ Area

Description	Service Feed	Catalog Number
200 amp | 4 Terminal		
200A 4T	OH/UG	U7040-XL-TG
320 amp | 4 Terminal		
320A 4T	OH/UG (Lugs included)	U4257-X-2/K2
200 amp | 7 Terminal | Medium & Heavy Duty		
200A 7T HD	OH (2" Hub included)	U9700-DL-QG
200A 7T MD	OH/UG (Lever bypass - non jaw clamping)	U3786-X-QG
320 amp | 7 Terminal | Heavy Duty		
320A 7T HD	OH/UG (Lugs included)	U4487-X-2/K6

U7021-DL-TG

Pedernales Electric Cooperative (PEC)

Description	Service Feed	Catalog Number
200 amp | 4 Terminal		
200A 4T	OH	U7021-DL-TG
200A 4T	UG	U7040-XL-TG
320A 4T	OH	U1079-F-2/K3L-PEC
320A 4T	UG	U1797-O-2/K3L-PEC

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

AEP—West Area

Description	Service Feed	Catalog Number

125-200 amp | 4 Terminal

200A	4T	OH	U7040-RL-TG-KK-BLG-AEP
200A	4T	OH	U7021-RL-TG-KK-BLG
200A	4T	UG	U1980-O-KK-BLG-AEP
200A	4T	OH	Alum*UAP7040-RL-TG-KK-BLG-AEP
200A	4T	UG	Alum *UAP1980-O-KK-BLG-AEP
200A	4T	OH/UG	U9801-RXL-QG-BLG-AEP
200A	4T	OH/UG	Alum*UAP9801-RXL-QG-BLG-AEP

200 amp | 5 & 7 Terminal | 3Ø | Heavy Duty

200A	5T	3Ø3W	OH/UG	U9581-RL-QG-BLG-AEP
200A	7T	3Ø4W	OH/UG	U9701-X-QG-BLG-AEP
200A	5T	3Ø3W	OH/UG	Alum *UAP9581-RL-BLG-AEP
200A	7T	3Ø4W	OH/UG	Alum *UAP9701-X-QG-BLG-AEP

320 amp | 4, 5 & 7 Terminal | Lugs Included

320A	4T	1Ø3W	OH/UG		U5161-X-K3L-K2L-BLG
320A	4T	1Ø3W	UG	SWY	U1797-O-K3L-K2L-BLG
320A	4T	1Ø3W	OH/UG	SWY	U4905-X-K3-K2-BLG
320A	4T	1Ø3W	UG	Alum	UAP1797-O-K3L-K2L-BLG
320A	5T	1Ø	OH/UG		UAP4362-R-K3-K2-BLG
320A	5T	1Ø	OH/UG	Alum	*UAP4362-R-K3-K2-BLG
320A	7T	3Ø4W	OH/UG		U4342-R-K7-K6-BLG
320A	7T	3Ø4W	OH/UG	Alum	*UAP4342-R-K7-K6-BLG
320A	7T	3Ø4W	OH/UG	SWY	U2594-X-K7-K6-BLG
320A	7T	3Ø4W	OH/UG	Alum	UAP2594-X-K7-K6-BLG

200 amp | 4 Terminal | Horizontal Gang

200A	2 Pos	OH/UG	(Lugs included)	U1252-RRL-KK-K1-BLG-SLVG
200A	3 Pos	OH/UG		U1253-RRL-KK-K1-BLG-SLVG
200A	4 Pos	OH/UG		U1254-RRL-KK-K1-BLG-SLVG
200A	5 Pos	OH/UG		U1255-RRL-KK-K1-BLG-SLVG
200A	6 Pos	OH/UG		U1256-RRL-KK-K1-BLG-SLVG

*UAP for Coastal Area (Aluminum)

400 amp | 4 & 7 Terminal | Lugs Included | 400A Main Breaker

4T	OH/UG	1Ø3W	U6227-X-400-K3L-BLG
7T	OH/UG	3Ø4W	U6229-X-400-K7L-BLG

400 amp | 7 Terminal | Lugs Included | 2/200 Main Breakers

4T	OH/UG	1Ø3W	U6115-X-2/200-K7L-BLG

U4342-R-K7-K6

U4801-XL-5T9



U2872-XT-5T9

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

XCEL Energy

Description	Service Feed	Catalog Number
200 amp | 5 & 7 Terminal | Heavy Duty		
200A ..... 5T ..... HD	OH/UG	U4801-XL-5T9
200A ..... 7T ..... HD	OH/UG	U9701-RRL
200A ..... 7T ..... HD	OH/UG	U4184-X
320 amp | 5 Terminal | Heavy Duty		
320A ..... 5T ..... HD	OH/UG	U1779-R-5T9
320A ..... 5T ..... HD	UG ..... SWY	U3000-O-5T9-K3L-K2L
320 amp | 7 Terminal | Heavy Duty		
320A ..... 7T ..... HD	UG ..... SWY	U2120-X
320A ..... 7T ..... HD	OH/UG ..... SWY	U2594-X
200 amp | 5 Terminal | Horizontal Gangs		
2 Pos. ..... 5T ..... HD	OH/UG	U2872-XT-5T9
3 Pos. ..... 5T ..... HD	OH/UG	U2873-XT-5T9
4 Pos. ..... 5T ..... HD	OH/UG	U2874-XT-5T9
5 Pos. ..... 5T ..... HD	OH/UG	U2875-XT-5T9
6 Pos. ..... 5T ..... HD	OH/UG	U2876-XT-5T9



U7487-RL-TG

CenterPoint Energy

Description	Service Feed	Catalog Number
125-200 amp | 4 Terminal | Ring Type		
125A 4T	OH/UG	U8874-RL-LR
200A 4T	OH	U5009-RL-LR
200A 4T	OH/UG	U8878-RL-LR
200A 4T	UG	U8878-O-LR
200 amp | 5 & 7 Terminal | Ring Type		
200A ..... 5T ..... 3Ø3W ...	OH/UG ..... (2½" Hub included)	U1973-EL
200A ..... 7T ..... HD	OH/UG	U3328-RXL-LR
320 amp | 4, 5 & 7 Terminal - Residential/Light Commercial		
320A ..... 4T ..... HDLVR...	UG ..... (Lugs included)	U1797-O-K3L-K2L
320A ..... 4T ..... HDLVR...	OH/UG	U2448-X
320A ..... 5T ..... HDLVR...	OH/UG	U1079-R-5T9
320A ..... 7T ..... HDLVR...	OH/UG	U2594-X
320A ..... 7T ..... HDLVR...	OH/UG	U2594-X-BLG

Gang sockets are approved by CenterPoint Energy on a case-by-case basis

U8874-RL-TG

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK

Entergy

Description	Service Feed	Catalog Number
125 amp | 4 Terminal		
125A 4T	OH hexhead connectors	U8435-RL-TG
125A 4T	OH screwhead connectors	U7487-RL-TG
200 amp | 4, 5 & 7 Terminal		
200A 4T	OH	U7021-RL-TG (or DL-TG)
200A 4T	OH	U7040-RL-TG
200A 4T	UG	U1980-O
200A 5T HD	OH	U4581-RL
200A 7T HD	OH	U4701-RL
200A 7T HD	UG	U4184-X
320 amp | 4, 5 & 7 Terminal | Heavy Duty		
320A 4T HD	UG*	U1797-O-K3L-K2L
320A 4T HD	UG	U4257-X
320A 5T HD	OH Ctr. Disconnect	U4419-X
320A 5T HD	OH*	U4505-X-2/K3
320A 7T HD	OH*	U4487-X-2/K6 or K7
320A 7T HD	UG* SWY	U2120-X-2/K7
150/200 amp | 4 Terminal | Horizontal Gangs		
2 Pos. 4T	OH/UG*	U1252-X-K1
3 Pos. 4T	OH/UG	U1253-X
4 Pos. 4T	OH/UG	U1254-X
5 Pos. 4T	OH/UG	U1255-X
6 Pos. 4T	OH/UG	U1256-X
C.T. Cabinets		
400-600A		403214-TC3R-SP1
800A		543214-TC3R-SP1

* Lugs included

403214-TC3R-SP1

Please consult serving utility for their requirements prior to ordering or installing, as specifications and approvals vary by utility, and may require local electrical inspector approval. All installations must be installed by a licensed electrician and must comply with all national and local codes, laws and regulations. Milbank reserves the right to make changes in specifications and features shown without notice or obligation.

MILBANK®
ENERGY AT WORK