

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Type

AHCL630R CCL Recp 30A 250V 2P3W BL&BK Eaton Wiring Devices

Catalog Number	AHCL630R
Manufacturer	Eaton Wiring Devices
Description	Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 Awg, 30A, Industrial, 250V, Back and Side, Blue, Black, Ultra Grip, Glass Filled Nylon, L6-30, Two-Pole, Three-Wire, Glass-Filled Nylon, -40°C (W/O Impact) to 70°C (-40°F to 158°F)
Weight per unit	0.3300 (lbs/each)
Product Category	Wiring Devices
eatures	
dimensions	1.6200 IN X 1.1200 IN X 3.6400 IN
media	Yes
Descriptions	
Description	CCL RECP 30A 250V 2P3W BL&BK
extra long description	EWD AHCL630R CCL Recp 30A 250V 2P3W
Features	Eaton's Arrow Hart color coded locking devices are an
	industry-first solution that adds six voltage rating color codes consistent with IEC 60309 standards to locking plugs, connectors inlets, outlets and receptacles to provide you a quick, clear and easy way to identify your circuit voltage. Available in standard NEMA configurations for 20A and 30A applications, the devices ensure long-lasting, dependable service in the most demanding environments, are built with a contemporary flare and ergonomic design
Long Description	Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 AWG, 30A, Industrial, 250V, Back and Side, Blue, Black, Ultra grip, Glass filled Nylon, L6-30, Two-pole, Three-wire, Glass-filled Nylon, -40°C (w/o impact) to 70°C (-40°F to 158°F)
Product Type	
Vanufacturer Information	
Brand	Eaton
GTIN	00032664758416
Manufacturers Part Number	AHCL630R
UPC	032664758416
Taxonomies, Classifications, and (Categories
Category Description	•
_	

Color Coded Locking



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Package	10
Weight Per each	0.33
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility - Other
standard	CSA Certified, UL Listed, Federal Specification Classification 6233

01,NOM,RoHS Compliant,NAFTA