

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



ATM15 600V 15A Midget Fuse Mersen Fuses

Catalog Number	ATM15
Manufacturer	Mersen Fuses
Description	Fuse Atm - Midget - Fast-Acting 600VAC 600VDC 15A Ferrule
	Amp-Trap®

0.0040 (lbs/each) Weight per unit Product Category Small Dimension Fuses

Features

ituics		
AC Voltage Rating	600	
amperage rating	15	
class	M	
connection	Ferrule	
DC Voltage Rating	600	
interrupt rating	100	
Voltage Rating	600	
9		

Material, Color, and Finish

Body Material GMG

Dimensions and Weight

1.5 x 0.41 Size



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

_			•				
. 1	2	۸r		n	+ 1	\sim	ns
.,		L		u			117
_	~	•	-	~	•	•	

Description	600V 15A MIDGET FUSE
extra long description	Mersen ATM15 Fuse ATM - Midget - Fa
Features	Amp-Trap® midget fast-acting ATM fuses are rated 600 volts AC and DC, with a 100kA interrupting rating. These ratings give the ATM a wide range of applications not covered by other midget fuses. In addition, ratings of 30/35, 30/40 and 30/50 amperes are offered for specific applications such as capacitor protection. These ATM fuses must still be considered 30A fuses because of their dimensions, but are able to withstand much higher inrush currents and tougher duty cycles. (Not for Branch Circuit Protection
Long Description	Fuse ATM - Midget - Fast-Acting 600VAC 600VDC 15A Ferrule Amp-Trap®
Product Type Short Description	Fuse Atm - Midget - Fast-Acting 600VAC 600VDC 15A Ferrule 600V 15A MIDGET FUSE
Special Features	For supplemental protection of small motors and transformers Extended ratings for special protection of capacitors and circuits with high inrush currents 600VDC ratings for a wide variety of applications including photovoltaic and solar applications. Can be used with UltraSafe™ fuse holders 1 1/2" x 13/32" (10mm x 38mm) dimensions
mufacturar Information	

Manufacturer Information

Brand	Mersen
GTIN	00782001900694
Manufacturers Part Number	ATM15
sub brand	Amp-Trap ®
UPC	782001900694

Taxonomies, Classifications, and Categories

Category Description	MIDGET FUSES
Туре	Midget Fuses

Packaging

Carton	1
Package	10
Weight Per each	0.004



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Supplemental protection of of circuits up to 600VAC and 600VDC with 100kA I.R.
Mounting	Clip
standard	UL listed to standard 248-14 (1/10 to 30A) File E33925 DC Listed to UL Standard 248-14 (1/10 to 30A) CSA Certified to Standard
	C22.2 No. 248.14 (1/10 to 30A)