



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



ATMR20 600V 20A CC Fuse

Mersen Fuses

Catalog Number	ATMR20
Manufacturer	Mersen Fuses
Description	Fuse Atmr - Class CC - Fast-Acting 600VAC 600VDC 20A Ferrule Amp-Trap®
Weight per unit	0.0200 (lbs/each)
Product Category	Small Dimension Fuses

Features

AC Voltage Rating	600
amperage rating	20
class	Class CC
connection	Ferrule
DC Voltage Rating	600
interrupt rating	200
Voltage Rating	600

Material, Color, and Finish

Body Material	GMG
---------------	-----

Dimensions and Weight

Size	1.5 x 0.41
------	------------

Descriptions

Description	600V 20A CC FUSE
extra long description	Mersen ATMR20 Fuse ATMR - Class CC
Features	Amp-Trap ATMR fast-acting fuses are the smallest dimension 600V fuses suitable for branch-circuit protection. The ATMR is a popular choice for economical protection of control circuits and control circuit transformers where available short circuit currents exceed 10,000 amperes. ATMR's rejection dimensions prevent substitution by lesser rated fuses. These fast-acting fuses give current-limiting protection to general circuits.
Long Description	Fuse ATMR - Class CC - Fast-Acting 600VAC 600VDC 20A Ferrule Amp-Trap®
Product Type	Fuse Atmr - Class CC - Fast-Acting 600VAC 600VDC 20A Ferrule
Short Description	600V 20A CC FUSE
Special Features	Rejection-style design prevents replacement errors when used with recommended fuse blocks Versatile design for individual component and branch circuit protection



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Manufacturer Information

Brand	Mersen
GTIN	00782001904821
Manufacturers Part Number	ATMR20
UPC	782001904821

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	CLASS CC

Packaging

Carton	1
Package	10
Weight Per each	0.02

Uses, Certifications, and Standards

Application	Control circuits Lighting General loads Branch circuit protection
Mounting	Clip
standard	UL listed to standard 248-4 File E2137 CSA certified to standard C22.2 No. 248.4 DC listed to UL standard 248