

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Carton

Weight Per each

## **BD3030 Type BD Duplex BRKR 2-30A/1 Pole 120/240V 10K** Eaton Corp

Catalog Number	BD3030
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BD 1-Inch CTL Plug-On Breaker, Includes Rejection Tab Feature, 30-30 A, 10 Kaic, Single-Pole, 120V, BD, #14-4 Awg Cu/Al, BD, Type BR Loadcenters
Weight per unit	0.4000 (lbs/each)
Product Category	Duplex Standard Trip Plug-In
eatures	
dimensions	2.9000 IN X 1.0000 IN X 2.5000 IN
interrupt rating	10 kAIC
Poles	Single-pole
Voltage Rating	120 V
Descriptions	
Description	TYPE BD DUPLEX BRKR 2-30A/1 POLE 120/240V 10K
extra long description	ETN BD3030 BD Duplex 2-30A/1 Pole 1
Features	Eaton's residential BR Circuit Breakers are used in load centers, panelboards, or similar devices. They are made for a wide range of applications and include: BR 1" circuit breakers and accessories for BR-style load centers; arc fault circuit interrupte (AFCI); and ground fault circuit interrupters (GFCI).
Long Description	Eaton BR thermal magnetic circuit breaker, Type BD 1-Inch CTL plug-on breaker, Includes rejection tab feature, 30-30 A, 10 kAIC, Single-pole, 120V, BD, #14-4 AWG Cu/AI, BD, Type BR Loadcenters
Product Type	BD Duplex 2-30A/1 Pole 120/240V 10K
Special Features	Includes Rejection Tab feature
Manufacturer Information	
Brand	Eaton
GTIN	00786676369503
Manufacturers Part Number	BD3030
UPC	786676369503
axonomies, Classifications, and (	Categories
Category Description	Loadcenter Plug In Breakers and Accessories
Туре	Thermal magnetic circuit breakers
Packaging	
<b>J</b> J	4

1

0.4

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## Uses, Certifications, and Standards

Application	OtherMarine Vessels and Equipment - Marine Vessels and
Application	• •
	Equipment - OtherGeneration - Renewable Energy - Alternative
	EnergyGeneration - Conventional Energy - Conventional
	EnergyDatacenters - IT Space: CI and Hyper Converged
standard	UL 489, Federal Specifications Classification W-C375