



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1615 North Hazel St.  
71801-0000, AR Hope  
Phone: 870-777-4225  
Fax: 870-777-4343



## **BQC240250 BQC Quad BRKR 1-40A/2P 1-50A/2P Com. Trip 120/240V** *Eaton Corp*

Catalog Number	BQC240250
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BQC 1-Inch CTL Plug-On Circuit Breaker, Includes Rejection Tab Feature, (1) Two-Pole 40 A, (1) Two-Pole 50 A, 10 Kaic, Four-Pole, 120/240V, BQC, Common Breaker Trip, #14-4 Awg Cu/Al, BQC
Weight per unit	0.9000 (lbs/each)
Product Category	Quadplex Standard Trip Plug-In

### Features

dimensions	3.0000 IN X 2.0000 IN X 2.6000 IN
interrupt rating	10 kAIC
Poles	Four-pole
Trip Type	Common breaker trip
Voltage Rating	120/240 V

### Descriptions

Description	BQC QUAD BRKR 1-40A/2P 1-50A/2P COM. TRIP 120/240V
extra long description	ETN BQC240250 BQC Quad 1-40A/2P 1-5
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR thermal magnetic circuit breaker, Type BQC 1-Inch CTL plug-on circuit breaker, Includes rejection tab feature, (1) Two-Pole 40 A, (1) Two-Pole 50 A, 10 kAIC, Four-pole, 120/240V, BQC, Common breaker trip, #14-4 AWG Cu/Al, BQC
Product Type	BQC Quad 1-40A/2P 1-50A/2P 120/240V 10K
Special Features	Includes Rejection Tab feature

### Manufacturer Information

Brand	Eaton
GTIN	00786676371933
Manufacturers Part Number	BQC240250
UPC	786676371933

### Taxonomies, Classifications, and Categories

Category Description	Loadcenter Plug In Breakers and Accessories
Type	Thermal magnetic circuit breakers



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1615 North Hazel St.  
71801-0000, AR Hope  
Phone: 870-777-4225  
Fax: 870-777-4343

## Packaging

Carton	1
Weight Per each	0.9

## Uses, Certifications, and Standards

Application	Generation - Conventional Energy - Conventional EnergyDatacenters - IT Space: CI and Hyper ConvergedMarine Vessels and Equipment - Marine Vessels and Equipment - OtherOtherGeneration - Renewable Energy - Alternative Energy
standard	UL 489,Federal Specifications Classification W-C375