

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## BR110 Type BR BRKR 10A/1 Pole 120/240V 10K Eaton Corp

| - a  |  |
|--|--|
| Catalog Number                             | BR110  |
| Manufacturer                               | Eaton Corp   |
| Description                                | Standard Trip Circuit Breaker, 10 A, Common Tripping   |
|  | Mechanism, Line and Load Lug Terminal, Plug-On, 120/240 V Ac,  |
|  | 3 In Overall Height, 3 In Overall Length, 1 In Overall Width   |
| Weight per unit                            | 0.3000 (lbs/each)  |
| Product Category                           | 1 Pole Standard Trip Plug-In   |
| Features                                   |  |
| dimensions                                 | 3.0000 IN X 1.0000 IN X 3.0000 IN  |
| Poles                                      | Single-pole  |
| Descriptions                               |  |
| Description                                | TYPE BR BRKR 10A/1 POLE 120/240V 10K   |
| extra long description                     | ETN BR110 Type BR Breaker 10A/1 Pol  |
| Manufacturer Information                   |  |
| GTIN                                       | 00786676362009   |
| UPC  | 786676362009   |
| Taxonomies, Classifications, and Cat       | egories  |
| Category Description                       |  |
| Туре                                       | Thermal magnetic circuit breakers  |
| Packaging                                  |  |
| Carton                                     | 1  |
| Weight Per each                            | 0.3  |
| <b>Uses, Certifications, and Standards</b> |  |
| Application                                | Generation - Renewable Energy - Alternative EnergyGeneration - Conventional Energy - Conventional EnergyDatacenters - IT Space: CI and Hyper ConvergedMarine Vessels and Equipment - Marine Vessels and Equipment - OtherOther |
| standard                                   | UL 489, Federal Specifications Classification W-C375   |
|  |  |