

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

BRD250250 BRD Quad BRKR 1-50A/2P 1-50A/2P 120/240V 10K Non-C Eaton Corp

ليلينا	
Catalog Number	BRD250250
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BR 1-Inch Quad Circuit Breaker, (2) 50 A, (2) 50 A, 10 Kaic, Four-Pole, 120/240V, BRD, Independent, #14-4 Awg Cu/Al, BRD, Type BR Loadcenters
Weight per unit	0.9000 (lbs/each)
Product Category	Quadplex Standard Trip Plug-In
Features	
dimensions	3.0000 IN X 2.0000 IN X 3.0000 IN
interrupt rating	10
Poles	4
Voltage Rating	120/240 V
Descriptions	
Description	BRD QUAD BRKR 1-50A/2P 1-50A/2P 120/240V 10K NON-C
extra long description	ETN BRD250250 BRD Quad 1-50A/2P 1-5
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR thermal magnetic circuit breaker, Type BR 1-Inch quad circuit breaker, (2) 50 A, (2) 50 A, 10 kAIC, Four-pole, 120/240V, BRD, Independent, #14-4 AWG Cu/AI, BRD, Type BR Loadcenters
Product Type	BRD Quad 1-50A/2P 1-50A/2P 120/240V 10K
Manufacturer Information	
Brand	Eaton
GTIN	00786676007603
Manufacturers Part Number	BRD250250
UPC	786676007603
Taxonomies, Classifications, and (Categories
Category Description	Loadcenter Plug In Breakers and Accessories
Туре	Thermal magnetic circuit breakers
Packaging Carton	1

0.9

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Marine Vessels and Equipment - Marine Vessels and Equipment -
	OtherOtherGeneration - Renewable Energy - Alternative
	EnergyGeneration - Conventional Energy - Conventional
	EnergyDatacenters - IT Space: CI and Hyper Converged
standard	UL 489, Federal Specifications Classification W-C375