# Eaton BRP12N125

## Catalog Number: BRP12N125

Eaton BR convertible loadcenter, Convertible, 125 A,X1,Aluminum, Cover included, NEMA 1, Metallic, 10 kAIC, BR, Combination, 24 Circuits, Single-pole, 12 Spaces, Two hots, a neutral, and a ground, Single-phase, Type BR 1-inch breakers, 120/240 V



### General specifications

**Product Name** 

Eaton BR convertible loadcenter

UPC

786689053017

**Product Height** 

3.88 in

**Product Weight** 

17 lb

Certifications

UL 50

UL 67

Catalog Number

BRP12N125

Product Length/Depth

18.75 in

**Product Width** 

14.31 in

Warranty

10 year



### default Taxonomy Attribute Label

Туре

Convertible

Amperage Rating

125 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

BR

Mounting

Combination

Number of circuits

24

**Number Of Poles** 

Single-pole

Number of spaces

12

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240 V

Box size

X1

Enclosure

NEMA 1

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

Two hots, neutral and ground

#### Resources

**Brochures** 

Loadcenters and Circuit Breakers

Specifications and datasheets

Eaton Specification Sheet - BRP12N125



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

# Eaton BRP12N125

## Catalog Number: BRP12N125

Eaton BR convertible loadcenter, Convertible, 125 A,X1,Aluminum, Cover included, NEMA 1, Metallic, 10 kAIC, BR, Combination, 24 Circuits, Single-pole, 12 Spaces, Two hots, a neutral, and a ground, Single-phase, Type BR 1-inch breakers, 120/240 V



### General specifications

**Product Name** 

Eaton BR convertible loadcenter

UPC

786689053017

**Product Height** 

3.88 in

**Product Weight** 

17 lb

Certifications

UL 50

UL 67

Catalog Number

BRP12N125

Product Length/Depth

18.75 in

**Product Width** 

14.31 in

Warranty

10 year



### default Taxonomy Attribute Label

Туре

Convertible

Amperage Rating

125 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

BR

Mounting

Combination

Number of circuits

24

**Number Of Poles** 

Single-pole

Number of spaces

12

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240 V

Box size

X1

Enclosure

NEMA 1

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

Two hots, neutral and ground

#### Resources

**Brochures** 

Loadcenters and Circuit Breakers

Specifications and datasheets

Eaton Specification Sheet - BRP12N125



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia