
# Eaton BRP20N200G

# Catalog Number: BRP20N200G

Eaton BR convertible loadcenter, Ground bar, Convertible, 200 A, X5, Aluminum, Cover included, NEMA 1, Metallic, 10 kAIC, CSR, Combination, 40 Circuits, Single-pole, 20 Spaces, Two hots, neutral, and a ground, Single-phase, Type BR 1-inch breakers, 120/240 V





Product Name

Eaton BR convertible loadcenter

UPC

786689053307

**Product Height** 

3.88 in

**Product Weight** 

27 lb

Certifications

UL 50

UL 67

Catalog Number

BRP20N200G

Product Length/Depth

29.12 in

**Product Width** 

14.31 in

Warranty

10 year



## default Taxonomy Attribute Label

Special features

Ground bar

Туре

Convertible

Amperage Rating

200 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

CSR

Mounting

Combination

Number of circuits

40

**Number Of Poles** 

Single-pole

Number of spaces

20

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240 V

Box size

X5

Enclosure

NEMA 1

Enclosure material

Metallic

Interrupt rating

10 kAIC

### Resources

**Brochures** 

Loadcenters and Circuit Breakers

Specifications and datasheets

Eaton Specification Sheet - BRP20N200G

### Number of wires

Two hots, neutral and ground



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.




Eaton.com/socialmedia

# Eaton BRP20N200G

# Catalog Number: BRP20N200G

Eaton BR convertible loadcenter, Ground bar, Convertible, 200 A, X5, Aluminum, Cover included, NEMA 1, Metallic, 10 kAIC, CSR, Combination, 40 Circuits, Single-pole, 20 Spaces, Two hots, neutral, and a ground, Single-phase, Type BR 1-inch breakers, 120/240 V





Product Name

Eaton BR convertible loadcenter

UPC

786689053307

**Product Height** 

3.88 in

**Product Weight** 

27 lb

Certifications

UL 50

UL 67

Catalog Number

BRP20N200G

Product Length/Depth

29.12 in

**Product Width** 

14.31 in

Warranty

10 year



## default Taxonomy Attribute Label

Special features

Ground bar

Туре

Convertible

Amperage Rating

200 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

CSR

Mounting

Combination

Number of circuits

40

**Number Of Poles** 

Single-pole

Number of spaces

20

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240 V

Box size

X5

Enclosure

NEMA 1

Enclosure material

Metallic

Interrupt rating

10 kAIC

### Resources

**Brochures** 

Loadcenters and Circuit Breakers

Specifications and datasheets

Eaton Specification Sheet - BRP20N200G

### Number of wires

Two hots, neutral and ground



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia