ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
760 Ford St.
80915-0000, CO Colorado Springs
Phone: 719-559-2456
Fax: 719-867-4287



BUB4 1-1/4" Bub Conduit Body

Crouse-Hinds

Catalog Number	BUB4
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet B Mogul Conduit Body, Feraloy Iron Alloy, Ub Shape, 1-1/4"
Weight per unit	3.5 (lbs/each)
Product Category	Bodies & Covers

Features

dimensions	9.3100 IN X 2.1900 IN X 3.1900 IN

Material, Color, and Finish

Finish	Electrogalvanized With Aluminum Acrylic Painted

Dimensions and Weight

Height	3-3/16
Hub Size	1-1/4 in
Length	9-5/16
Width	2-3/16

Descriptions

Description	1-1/4" BUB CONDUIT BODY
extra long description	CRH BUB4 1-1/4 NPT IRON UB MOGUL BO
Features	Crouse-Hinds series mogul bodies are installed in conduit systems to act as pull outlets for conductors that are stiff due to large size or type of insulation. Mogul bodies provide longer openings needed when pulling large conductors and prevent sharp bends and kinks during installation. Mogul conduit bodies are manufactured in trade sizes 1/2" to 6" and are available in Feraloy iron alloy and copper-free aluminum. Our iron alloy bodies are available with a hot dip galvanized finish for added corrosion
Long Description	Eaton Crouse-Hinds series Condulet B mogul conduit body, Feraloy iron alloy, UB shape, 1-1/4"
Product Type	1-1/4 NPT Iron Ub Mogul Body

Manufacturer Information

Brand	Eaton
GTIN	00782274108407
Manufacturers Part Number	BUB4
UPC	782274108407

Taxonomies, Classifications, and Categories

Category Description	FORM 7, 8, CONDULETS, COVERS, & GASKETS
Type	Mogul conduit body

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
760 Ford St.
80915-0000, CO Colorado Springs
Phone: 719-559-2456
Fax: 719-867-4287

Packaging

Carton	1
Package	2
Weight Per each	3.5

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
standard	UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D