

# Eaton C371F6

Catalog Number: C371F6

Type C371 Circuit Breaker Operator Mechanism, 250A or 400A frame, Flange mounted, 6.5-16.63 variable depth mounting range, HMCP and Series C-HJD, JD, JDB, JDC-frame or DK, HKD, KD, KDB-frame, For NEMA 4-4X enclosures, With 4-inch handle

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton molded case circuit breaker accessory handle mechanism	C371F6
	<b>UPC</b>
	782113629841
<b>Product Length/Depth</b>	<b>Product Height</b>
16.844 in	5.063 in
<b>Product Width</b>	<b>Product Weight</b>
6.563 in	2.8 lb
<b>Certifications</b>	
UL Listed	
IEC Rated	
IEC/EN 60947-4-1	

defaultTaxonomyAttributeLabel

Type

Handle mechanism

Accessories

4-inch handle

Amperage Rating

250A, 400A

Frame

JDB

JD

DK

HKD

KD

JDC

HJD

KDB

Series

HMCP and C

Mounting method

Flange

Mounting range

6.5-16.63 in

Resources

Catalogs

Eaton's Volume 4—Circuit Protection

Multimedia

Flex shaft handle installation tutorial

Specifications and datasheets

Eaton Specification Sheet - C371F6



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.  
  
All other trademarks are property of their respective owners.



Eaton.com/socialmedia

# Eaton C371F6

Catalog Number: C371F6

Type C371 Circuit Breaker Operator Mechanism, 250A or 400A frame, Flange mounted, 6.5-16.63 variable depth mounting range, HMCP and Series C-HJD, JD, JDB, JDC-frame or DK, HKD, KD, KDB-frame, For NEMA 4-4X enclosures, With 4-inch handle

## General specifications



Photo is representative

Product Name	Catalog Number
Eaton molded case circuit breaker accessory handle mechanism	C371F6
	UPC
	782113629841
Product Length/Depth	Product Height
16.844 in	5.063 in
Product Width	Product Weight
6.563 in	2.8 lb
Certifications	
UL Listed	
IEC Rated	
IEC/EN 60947-4-1	

defaultTaxonomyAttributeLabel

Type

Handle mechanism

Accessories

4-inch handle

Amperage Rating

250A, 400A

Frame

JDB

JD

DK

HKD

KD

JDC

HJD

KDB

Series

HMCP and C

Mounting method

Flange

Mounting range

6.5-16.63 in

Resources

Catalogs

Eaton's Volume 4—Circuit Protection

Multimedia

Flex shaft handle installation tutorial

Specifications and datasheets

Eaton Specification Sheet - C371F6



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.  
  
All other trademarks are property of their respective owners.



Eaton.com/socialmedia