

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

CC3225 CC BRKR 225A/3 Pole 240V 10K Eaton Corp

Eaton Corp	
Catalog Number	CC3225
Manufacturer	Eaton Corp
Description	Eaton BR Main Breaker Kit, Molded Case Breaker, 225 A, 10 Kaic, Three-Pole, 120/240 V, !, #2/0 Awg-300 Kcmil Cu/Al, CC, Type Ecc Unit Enclosure, Convertible Loadcenters
Weight per unit	2.9 (lbs/each)
Product Category	3 Pole Base Mount Circuit Brea
Features	
dimensions	7.7500 IN X 5.7500 IN X 5.2500 IN
interrupt rating	10 kAIC
Poles	Three-pole
Voltage Rating	240 V - 240 V
Descriptions	
Description	CC BRKR 225A/3 POLE 240V 10K
extra long description	ETN CC3225 CC Breaker 225A/3 Pole 2
Features	Eaton's residential BR Circuit Breakers are used in load centers, panelboards, or similar devices. They are made for a wide range of applications and include: BR 1" circuit breakers and accessories for BR-style load centers; arc fault circuit interrupters (AFCI); and ground fault circuit interrupters (GFCI).
Long Description	Eaton BR main breaker kit, Molded case breaker, 225 A, 10 kAIC, Three-pole, 120/240 V,!,#2/0 AWG-300 kcmil Cu/AI, CC, Type ECC Unit enclosure, convertible loadcenters
Product Type	CC Breaker 225A/3 Pole 240V 10K
Manufacturer Information	
Brand	EATON CUTLER-HAMMER
GTIN	00782113266657
Manufacturers Part Number	CC3225
UPC	782113266657
Taxonomies, Classifications, and C	Categories
	Breaker Enclosures with or without Breaker
Туре	_
Packaging	
Carton	1

2.9

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

es, cei illications, and sta	ilualus
Application	Generation - Conventional Energy - Conventional EnergyMarine Vessels and Equipment - Marine Vessels and Equipment -
	OtherOtherDatacenters - IT Space: CI and Hyper
	ConvergedGeneration - Renewable Energy - Alternative
	EnergyResidential Bldgs & Facilities - Residential Bldgs & Facilities - Other
standard	UL 489,Contact Manufacturer