



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



CH220CAF CH Combination Type AfcI 2 Pole 20A 10kaic *Eaton Corp*

Catalog Number	CH220CAF
Manufacturer	Eaton Corp
Description	Eaton CH AfcI Circuit Breaker, Plug-On Branch Feeder Arc Fault Combination Circuit Breaker, 20 A, 10 Kaic, Two-Pole, 120 V, 120/240 V, CH, Type CH Loadcenters
Weight per unit	0.8500 (lbs/each)
Product Category	In Circuit Breakers

Features

amperage rating	20 A
dimensions	3.5000 IN X 6.0000 IN X 2.5000 IN
interrupt rating	10 kAIC
Poles	Two-pole
Voltage Rating	120/240 V

Descriptions

Description	CH COMBINATION TYPE AFCI 2 POLE 20A 10KAIC
extra long description	ETN CH220CAF CH AFCI 2 POLE 20 AMP,
Features	Eaton's residential CH circuit breakers provide premium overload protection. The Type CH circuit breakers trip to the OFF position, eliminating nuisance callbacks. The CHF family also includes a trip flag to differentiate between a trip and the breaker being turned off. The thermal-magnetic trip curve avoids nuisance tripping on mild overloads while reacting almost instantaneously to severe short-circuit conditions. Multiple breakers have an internal common trip connection to operate all poles simultaneous
Long Description	Eaton CH AFCI circuit breaker, Plug-on branch feeder arc fault combination circuit breaker, 20 A, 10 kAIC, Two-pole, 120 V, 120/240 V, CH, Type CH Loadcenters
Product Type	CH AfcI 2 Pole 20 Amp, 10kaic
Special Features	Combination arc fault

Manufacturer Information

Brand	EATON CUTLER-HAMMER
GTIN	00786685495187
Manufacturers Part Number	CH220CAF
UPC	786685495187

Taxonomies, Classifications, and Categories

Category Description	Fault Sensing Breakers (AFCI/GFCI)
Type	AFCI circuit breakers



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Package	10
Weight Per each	0.85

Uses, Certifications, and Standards

Application	Generation - Renewable Energy - Alternative EnergyDatacenters - IT Space: CI and Hyper ConvergedGeneration - Conventional Energy - Conventional EnergyOtherMarine Vessels and Equipment - Marine Vessels and Equipment - Other
standard	UL Listed