

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## **CHHT Handle Tie Bar For 2 - 1 Pole CH BRKRS** Eaton Corp

Catalog Number	СННТ
Manufacturer	Eaton Corp
Description	Eaton CH 3/4-Inchch Loadcenter and Breaker Accessories - Handle Tie, Handle Tie, CH, 0.75 In, Used With (2) Single-Pole CH
	Breakers
Weight per unit	
Product Category	Circuit Breaker Accessories
Features	
amperage rating	
dimensions	1.0000 IN X 0.5000 IN X 0.5000 IN
interrupt rating	10
media	
Phase	3
Dimensions and Weight	
Depth	1.0000
Height	0.5000
Width	0.5000
Descriptions	
Description	HANDLE TIE BAR FOR 2 - 1 POLE CH BRKRS
extra long description	ETN CHHT Handle Tie Bar-(2) - 1 Pol
Features	Eaton's CH 3/4-inch loadcenters enclose CH circuit breakers for
	power distribution and circuit protection in residential and light
	commercial applications. Also called a breaker box, electrical box
	or even a fuse box, the main function is to take electricity
	supplied by the utility and distribute it throughout the home to
	feed lights and receptacles. Covers are typically packaged
Lear Development	separately and available as surface or flush mount.
Long Description	Eaton CH 3/4-inchch Loadcenter and Breaker Accessories -
	Handle Tie,Handle tie,CH,0.75 in,Used with (2) single-pole CH breakers
Product Typo	Handle Tie Bar-(2) - 1 Pole CH Breakers
Product Type Special Features	Used with (2) single note CU breekers
•	osed with (2) single-pole of breakers
Manufacturer Information	EATON OUTLED HAAMAED
Brand	EATON CUTLER-HAMMER
GTIN	00782113099071
Manufacturers Part Number	CHHT 70211200071
UPC	782113099071



standard

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories	
Category Description	LOADCENTER ACCESSORIES
Туре	Accessory
Packaging	
Carton	1
Package	25
Weight Per each	0.01
Uses, Certifications, and Standards	
Application	Other

UL 489