

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Eaton Corp Catalog Number	CHN260GF
Manufacturer	Eaton Corp
Description	Eaton CH Gfci Circuit Breaker, Plug-In Circuit Breaker, 60 A, 10 Kaic, Two-Pole, 120/240 V, CH, Common, GFI, 5 Ma
Weight per unit	
Product Category	In Circuit Breakers
Features	
amperage rating	60 A
dimensions	3.5000 IN X 6.3000 IN X 2.2000 IN
interrupt rating	10
Poles	
Тгір Туре	
Voltage Rating	120/240 V
Descriptions	
Description	CH 5MA GFCI 2P 60A 120/240V 10KAIC
extra long description	ETN CHN260GF CH 5mA GFCI, 2P, 60A,
Features	Eaton's residential CH circuit breakers provide premium overload protection. The Type CH circuit breakers trip to the OFF position, eliminating nuisance callbacks. The CHF family also includes a trip flag to differentiate between a trip and the breaker being turned off. The thermal-magnetic trip curve avoids nuisance tripping on mild overloads while reacting almost instantaneously to severe short-circuit conditions. Multiple breakers have an internal common trip connection to operate all poles simultaneous
Long Description	Eaton CH GFCI circuit breaker,Plug-in circuit breaker,60 A,10 kAIC,Two-pole,120/240 V,CH,Common,GFI,5 mA
Product Type	
Manufacturer Information	
Brand	Eaton Corp
GTIN	00786689217297
Manufacturers Part Number	CHN260GF
UPC	786689217297
Taxonomies, Classifications, and C	ategories
Туре	
Packaging	
Carton	1
Weight Per each	0.95



$E_{\text{LLIOTT}} E_{\text{LECTRIC}} S_{\text{UPPLY}}$

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Datacenters - IT Space: CI and Hyper ConvergedOtherGeneration
	- Renewable Energy - Alternative EnergyGeneration -
	Conventional Energy - Conventional EnergyMarine Vessels and
	Equipment - Marine Vessels and Equipment - Other
standard	UL 489